

2022-5548
2022-11-22

PLANTSKYDD DEER REPELLENT
Pre-Mixed RTU Formulation

COMMERCIAL

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT: Dried Blood. ... 16.7%

REGISTRATION NO. 27656 PEST CONTROL PRODUCTS ACT

Made in USA

Plantskydd repels by odour*

*NOT unpleasant to applicators or planters

NET CONTENTS: 5 L

Effective against deer and elk for 2-4 months

Canadian Registrant / Public Inquiries Contact

Tree World® logo

*** girl with seedling**

4466 Stalashen Drive

Sechelt, B.C.

Canada, V7Z 0B3

Tel: 1-800-252-6051

plantskydd.ca

info@treeworld.com

DIRECTIONS FOR USE:

For use on cedar, fir, pine, and spruce seedlings to prevent feeding damage by deer and elk. To be applied once or twice per year as browsing conditions warrant.

- Shake well before each use.
- Apply above 0° C.
- Adjust nozzle for fine spray.
- Spray on dry plants only.
- Squeeze trigger twice for each seedling.
- Spray mainly tops of plants until wet.
- Allow to dry 1-2 days before watering.
- Close nozzle after each use.

Note: • Do not increase the above dosage of two spray blasts per plant!

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

TREATMENT TIME:

1. For best results—apply in late Fall (overwinter browse) or early Spring.

NOTE: Needles may temporarily darken after spraying.

2. After rainfall, wait 1-2 hours—until needles are dry.

3. Very warm weather (e.g., June-August) reduces efficacy.

4. Treat Pine before or after, but not during, bud-flush period.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN

1. DO NOT swallow solution.

2. Wash hands before eating.

For good hygiene practice, wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair.

FIRST AID:

If swallowed—Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing—Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled—Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes—Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

STORAGE

- Store this product away from food or feed.
- Avoid heat and direct sunlight.
- Store between 5° and 20° C.
- Avoid freezing. Product freezes at 0° C.

DISPOSAL:

- I) Rinse the emptied container thoroughly.
- II) Do not rinse or empty container/sprayer near waterways.
- III) Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- IV) Make the empty container unsuitable for further use.
- V) Dispose of the container in accordance with provincial requirements.
- VI) For information on the disposal of unused, unwanted product, contact the manufacturer and the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use a control product under unsafe conditions.