SOLID OXIPROTM

MICROBIOLOGICAL CONTROL CHEMICAL

COMMERCIAL WARNING

CORROSIVE

POISON

READ THE LABEL BEFORE USING

REGISTRATION NO.: 28419 PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

1-bromo-3-chloro-5, 5-dimethylhydantoin	60.0%
1, 3-dichloro-5, 5-dimethylhydantoin	27.4%
1, 3-dichloro-5-ethyl-5-methylhydantoin	.10.6%
Available bromine	39.2%
Available chlorine	.44.4%

Net Contents:

Nalco Canada Co. P.O. Box 5002 Burlington, Ontario L7R 3Y9 TEL: (905) 632-8791 PHONE IN CASE OF EMERGENCY: CANADA 1-800-463-3216 (24 HOURS)

DIRECTIONS FOR USE:

SOLID OXIPRO aids in the control of bacterial, fungal and algal slimes in cooling tower evaporative condensers, influent systems such as filters, lagoons, etc. and industrial water scrubbing systems. This product may be added to the system either continuously, intermittently or as needed. The frequency of feeding and duration of treatment will depend on the severity of the problem. Badly fouled systems must be cleaned before treatment is begun. Slug feed 60 to 600 grams to 5000 liters or 12 to 120 mg/L of water in the system. Repeat until control is achieved. When microbial control is evident subsequent doses of 60 to 450 grams to 5000 liters or 12 to 90 mg/L of water every 3 days or as needed to maintain control. For continuous feed, maintain a dosage of 60 to 450 grams to 5000 liters or 12 to 90 mg/L of water every 3 days or 12 to 90 mg/L in the system.

Not intended for use in potable water systems.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN, harmful if swallowed, highly corrosive. Do not take internally. Causes eye and skin damage, irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or on clothing. Wear rubber gloves and goggles or face shield when handling. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS:

Strong oxidizing agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area, if necessary flood with large volumes of water.

FIRST AID:

For eye contact, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

For skin or clothing contact, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product

Registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters.

DISPOSAL:

Porta-Feed System: 1. Close valve. 2. Arrange for return of Porta-Feed. For other containers: 1. Triple-or pressure-rinse the empty container. Add the rinsings to the treatment site. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Lot No.:

TDG Shipping Name: OXIDIZING SOLID, CORROSIVE N.O.S.(1-BROMO-3-CHLORO-5,5,-DIMETHYLHYDANTOIN, 1,3-DICHLORO-5, 5-DIMETHYLHYDANTOIN), Class 5.1 (8), UN3085, PG II

06/06

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.