

FOR EMERGENCY USE ONLY
FOR SALE AND USE IN SASKATCHEWAN UNTIL JUNE 17, 2011
2% LIQUID STRYCHNINE CONCENTRATE
(TO BE MIXED WITH FARM AVAILABLE GRAIN
TO FORMULATE 0.4% STRYCHNINE BAIT.)

RESTRICTED

SALE OF 2% LIQUID STRYCHNINE CONCENTRATE BY
MAXIM CHEMICAL INTERNATIONAL LTD.
FOR SALE ONLY TO PEST CONTROL OPERATORS, AGRICULTURAL
PRODUCERS, AND PERSONS AUTHORIZED IN
GOVERNMENT APPROVED PEST CONTROL PROGRAMS WHERE THE
VENDOR MAINTAINS A RECORD OF SALES INCLUDING THE NAME,
ADDRESS AND SIGNATURE OF THE PURCHASER ALONG WITH THE
QUANTITY OF PRODUCT PURCHASED.
ALL SALES & USE ARE LIMITED UNTIL JUNE 17, 2011.

TO BE USED ONLY IN THOSE RURAL MUNICIPALITIES IDENTIFIED BY SASKATCHEWAN
AGRICULTURE AS HAVING A SEVERE INFESTATION OF RICHARDSON'S
GROUND SQUIRRELS

READ THE LABEL AND ACCOMPANYING BROCHURE BEFORE USE.

REGISTRATION NUMBER 28751
PEST CONTROL PRODUCTS ACT

GUARANTEE: STRYCHNINE.....2.0%

DANGER



POISON

CORROSIVE TO THE EYES

Net Content: 250 mL

Maxim Chemical International Ltd.
1305 Halifax Street
Regina, Saskatchewan S4R 1T9
(306) 347-0444

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

NATURE OF RESTRICTION: For sale only to pest control operators, agricultural producers, and persons authorized in government approved pest control programs. Authorized vendors must hold a valid Vendor License in accordance with *the Pest Control Products (Saskatchewan) Act* and *the Pest Control Products Regulations, 1995*. Authorized vendors can sell this product only to persons who are agricultural producers (as defined under the Agriculture Safety Net Act). Each vendor must maintain a record of sales including the name, address and signature of the purchaser along with the quantity of product purchased. The mixed bait will only be used in those rural municipalities identified by Saskatchewan Agriculture as having a severe infestation of Richardson's ground squirrels. It is the responsibility of Saskatchewan Agriculture to confirm that random inspections are completed in order to ensure that agricultural producers are complying with the label restrictions.

RESTRICTED USE: To formulate 0.4% strychnine bait for control of Richardson's ground squirrels (*Spermophilus richardsonii*).

DIRECTIONS FOR RESTRICTED USE: Refer to the accompanying brochure.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

Fatal if swallowed or absorbed through the eyes. May be fatal if dust from treated bait is inhaled. Corrosive to the eyes. Do not get in the eyes. Wear long pants, long-sleeved shirt, chemical resistant gloves, protective eyewear and a dust mask when handling the concentrate, mixing bait, placing bait and during clean-up activities. Wash the outside of the gloves before removal and wash your hands thoroughly after handling the concentrate or prepared bait and before eating, drinking and smoking. Do not contaminate feed and foodstuffs or any water supply. Treated grain should be placed in areas inaccessible to children, pets, wildlife and domestic animals.

ENVIRONMENTAL PRECAUTIONS.

This product is toxic to wildlife. Treated grain exposed on soil surface and poisoned carcasses may be hazardous to birds and other wildlife. All treated grain and poisoned carcasses exposed on soil surface must be collected and disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target poisonings. Toxic to all forms of life.

Species at risk, including the burrowing owl (*Athene cunicularia*) and the swift fox (*Vulpes volex*), are known to frequent habitat occupied by ground squirrels. **DO NOT APPLY THIS PRODUCT IF THESE OR OTHER SPECIES AT RISK THAT MAY FEED ON STRYCHNINE BAIT OR GROUND SQUIRRELS ARE PRESENT IN YOUR AREA.** For information on species at risk in your area, contact your local provincial or federal wildlife officials.

FIRST AID:

If swallowed: Obtain medical attention immediately. Consult a poison control centre for detailed information on treatment for strychnine poisoning. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and immediately flush with large amounts of water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If dust from treated bait is inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Wash exposed area of skin with soap and water.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Central nervous system stimulant. Convulsions may occur within 5 to 10 minutes of ingestion. If the person is fully conscious and not convulsing a few moments after the ingestion, immediate ingestion of activated charcoal has been proven beneficial. Keep the patient in a warm, dark room with minimal sensory stimulation. Postpone gastric lavage until the patient is fully premedicated to control further convulsions or seizures. Artificial respiration may become necessary. Keep patient under continual observation until convulsions and reflex irritability have been suppressed and gastric lavage can be performed safely.

DISPOSAL:

2% Liquid Strychnine Concentrate: All unopened, empty or partially empty bottles of 2% Liquid Strychnine Concentrate and contaminated equipment (e.g. lathes, buckets, containers) must be stored in a locked compartment.

Bucket of 0.4% Strychnine Bait: Prepare only enough bait that can be used during the time of the planned application. Any unused bait must be stored in its original container and, for optimal results, used as soon as possible. 4' "Nks wkf "Ut {ej plpg"Eqpegpvcg"cpf "Dwengv'qh'2.6' "Ut {ej plpg'Dckv" Do not reuse the empty container. Dispose of any unused or spoiled bait in accordance with provincial requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product and the clean-up of spills, contact the provincial regulatory agency or the manufacturer.

THE FOLLOWING BROCHURE MUST BE DISTRIBUTED WITH THE SALE OF 2% LIQUID STRYCHNINE CONCENTRATE BY TO EACH AGRICULTURAL PRODUCER OR PEST CONTROL OFFICER PURCHASING THE 2% LIQUID STRYCHNINE CONCENTRATE TO FORMULATE THE 0.4% STRYCHNINE BAIT.

2% LIQUID STRYCHNINE CONCENTRATE
(TO BE MIXED WITH FARM AVAILABLE GRAIN
TO FORMULATE 0.4% STRYCHNINE BAIT.)

**RESTRICTED
FOR EMERGENCY USE ONLY
FOR SALE AND USE IN SASKATCHEWAN UNTIL JUNE 17, 2011**

SALE OF 2% LIQUID STRYCHNINE CONCENTRATE BY
MAXIM CHEMICAL INTERNATIONAL LTD.
FOR SALE ONLY TO PEST CONTROL OPERATORS, AGRICULTURAL
PRODUCERS AND PERSONS AUTHORIZED IN
GOVERNMENT APPROVED PEST CONTROL PROGRAMS WHERE THE
VENDOR MAINTAINS A RECORD OF SALES INCLUDING THE NAME,
ADDRESS AND SIGNATURE OF THE PURCHASER ALONG WITH THE
QUANTITY OF PRODUCT PURCHASED.
ALL SALES & USE IS LIMITED UNTIL JUNE 17, 2011.

**TO BE USED ONLY IN THOSE RURAL MUNICIPALITIES IDENTIFIED BY
SASKATCHEWAN AGRICULTURE AS HAVING A SEVERE
INFESTATION OF RICHARDSON'S GROUND SQUIRRELS.**

**READ THE LABEL AND THIS BROCHURE BEFORE USE.
REGISTRATION NUMBER 28751 PEST CONTROL PRODUCTS ACT**

GUARANTEE: STRYCHNINE.....2.0%

DANGER



POISON

CORROSIVE TO THE EYES

Net Content: 250 mL
Maxim Chemical International Ltd.
1305 Halifax Street
Regina, Saskatchewan S4R 1T9
(306) 347-0444

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

NATURE OF RESTRICTION:

For sale only to pest control operators, agricultural producers and persons authorized in government approved pest control programs. Authorized vendors must hold a valid Vendor License in accordance with the *Pest Control Products (Saskatchewan) Act* and the *Pest Control Products Regulations, 1995*. Authorized vendors can sell this product only to persons who are agricultural producers (as defined under The Agriculture Safety Net Act). Each vendor must maintain a record of sales including the name, address and signature of the purchaser along with the quantity of product purchased. The mixed bait will only be used in those rural municipalities identified by Saskatchewan Agriculture as having a severe infestation of Richardson's ground squirrels. It is the responsibility of Saskatchewan Agriculture to confirm that random inspections are completed in order to ensure that agricultural producers are complying with the label restrictions.

RESTRICTED USE: To formulate 0.4% strychnine bait for control of Richardson's ground squirrels (*Spermophilus richardsonii*).

DIRECTIONS FOR RESTRICTED USE: To purchase the 2% strychnine concentrate agricultural producers must provide their name, telephone number and land description where they will apply the product, and agree to complete an evaluation form on the product. **SHAKE THOROUGHLY BEFORE USE.** Keep from freezing. Pour the content of this 250 ml bottle over 1 kg of clean (hulled or hullless) oats or wheat. Where oats are sown, use wheat for bait. Mix well to ensure that each kernel is coated with poison. It dries quickly and is ready for use at once. Pest control officers or agricultural producers must use appropriately sized and labelled containers in which to mix the concentrate with the grain. The pest control officer or agricultural producer is responsible for ensuring that appropriate personal protective equipment are worn (e.g. chemical resistant gloves, disposable dust mask, protective eyewear) and safe mixing procedures are followed (e.g. the mixing paddle is used in a manner that minimizes dust stir-up, contamination of surfaces is avoided). Product must be mixed in facilities where pest control officers or agricultural producers can wash the outside of protective gloves before removal, rinse protective goggles and thoroughly wash their hands after all protective equipment has been removed. **Containers of treated grain must be affixed with the 0.4% strychnine bait label issued under this registration.** All unopened, empty or partially empty concentrate bottles must be locked and stored away from food or feed. The vendors are responsible for ensuring that each pest control officer or agricultural producer purchasing the concentrate product has a copy of this label (brochure) to ensure proper placement of the product in the field. Care must be taken to avoid spilling bait on soil surface. All spilled bait must be collected and disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target poisonings. Toxic to all forms of life.

TREATMENT OF BURROWS: To achieve the most effective control, baiting should be carried out before the birth of the young in mid-April and before alternative green vegetation is available, as a good quality bait may be more attractive at this time. Baiting after this time may result in increased costs (i.e. labour and material) since the availability of alternative food may reduce the consumption of the bait and affect the levels of control. Place 5-15 g (1-3 teaspoons) of strychnine-treated grain must be placed deep in the burrow in such a manner that the bait is not visible from the surface. Following the bait application, the burrow entrance must be covered. **DO NOT SCATTER THE BAIT OUTSIDE THE BURROW.**

NO ABOVE GROUND BAIT STATIONS MUST BE USED.

MONITORING: All areas where the bait has been used must be monitored and recorded on a regular basis for dead animals including non-target species. This must be done on a daily basis for the first week and on a weekly basis for several weeks thereafter. All carcasses must be disposed of by incineration or burial in a pit no less than 46 cm (approx. 18 inches) deep then covered to prevent scavengers from unearthing the carcasses. **IPM RECOMMENDATIONS:** The use of 2% Liquid Strychnine Concentrate should be used in an integrated pest management (IPM) program that includes scouting and record keeping and considers cultural, biological, and other chemical control practices. Consult with provincial extension specialists for further guidance.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

Fatal if swallowed or absorbed through the eyes. May be fatal if dust from treated bait is inhaled. Corrosive to the eyes. Do not get in the eyes. Wear long pants, long-sleeved shirt, chemical resistant gloves, protective eyewear and a dust mask when handling the concentrate, mixing bait, placing bait, and during clean-up activities. Wash the outside of the gloves before removal and wash your hands thoroughly after handling the concentrate or prepared bait, and before eating, drinking and smoking. Do not contaminate feed and foodstuffs or any water supply. Treated grain should be placed in areas inaccessible to children, pets, wildlife and domestic animals.

ENVIRONMENTAL PRECAUTIONS.

This product is toxic to wildlife. Treated grain exposed on soil surface and poisoned carcasses may be hazardous to birds and other wildlife. All treated grain and poisoned carcasses exposed on soil surface must be collected and disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target poisonings. Toxic to all forms of life.

Species at risk, including the burrowing owl (*Athene cunicularia*) and the swift fox (*Vulpes velox*), are known to frequent habitat occupied by ground squirrels. **DO NOT APPLY THIS PRODUCT IF THESE OR OTHER SPECIES AT RISK THAT MAY FEED ON STRYCHNINE BAIT OR GROUND SQUIRRELS ARE PRESENT IN YOUR AREA.** For information on species at risk in your area, contact your local provincial or federal wildlife officials.

FIRST AID:

If swallowed: Obtain medical attention immediately. Consult a poison control centre for detailed information on treatment for strychnine poisoning. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and immediately flush with large amounts of water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If dust from treated bait is inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Wash exposed area of skin with soap and water. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Central nervous system stimulant. Convulsions may occur within 5 to 10 minutes if ingestion. If the person is fully conscious and not convulsing a few moments after the ingestion, immediate ingestion of activated charcoal has been proven beneficial. Keep the patient in a warm, dark room with minimal sensory stimulation. Postpone gastric lavage until the patient is fully premedicated to control further convulsions or seizures. Artificial respiration may become necessary. Keep patient under continual observation until convulsions and reflex irritability have been suppressed and gastric lavage can be performed safely.

DISPOSAL:

2% Liquid Strychnine Concentrate: All unopened, empty or partially empty bottles of 2% Liquid Strychnine Concentrate and contaminated equipment (e.g. buckets, containers) must be stored in a locked compartment. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product, contact the provincial regulatory agency or the manufacturer.

Bucket of 0.4% Strychnine Bait: Prepare only enough bait to be used during the time of the planned application. Any unused bait must be stored in its original container and, for optimal results, used as soon as possible. 2% Liquid Strychnine Concentrate and Bucket of 0.4% Strychnine Bait: Do not reuse the empty container. Dispose of any unused or spoiled bait in accordance with provincial requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product and the clean-up of spills, contact the provincial regulatory agency or the manufacturer.

Carcass Disposal (Ground squirrels and non-target species): All carcasses must be disposed of by incineration or burial in a pit no less than 46 cm (approx. 18 inches) deep and then covered to prevent scavengers from unearthing the carcasses.

**FOR EMERGENCY USE ONLY
FOR SALE AND USE IN SASKATCHEWAN UNTIL JUNE 17, 2011.**

0.4% STRYCHNINE BAIT

RESTRICTED

CONTAINS GRAIN THAT HAS BEEN MIXED WITH
2% LIQUID STRYCHNINE CONCENTRATE.
MAXIM CHEMICAL INTERNATIONAL LTD.
REGISTRATION NO. 28751 PEST CONTROL PRODUCTS ACT
IN A RATIO OF
250 ML OF STRYCHNINE CONCENTRATE TO 1 KG OF GRAIN
TO YIELD A GRAIN BAIT CONTAINING 0.4% STRYCHNINE.

USE IS LIMITED UNTIL JUNE 17, 2011

TO BE USED ONLY IN THOSE RURAL MUNICIPALITIES IDENTIFIED BY SASKATCHEWAN
"*****"AGRICULTURE AS HAVING A SEVERE INFESTATION OF RICHARDSON'S GROUND
SQUIRRELS

**READ THE LABEL AND ACCOMPANYING BROCHURE
BEFORE USE.**

DANGER



POISON

CORROSIVE TO THE EYES

**DO NOT USE FOR FOOD OR FEED.
THIS SEED HAS BEEN TREATED WITH STRYCHNINE.**

RESTRICTED USE: For control of Richardson's ground squirrels (*Spermophilus richardsonii*).

DIRECTIONS FOR RESTRICTED USE:

TREATMENT OF BURROWS: Vq'cej kxg'vj g'o quv'ghgevkxg'eqvtqn'dckkpi 'uj qwf 'dg'ecttkgf 'qw'dghqtg'
vj g'dktvj 'qh'vj g'qwp' 'lp'o kf /Cr tk'ncpf 'dghqtg'cngtpevkxg'i tggp'xgi gvevkqp'ku'cxckrdg.'cu'i qqf 's wcrkv' 'dck'o c{
dg'o qtg'cwtcevkxg'cv'vj ku'vo g0Dckkpi 'chvt 'vj ku'vo g'o c{ 'tguw'lp'lpetgcugf 'equu'100'rdqwt'cpf 'o cvgtkn-
ukpeg'vj g'cxckrdkxv' 'qh'cngtpevkxg'hqf u'o c{ 'tgv wgv'vj g'equwo r vkp'qh'vj g'dck'cpf 'chgevj' g'rgxgn'qh'eqvtqf'
Rrcg'5-15 g (1-3 teaspoons) of strychnine treated grain deep in the burrow in such a manner that the bait is not
visible from the surface. Following the bait application, the burrow entrance must be covered. Care must be
taken to avoid spilling bait on soil surface. All spilled bait must be collected and disposed of by incineration or
burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target
poisonings. Toxic to all forms of life. **DO NOT SCATTER BAIT OUTSIDE BURROW. NO ABOVE**

GROUND BAIT STATIONS MUST BE USED.

MONITORING: All areas where the bait has been used must be monitored and recorded on a regular basis for dead animals including non-target species. This must be done on a daily basis for the first week and on a weekly basis for several weeks thereafter. All carcasses must be disposed of by incineration or burial in a pit no less than 46 cm (approx. 18 inches) deep then covered to prevent scavengers from unearthing the carcasses.

IPM RECOMMENDATIONS: "Vj g'wug'qh'4' "Nks wkf "Ut {ej plpg'Eqpegpvcg'uj qwf "dg'wugf "kp"cp"kpvgi tcvgf "r guv o cpci go gpv"RO +r tqi tco u'vj cv'kpenf gu'ueqwkpi "cpf 'tgeqtf "hggr kpi "cpf "eqpukf gtuewmtcn"dkmqi kecn"cpf " qvj gt'ej go kecn'eqpvtqrlr tceveguOEqpum'y kj 'r tqxkpekcn'gzvgpukqp"ur gekcrkuw'hqt'htvj gt'i wkf cpeg0"

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

Fatal if swallowed or absorbed through the eyes. May be fatal if dust from treated bait is inhaled. Corrosive to the eyes. Do not get in the eyes. Wear long pants, a long-sleeved shirt, chemical resistant gloves, protective eyewear and a dust mask when handling the concentrate, mixing bait, placing bait and during clean-up activities. Wash the outside of the gloves before removal and wash your hands thoroughly after handling the concentrate or prepared bait and before eating, drinking and smoking. Do not contaminate feed and foodstuffs or any water supply. Treated grain must be placed in areas inaccessible to children, pets, wildlife and domestic animals.

ENVIRONMENTAL PRECAUTIONS.

This product is toxic to wildlife. Treated grain exposed on soil surface and poisoned carcasses may be hazardous to birds and other wildlife. All treated grain and poisoned carcasses exposed on soil surface must be collected and disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target poisonings. Toxic to all forms of life.

Species at risk, including the burrowing owl (*Athene cunicularia*) and the swift fox (*Vulpes volex*), are known to frequent habitat occupied by ground squirrels. **DO NOT APPLY THIS PRODUCT IF THESE OR OTHER SPECIES AT RISK THAT MAY FEED ON STRYCHNINE BAIT OR GROUND SQUIRRELS ARE PRESENT IN YOUR AREA.** For information on species at risk in your area, contact your local provincial or federal wildlife officials.

FIRST AID:

If swallowed: Obtain medical attention immediately. Consult a poison control centre for detailed information on treatment for strychnine poisoning. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and immediately flush with large amounts of water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If dust from treated bait is inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Wash exposed area of skin with soap and water.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Central nervous system stimulant. Convulsions may occur within 5 to 10 minutes if ingestion. If the person is fully conscious and not convulsing a few moments after the ingestion, immediate ingestion of activated charcoal has been proven beneficial. Keep the patient in a warm, dark room with minimal sensory stimulation. Postpone gastric lavage until the patient is fully premedicated to control further convulsions or seizures. Artificial respiration may become necessary. Keep patient under continual observation until convulsions and reflex irritability have been suppressed and gastric lavage can be performed safely.

DISPOSAL:

2% Liquid Strychnine Concentrate: All unopened, empty or partially empty bottles of 2% Liquid Strychnine Concentrate and contaminated equipment (e.g. buckets, containers) must be stored in a locked compartment. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product, contact the provincial regulatory agency or the manufacturer.

Bucket of 0.4% Strychnine Bait: Prepare only enough bait to be used during the time of the planned application. Any unused bait should be stored in its original container and, for optimal results, used as soon as possible. 4' "Nks vkf "Ut {ej plpg"Eqpegptcg"cpf "Dwengv'qh'206' "Ut {ej plpg"Dck"<Do not reuse the empty container. Dispose of any unused or spoiled bait in accordance with provincial requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product and the clean-up of spills, contact the provincial regulatory agency or the manufacturer.

Carcass Disposal (Ground squirrels and non-target species): All carcasses must be disposed of by incineration or burial in a pit no less than 46 cm (approx. 18 inches) deep and then covered to prevent scavengers from unearthing the carcasses.

FOR EMERGENCY USE ONLY
FOR SALE AND USE IN ALBERTA UNTIL JUNE 17, 2011
2% LIQUID STRYCHNINE CONCENTRATE
(TO BE MIXED WITH FARM AVAILABLE GRAIN
TO FORMULATE 0.4% STRYCHNINE BAIT.)

RESTRICTED

SALE OF 2% LIQUID STRYCHNINE CONCENTRATE BY
MAXIM CHEMICAL INTERNATIONAL LTD.
FOR SALE ONLY TO PEST CONTROL OPERATORS, AGRICULTURAL
PRODUCERS, AND PERSONS AUTHORIZED IN
GOVERNMENT APPROVED PEST CONTROL PROGRAMS WHERE THE
VENDOR MAINTAINS A RECORD OF SALES INCLUDING THE NAME,
ADDRESS AND SIGNATURE OF THE PURCHASER ALONG WITH THE
QUANTITY OF PRODUCT PURCHASED.
ALL SALES & USE ARE LIMITED UNTIL JUNE 17, 2011.

MUST BE MIXED UNDER THE DIRECT SUPERVISION OF A MUNICIPAL GOVERNMENT AGENT
AUTHORIZED FOR THIS PURPOSE BY ALBERTA AGRICULTURE AND RURAL DEVELOPMENT (AARD)
TO BE USED ONLY IN THOSE RURAL MUNICIPALITIES IDENTIFIED BY ALBERTA
AGRICULTURE AND RURAL DEVELOPMENT AS HAVING A SEVERE INFESTATION OF
RICHARDSON'S GROUND SQUIRRELS

READ THE LABEL AND ACCOMPANYING BROCHURE BEFORE USE.

REGISTRATION NUMBER 28751
PEST CONTROL PRODUCTS ACT

GUARANTEE: STRYCHNINE.....2.0%

DANGER



POISON

CORROSIVE TO THE EYES

Net Content: 250 mL

Maxim Chemical International Ltd.
1305 Halifax Street
Regina, Saskatchewan S4R 1T9
(306) 347-0444

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

NATURE OF RESTRICTION: For sale only to pest control operators, agricultural producers and persons authorized in government approved pest control programs. Authorized vendors must hold valid Retail Vendor Registration in accordance with *Alberta regulation 43/97, Environmental Protection And Enhancement Act, Pesticide (Ministerial) Regulation*. Each vendor must maintain a record of sales including the name, address and signature of the purchaser along with the quantity of product purchased. The mixed bait will only be used in those rural municipalities identified by Alberta Agriculture and Rural Development (AARD) as having a severe infestation of Richardson's ground squirrels. It is the responsibility of AARD to confirm that random inspections are completed in order to ensure that agricultural producers are complying with the label restrictions.

RESTRICTED USE: To formulate 0.4% strychnine bait for control of Richardson's ground squirrels (*Spermophilus richardsonii*).

DIRECTIONS FOR RESTRICTED USE: Refer to the accompanying brochure.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

Fatal if swallowed or absorbed through the eyes. May be fatal if dust from treated bait is inhaled. Corrosive to the eyes. Do not get in the eyes. Wear long pants, long-sleeved shirt, chemical resistant gloves, protective eyewear and a dust mask when handling the concentrate, mixing bait, placing bait and during clean-up activities. Wash the outside of the gloves before removal and wash your hands thoroughly after handling the concentrate or prepared bait and before eating, drinking and smoking. Do not contaminate feed and foodstuffs or any water supply. Treated grain should be placed in areas inaccessible to children, pets, wildlife and domestic animals.

ENVIRONMENTAL PRECAUTIONS.

This product is toxic to wildlife. Treated grain exposed on soil surface and poisoned carcasses may be hazardous to birds and other wildlife. All treated grain and poisoned carcasses exposed on soil surface must be collected and disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target poisonings. Toxic to all forms of life.

Species at risk, including the burrowing owl (*Athene cunicularia*) and the swift fox (*Vulpes velox*), are known to frequent habitat occupied by ground squirrels. **DO NOT APPLY THIS PRODUCT IF THESE OR OTHER SPECIES AT RISK THAT MAY FEED ON STRYCHNINE BAIT OR GROUND SQUIRRELS ARE PRESENT IN YOUR AREA.** For information on species at risk in your area, contact your local provincial or federal wildlife officials.

FIRST AID:

If swallowed: Obtain medical attention immediately. Consult a poison control centre for detailed information on treatment for strychnine poisoning. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and immediately flush with large amounts of water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If dust from treated bait is inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Wash exposed area of skin with soap and water.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Central nervous system stimulant. Convulsions may occur within 5 to 10 minutes if ingestion. If the person is fully conscious and not convulsing a few moments after the ingestion, immediate ingestion of activated charcoal has been proven beneficial. Keep the patient in a warm, dark room with minimal sensory stimulation. Postpone gastric lavage until the patient is fully premedicated to control further convulsions or seizures. Artificial respiration may become necessary. Keep patient under continual observation until convulsions and reflex irritability have been suppressed and gastric lavage can be performed safely.

DISPOSAL:

2% Liquid Strychnine Concentrate: All unopened, empty or partially empty bottles of 2% Liquid Strychnine Concentrate and contaminated equipment (e.g. buckets, containers) must be stored in a locked compartment.

Bucket of 0.4% Strychnine Bait: Prepare only enough bait that can be used during the time of the planned application. Any unused bait must be stored in its original container and, for optimal results, used as soon as possible. Do not reuse the empty container. Dispose of any unused or spoiled bait in accordance with provincial requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product and the clean-up of spills, contact the provincial regulatory agency or the manufacturer.

**FOR EMERGENCY USE ONLY
FOR SALE AND USE IN ALBERTA UNTIL JUNE 17, 2011.**

0.4% STRYCHNINE BAIT

RESTRICTED

CONTAINS GRAIN THAT HAS BEEN MIXED WITH
2% LIQUID STRYCHNINE CONCENTRATE.
MAXIM CHEMICAL INTERNATIONAL LTD.
REGISTRATION NO. 28751 PEST CONTROL PRODUCTS ACT
IN A RATIO OF
250 ML OF STRYCHNINE CONCENTRATE TO 1 KG OF GRAIN
TO YIELD A GRAIN BAIT CONTAINING 0.4% STRYCHNINE.

USE IS LIMITED UNTIL JUNE 17, 2011

TO BE USED ONLY IN THOSE RURAL MUNICIPALITIES IDENTIFIED BY ALBERTA
AGRICULTURE AND RURAL DEVELOPMENT AS HAVING A SEVERE INFESTATION OF
RICHARDSON'S GROUND SQUIRRELS

**READ THE LABEL AND ACCOMPANYING BROCHURE
BEFORE USE.**



CORROSIVE TO THE EYES

DO NOT USE FOR FOOD OR FEED.
THIS SEED HAS BEEN TREATED WITH STRYCHNINE.

RESTRICTED USE: For control of Richardson's ground squirrels (*Spermophilus richardsonii*).

DIRECTIONS FOR RESTRICTED USE:

TREATMENT OF BURROWS: Vq'cej kxg'vj g'o quv'ghgexkg'eqvtqn'dckkpi 'uj qwf 'dg'ecttkgf "qw'dghqtg
vj g'dktvj "qh'vj g'qwpí 'lp'o kf /Cr tkl'cpf "dghqtg'cngtpevkg'i tggp'xgi gvevkp'ku'cxckrdg."cu'c'i qqf "s wcrk\ "dckv
o c{ "dg'o qtg'cwtcevkxg'cv'vj ku'ko g0Dckkpi "chgt'vj ku'ko g'o c{ 'tguwv'lp'lpetgcugf "equu'1Q0'rdqwt'cpf 'o cvgtkcn
ukpeg'vj g'cxckrdk\ "qh'cngtpevkg'hqf u'o c{ 'tgf weg'vj g'equwo r vkp'qh'vj g'dck'cpf "chgev'vj g'rgxgn'qh'
eqvtqn'Ræg"5-15 g (1-3 teaspoons) of strychnine treated grain deep in the burrow in such a manner that the
bait is not visible from the surface. Following the bait application, the burrow entrance must be covered. Care
must be taken to avoid spilling bait on soil surface. All spilled bait must be collected and disposed of by
incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent
non-target poisonings. Toxic to all forms of life.

DO NOT SCATTER BAIT OUTSIDE BURROW.

NO ABOVE GROUND BAIT STATIONS MUST BE USED.

MONITORING: All areas where the bait has been used must be monitored and recorded on a regular basis for dead animals including non-target species. This must be done on a daily basis for the first week and on a weekly basis for several weeks thereafter. All carcasses must be disposed of by incineration or burial in a pit no less than 46 cm (approx. 18 inches) deep then covered to prevent scavengers from unearthing the carcasses. **TPM**

RECOMMENDATIONS: Vj g'wug'qh'4' 'Nks wkf 'Ut { ej plpg'Eqpegpvcvg'uj qwf 'dg'wugf 'kp'cp'kpgi cvgf 'r guv' o cpci go gpv***PRO** +r tqi tco "'j cv'kpenmf gu'ueqw'kpi 'cpf 'tgeqtf 'nggr kpi 'cpf 'eqpukf gtu'ewwntcn'dkqrqi kecn'cpf " qj gt'ej go kecn'eqpvtqr'r tceveguOEquwv'y kj 'r tqxkpekcn'gz vepukqp'ur gekrkuw'hqt'hwj gt'i wkf cpeg0'

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

Fatal if swallowed or absorbed through the eyes. May be fatal if dust from treated bait is inhaled. Corrosive to the eyes. Do not get in the eyes. Wear long pants, a long-sleeved shirt, chemical resistant gloves, protective eyewear and a dust mask when handling the concentrate, mixing bait, placing bait and during clean-up activities. Wash the outside of the gloves before removal and wash your hands thoroughly after handling the concentrate or prepared bait and before eating, drinking and smoking. Do not contaminate feed and foodstuffs or any water supply. Treated grain must be placed in areas inaccessible to children, pets, wildlife and domestic animals.

ENVIRONMENTAL PRECAUTIONS.

This product is toxic to wildlife. Treated grain exposed on soil surface and poisoned carcasses may be hazardous to birds and other wildlife. All treated grain and poisoned carcasses exposed on soil surface must be collected and disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target poisonings. Toxic to all forms of life.

Species at risk, including the burrowing owl (*Athene cunicularia*) and the swift fox (*Vulpes velox*), are known to frequent habitat occupied by ground squirrels. **DO NOT APPLY THIS PRODUCT IF THESE OR OTHER SPECIES AT RISK THAT MAY FEED ON STRYCHNINE BAIT OR GROUND SQUIRRELS ARE PRESENT IN YOUR AREA.** For information on species at risk in your area, contact your local provincial or federal wildlife officials.

FIRST AID:

If swallowed: Obtain medical attention immediately. Consult a poison control centre for detailed information on treatment for strychnine poisoning. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and immediately flush with large amounts of water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If dust from treated bait is inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Wash exposed area of skin with soap and water.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Central nervous system stimulant. Convulsions may occur within 5 to 10 minutes if ingestion. If the person is fully conscious and not convulsing a few moments after the ingestion, immediate ingestion of activated charcoal has been proven beneficial. Keep the patient in a warm, dark room with minimal sensory stimulation. Postpone gastric lavage until the patient is fully premedicated to control further convulsions or seizures. Artificial respiration may become necessary. Keep patient under continual observation until convulsions and reflex irritability have been suppressed and gastric lavage can be performed safely.

DISPOSAL:

2% Liquid Strychnine Concentrate: All unopened, empty or partially empty bottles of 2% Liquid Strychnine Concentrate and contaminated equipment (e.g. buckets, containers) must be stored in a locked compartment. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product, contact the provincial regulatory agency or the manufacturer.

Bucket of 0.4% Strychnine Bait: Prepare only enough bait to be used during the time of the planned application. Any unused bait should be stored in its original container and, for optimal results, used as soon as possible. 4' "Nks vkf "Ut {ej plpg"Eqpegptcg"cpf "Dwengv'qh'206' "Ut {ej plpg"Dckv" Do not reuse the empty container. Dispose of any unused or spoiled bait in accordance with provincial requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product and the clean-up of spills, contact the provincial regulatory agency or the manufacturer.

Carcass Disposal (Ground squirrels and non-target species): All carcasses must be disposed of by incineration or burial in a pit no less than 46 cm (approx. 18 inches) deep and then covered to prevent scavengers from unearthing the carcasses.

2010-5811 23-FEB-2011

THE FOLLOWING BROCHURE MUST BE DISTRIBUTED WITH THE SALE OF 2% LIQUID STRYCHNINE CONCENTRATE TO EACH AGRICULTURAL PRODUCER OR PEST CONTROL OFFICER PURCHASING THE 2% LIQUID STRYCHNINE CONCENTRATE TO FORMULATE THE 0.4% STRYCHNINE BAIT.

2% LIQUID STRYCHNINE CONCENTRATE
(TO BE MIXED WITH FARM AVAILABLE GRAIN
TO FORMULATE 0.4% STRYCHNINE BAIT.)

**RESTRICTED
FOR EMERGENCY USE ONLY
FOR SALE AND USE IN ALBERTA UNTIL JUNE 17, 2011**

SALE OF 2% LIQUID STRYCHNINE CONCENTRATE BY
MAXIM CHEMICAL INTERNATIONAL LTD.
FOR SALE ONLY TO PEST CONTROL OPERATORS, AGRICULTURAL
PRODUCERS AND PERSONS AUTHORIZED IN
GOVERNMENT APPROVED PEST CONTROL PROGRAMS WHERE THE
VENDOR MAINTAINS A RECORD OF SALES INCLUDING THE NAME,
ADDRESS AND SIGNATURE OF THE PURCHASER ALONG WITH THE
QUANTITY OF PRODUCT PURCHASED.
ALL SALES & USE IS LIMITED UNTIL JUNE 17, 2011.

MUST BE MIXED UNDER THE DIRECT SUPERVISION OF A MUNICIPAL GOVERNMENT AGENT AUTHORIZED FOR THIS PURPOSE BY ALBERTA AGRICULTURE AND RURAL DEVELOPMENT (AARD)
**TO BE USED ONLY IN THOSE RURAL MUNICIPALITIES IDENTIFIED BY
ALBERTA AGRICULTURE AND RURAL DEVELOPMENT
AS HAVING A SEVERE INFESTATION OF RICHARDSON'S GROUND SQUIRRELS.**

**READ THE LABEL AND THIS BROCHURE BEFORE USE.
REGISTRATION NUMBER 28751 PEST CONTROL PRODUCTS ACT**

GUARANTEE: STRYCHNINE.....2.0%

DANGER



POISON

CORROSIVE TO THE EYES

Net Content: 250 mL
Maxim Chemical International Ltd.
1305 Halifax Street
Regina, Saskatchewan S4R 1T9
(306) 347-0444

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

NATURE OF RESTRICTION:

For sale only to pest control operators, agricultural producers and persons authorized in government approved pest control programs. Authorized vendors must hold a valid Retail Vendor Registration in accordance with *Alberta regulation 43/97, Environmental Protection And Enhancement Act, Pesticide (Ministerial) Regulation*. Each vendor must maintain a record of sales including the name, address and signature of the purchaser along with the quantity of product purchased. The mixed bait will only be used in those rural municipalities identified by Alberta Agriculture and Rural Development as having a severe infestation of Richardson's ground squirrels. Any product sold must be mixed by a certified pesticide applicator or a mixing assistant under the supervision of a certified pesticide applicator as authorized by AARD. It is the responsibility of Alberta Agriculture and Rural Development to confirm that random inspections are completed in order to ensure that agricultural producers are complying with the label restrictions.

RESTRICTED USE: To formulate 0.4% strychnine bait for control of Richardson's ground squirrels (*Spermophilus richardsonii*).

DIRECTIONS FOR RESTRICTED USE: To purchase the 2% strychnine concentrate agricultural producers must provide their name, telephone number and land description where they will apply the product, and agree to complete an evaluation form on the product. SHAKE THOROUGHLY BEFORE USE. Keep from freezing. Pour the content of this 250 ml bottle over 1 kg of clean (hulled or hullless) oats or wheat. Where oats are sown, use wheat for bait. Mix well to ensure that each kernel is coated with poison. It dries quickly and is ready for use at once. Pest control officers or agricultural producers must use appropriately sized and labelled containers in which to mix the concentrate with the grain. The pest control officer or agricultural producer is responsible for ensuring that appropriate personal protective equipment are worn (e.g. chemical resistant gloves, disposable dust mask, protective eyewear) and safe mixing procedures are followed (e.g. the mixing paddle is used in a manner that minimizes dust stir-up, contamination of surfaces is avoided). Product must be mixed in facilities where pest control officers or agricultural producers can wash the outside of protective gloves before removal, rinse protective goggles and thoroughly wash their hands after all protective equipment has been removed. **Containers of treated grain must be affixed with the 0.4% strychnine bait label issued under this registration.** All unopened, empty or partially empty concentrate bottles must be locked and stored away from food or feed. The vendors are responsible for ensuring that each pest control officer or agricultural producer purchasing the concentrate product has a copy of this label (brochure) to ensure proper placement of the product in the field. Care must be taken to avoid spilling bait on soil surface. All spilled bait must be collected and disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target poisonings. Toxic to all forms of life.

TREATMENT OF BURROWS: To achieve the most effective control, baiting should be carried out before the birth of the young in mid-April and before alternative green vegetation is available, as a good quality bait may be more attractive at this time. Baiting after this time may result in increased costs (i.e., labour and material) since the availability of alternative foods may reduce the consumption of the bait and affect the levels of control. Place 5-15 g (1-3 teaspoons) of strychnine-treated grain deep in the burrow in such a manner that the bait is not visible from the surface. Following the bait application, the burrow entrance must be covered. **DO NOT SCATTER THE BAIT OUTSIDE THE BURROW.**

NO ABOVE GROUND BAIT STATIONS MUST BE USED.

MONITORING: All areas where the bait has been used must be monitored and recorded on a regular basis for dead animals including non-target species. This must be done on a daily basis for the first week and on a weekly basis for several weeks thereafter. All carcasses must be disposed of by incineration or burial in a pit no less than 46 cm (approx. 18 inches) deep then covered to prevent scavengers from unearthing the carcasses. **IPM RECOMMENDATIONS:** The use of 2% Liquid Strychnine Concentrate should be used in an integrated pest management (IPM) program that includes scouting and record keeping and considers cultural, biological, and chemical control practices. Consult with provincial extension specialists for further guidance.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

Fatal if swallowed or absorbed through the eyes. May be fatal if dust from treated bait is inhaled. Corrosive to the eyes. Do not get in the eyes. Wear long pants, long-sleeved shirt, chemical resistant gloves, protective eyewear and a dust mask when handling the concentrate, mixing bait, placing bait, and during clean-up activities. Wash the outside of the gloves before removal and wash your hands thoroughly after handling the concentrate or prepared bait, and before eating, drinking and smoking. Do not contaminate feed and foodstuffs or any water supply. Treated grain should be placed in areas inaccessible to children, pets, wildlife and domestic animals.

ENVIRONMENTAL PRECAUTIONS.

This product is toxic to wildlife. Treated grain exposed on soil surface and poisoned carcasses may be hazardous to birds and other wildlife. All treated grain and poisoned carcasses exposed on soil surface must be collected and disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target poisonings. Toxic to all forms of life.

Species at risk, including the burrowing owl (*Athene cunicularia*) and the swift fox (*Vulpes velox*), are known to frequent habitat occupied by ground squirrels. **DO NOT APPLY THIS PRODUCT IF THESE OR OTHER SPECIES AT RISK THAT MAY FEED ON STRYCHNINE BAIT OR GROUND SQUIRRELS ARE PRESENT IN YOUR AREA.** For information on species at risk in your area, contact your local provincial or federal wildlife officials.

FIRST AID:

If swallowed: Obtain medical attention immediately. Consult a poison control centre for detailed information on treatment for strychnine poisoning. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and immediately flush with large amounts of water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If dust from treated bait is inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Wash exposed area of skin with soap and water. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Central nervous system stimulant. Convulsions may occur within 5 to 10 minutes if ingestion. If the person is fully conscious and not convulsing a few moments after the ingestion, immediate ingestion of activated charcoal has been proven beneficial. Keep the patient in a warm, dark room with minimal sensory stimulation. Postpone gastric lavage until the patient is fully premedicated to control further convulsions or seizures. Artificial respiration may become necessary. Keep patient under continual observation until convulsions and reflex irritability have been suppressed and gastric lavage can be performed safely.

DISPOSAL:

2% Liquid Strychnine Concentrate: All unopened, empty or partially empty bottles of 2% Liquid Strychnine Concentrate and contaminated equipment (e.g. buckets, containers) must be stored in a locked compartment. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product, contact the provincial regulatory agency or the manufacturer.

Bucket of 0.4% Strychnine Bait: Prepare only enough bait to be used during the time of the planned application. Any unused bait must be stored in its original container and, for optimal results, used as soon as possible. 2% Liquid Strychnine Concentrate and Bucket of 0.4% Strychnine Bait: Do not reuse the empty container. Dispose of any unused or spoiled bait in accordance with provincial requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product and the clean-up of spills, contact the provincial regulatory agency or the manufacturer.

Carcass Disposal (Ground squirrels and non-target species): All carcasses must be disposed of by incineration or burial in a pit no less than 46 cm (approx. 18 inches) deep and then covered to prevent scavengers from unearthing the carcasses.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.