

2008-1138
10-July-2008

PROPIBIO 50 MC
SOLUTION
Manufacturing Concentrate

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING

REGISTRATION NO. 28976 PEST CONTROL PRODUCTS ACT

GUARANTEE: Propiconazole 50%

READ THE LABEL BEFORE USING
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

CAUTION



POISON

NET CONTENTS: 50-1050 Litres

CONTROL SOLUTIONS, INC.
5903 GENOA-RED BLUFF
PASADENA, TEXAS 77507-1041
281-892-2500

DIRECTION FOR USE

To be used only in the manufacture of a pesticide which is registered under the *Pest Control Products Act*. Formulators are responsible for obtaining their own registrations for their formulated pest control products. Post a copy of this label in the work area.

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

Strictly observe all precautions for handling and using pesticides. Avoid contact with skin, eyes and clothing. Do not contaminate food, feed or water supplies. Workers using this product in an open system must wear protective clothing: safety boots, coveralls, impervious gloves, safety glasses/faceshield and cartridge-type respirator.

This product is flammable. Avoid contact with oxidizing materials.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

There is no specific antidote for PROPIBIO 50 MC. Treat symptomatically.

DISPOSAL AND DECONTAMINATION

Canadian formulators of this manufacturing concentrate should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and the clean up of spills contact the Provincial Regulatory Agency or the manufacturer.

STORAGE

Store in the original container in a well-ventilated, cool, dry place. Do not contaminate water, food or feed by storage or disposal.

NOTICE TO USER: This pest control product is to be used only in accordance with the

directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.