| 1        | Advantage™ II Large Cat / Rabbit  |   |
|----------|---|---|
| 2 3      | <u>Insert (English)</u>   |   |
| 4        | <elanco logo=""></elanco>   |   |
| 5        | Advantage™ II Large Cat / Rabbit  |   |
| 6<br>7   | Flea Adulticide/Larvicide/Ovicide   |   |
| 8        |   |   |
| 9<br>10  | For cats 8 weeks and older weighing over 4 kg For pet rabbits 4 months and older weighing over 4 kg |   |
| 11       |   |   |
| 12       | Once-A-Month Topical Flea Treatment   |   |
| 13<br>14 | Liquid  |   |
| 15       | Liquiu  |   |
| 16       | READ THE LABEL AND INSERT BEFORE USING  |   |
| 17<br>18 | FOR USE ONLY ON CATS AND PET RABBITS  |   |
| 19       |   |   |
| 20       | Do not use on other animals   |   |
| 21       |   |   |
| 22       | KEEP OUT OF REACH OF CHILDREN   |   |
| 23       |   |   |
|          |   |   |
| 24<br>25 | POISON  |   |
| 25<br>26 | POISON  |   |
| 20<br>27 | WARNING EYE IRRITANT  |   |
| 28       | WARNING ETE INITIANT  |   |
| 29       | DOMESTIC  |   |
| 30       |   |   |
| 31       | ACTIVE INGREDIENT: Imidacloprid 9.1% and Pyriproxyfen 0.46%   | % |
| 32       |   |   |
| 33       | REG. NO. 27586 P.C.P. ACT   |   |
| 34       |   |   |
| 35       | Contents: One to Six 0.8 mL Tubes   |   |
| 36<br>37 |   |   |
| 37       | Elanco Canada Limited   |   |
| 38       | 1919 Minnesota Court, Suite 401   |   |
| 39       | Mississauga, Ontario L5N 0C9  |   |
| 40       | 1-800-265-5475  |   |
| 41       |   |   |
| 42       |   |   |
| 43       |   |   |
| 44       |   |   |

- 45 Advantage II Large Cat / Rabbit kills 98-100% of the existing fleas on cats and pet
- rabbits within 1 day after treatment. Protection against further flea infestation can last up
- 47 to 4 weeks on cats and up to 8 days on pet rabbits.
- 48 Retreatment at monthly intervals is required if re-infestation is continuous or if flea
- 49 control is desired. Fleas, eggs, and larvae are killed following contact with skin debris
- from an Advantage II Large Cat / Rabbit treated pet. Advantage II Large Cat / Rabbit
- 51 provides multi-stage flea control effectively breaking all flea life-cycle stages for quick
- and lasting control of flea populations.
- Do not shampoo or immerse the animal in water immediately after treatment. The
- animal can be shampooed, immersed in water or exposed to rain 3 days after
- 55 treatment. Advantage II Large Cat / Rabbit retains its ovicidal and larvicidal efficacy for
- up to 4 weeks on cats and up to 8 days on pet rabbits following a shampoo treatment,
- 57 swimming or exposure to rain. The adulticidal effect may be shortened by repeated
- shampooing, water immersion or exposure to rain. Reapplication on cats may be
- required after such activities. Do not reapply before 4 weeks on pet rabbits.
- The successive feeding activity of fleas on pets may elicit a hypersensitivity skin
- disorder known as flea allergy dermatitis (FAD). Treatment of pets with Advantage II
- 62 Large Cat / Rabbit rapidly kills fleas and may reduce the incidence of this condition.
- For effective flea control, treatment of the pet should be combined with sanitation of any
- area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after
- use) and wash the pet's bedding, living guarters and surrounding areas. If pest
- 66 problems persist, an insecticidal premise treatment may be required. A veterinarian
- should be consulted when pest infestation continues to be a problem on the pet.

68 69

PRECAUTIONS:

70 71

72

73

74

HUMANS: KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed. Causes eye irritation. DO NOT get in eyes. Avoid contact with skin or clothing. Wear rubber gloves during application of this product. After handling or applying, wash hands (or any other skin that came in contact with the product), with soap and water. Avoid contact with pets until dry.

75 76 77

78

79

80

81

PETS: Do not use on cats under 8 weeks of age or on rabbits under 4 months of age. Care should be taken to prevent exposure of other pets who may be in close physical contact with the treated animal. Sensitivities may occur after using ANY pesticide product for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully. If signs persist, or become more severe, consult a veterinarian immediately.

82 83

Side Effects: Monitor your pet after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting or loss of appetite may also occur. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.

FIRST AID: 86

87

92

93

94

95

96

88 HUMANS: IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 89 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue 90 rinsing eye. Call a poison control centre or doctor for treatment advice. 91

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

97 98 99

100

PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

101 Take container, label or product name and Pest Control Product Registration Number 102 with you when seeking medical or veterinary attention.

103 104

TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

105 106

STORAGE: Store container at room temperature.

107

108 DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household 109 garbage.

110

112

113

111 **DIRECTIONS FOR USE:** 

> This product contains imidacloprid and pyriproxyfen. Do not apply another pest control product such as a shampoo, collar, or powder that contains imidacloprid or pyriproxyfen to the treated animal after applying Advantage II Large Cat/Rabbit.

114 115

Do NOT administer by mouth.

116 117

119

120

118 This product is packaged in single dosage tubes. This package contains one to six monthly 0.8 mL dosages. Do not apply a dosage higher than one 0.8 mL tube at one time. Treat your cat or pet rabbit monthly in the manner described below. Do not use on other animals.

121 122

123 Cats

124

125 Use only on cats 8 weeks of age and older weighing over 4 kg. Do not use on cats 126 under 8 weeks of age. Repeat every 4 weeks for continual pest control in situations 127 where there is an ongoing risk of pest infestation.

128

129 Pet Rabbits

Use only on pet rabbits 4 months of age and older weighing over 4 kg. Do not use on pet rabbits under 4 months of age. Repeat every 4 weeks for continual pest control in situations where there is an ongoing risk of pest infestation. Do not retreat earlier than 4 weeks. Do not use on rabbits intended for human consumption.

135136

137

138

139

140

141

142

143

144

145146

147

- How to Apply
  - 1. Remove one applicator from the package.
  - 2. Hold applicator tube in upright position. Pull cap off tube.
  - 3. Turn cap around and place other end of cap back on tube.
    - 4. Twist cap to break seal, then remove cap from tube.
  - 5. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to completely empty the contents directly on the skin. Do not get this product in your pet's eyes or mouth. The product is bitter tasting and salivation may occur for a short time if the animal licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the animal to lick the product. Do not allow recently treated animals to groom each other.
  - 6. Discard the empty tube as described in "DISPOSAL".

148149150

Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

152153154

151

Until Advantage II Large Cat / Rabbit dries, keep pet off furniture and away from hardwood floors.

155156

157

158 Retain packaging information for future reference

- Advantage, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.
- 161 ©2022 Elanco or its affiliates.

2022-0231 2022-01-31

| 162        | <u>Advantage™ II Large Cat / Rabbit</u>                           |
|------------|---|
| 163        | <u>Carton (English)</u>   |
| 164        | <elanco logo=""></elanco>   |
| 165        | Advantana TM II Laura Cat / Dabbit                                |
| 166<br>167 | Advantage™ II Large Cat / Rabbit                                  |
| 168        | Flea Adulticide/Larvicide/Ovicide                                 |
| 169        | r ica / tautiolac/ Lai violac/ C violac                           |
| 170        | For cats 8 weeks and older weighing over 4 kg                     |
| 171        | For pet rabbits 4 months and older weighing over 4 kg             |
| 172        |   |
| 173        | Once-A-Month Topical Flea Treatment                               |
| 174<br>175 | Liquid  |
| 176        | Liquid  |
| 177        | READ THE LABEL AND INSERT BEFORE USING                            |
| 178        |   |
| 179        | FOR USE ONLY ON CATS AND PET RABBITS                              |
| 180        |   |
| 181        | Do not use on other animals                                       |
| 182<br>183 | KEEP OUT OF REACH OF CHILDREN                                     |
| 184        | RELF OUT OF REACTION CHIEDREN                                     |
| 101        |   |
| 105        |   |
| 185<br>186 | POISON  |
| 187        | 1 010014  |
| 188        | WARNING EYE IRRITANT  |
| 189        |   |
| 190        | DOMESTIC  |
| 191        | ACTIVE INCREDIENT, beside along id 0.40% and Duringson for 0.400% |
| 192<br>193 | ACTIVE INGREDIENT: Imidacloprid 9.1% and Pyriproxyfen 0.46%       |
| 193        | REG. NO. 27586 P.C.P. ACT   |
| 195        | 1120.110.270001.0.1.1101  |
| 196        | CONTENTS: One to Six 0.8 mL Tubes                                 |
| 197        |   |
| 198        | Elanco Canada Limited   |
| 199        | 1919 Minnesota Court, Suite 401                                   |
| 200        | Mississauga, Ontario L5N 0C9                                      |
| 201<br>202 | 1-800-265-5475  |
| 202        |   |
| 204        |   |

- 205 Advantage II Large Cat / Rabbit kills 98-100% of the existing fleas on cats and pet
- 206 rabbits within 1 day after treatment. Protection against further flea infestation can last up
- to 4 weeks on cats and up to 8 days on pet rabbits.
- 208 Retreatment at monthly intervals is required if re-infestation is continuous or if flea
- 209 control is desired. Fleas, eggs, and larvae are killed following contact with skin debris
- from an Advantage II Large Cat / Rabbit treated pet. Advantage II Large Cat / Rabbit
- 211 provides multi-stage flea control effectively breaking all flea life-cycle stages for quick
- 212 and lasting control of flea populations.
- 213 Do not shampoo or immerse the animal in water immediately after treatment. The
- 214 animal can be shampooed, immersed in water or exposed to rain 3 days after
- treatment. Advantage II Large Cat / Rabbit retains its ovicidal and larvicidal efficacy up
- to 4 weeks on cats and 8 days on pet rabbits following a shampoo treatment, swimming
- or exposure to rain. The adulticidal effect may be shortened by repeated shampooing,
- water immersion or exposure to rain. Reapplication on cats may be required after such
- activities. Do not reapply before 4 weeks on pet rabbits.

220

- 221 PRECAUTIONS:
- 222 HUMANS: KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed. Causes
- 223 eye irritation. DO NOT get in eyes. Avoid contact with skin or clothing. Wear rubber
- 224 gloves during application of this product. After handling or applying, wash hands (or any
- other skin that came in contact with the product), with soap and water. Avoid contact
- with pets until dry.

227

- 228 PETS: Do not use on cats under 8 weeks of age or on rabbits under 4 months of age.
- 229 Care should be taken to prevent exposure of other pets who may be in close physical
- 230 contact with the treated animal. Sensitivities, may occur after using ANY pesticide
- 231 product for pets. Smaller animals are more likely to experience an adverse reaction.
- Observe carefully. If signs persist, or become more severe, consult a veterinarian
- 233 immediately.

234

Side Effects: Monitor your pet after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting or loss of appetite may also occur. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.

- 236 FIRST AID:
- 237 HUMANS: IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20
- 238 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue
- rinsing eye. Call a poison control centre or doctor for treatment advice.
- 240 IF SWALLOWED, call a poison control centre or doctor immediately for treatment
- advice. Have person sip a glass of water if able to swallow. Do not induce vomiting
- unless told to do so by a poison control centre or doctor. Do not give anything by mouth
- to an unconscious person.

2022-0231 2022-01-31

244 IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately 245 with plenty of water for 15–20 minutes. Call a poison control centre or doctor for 246 treatment advice. 247 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large 248 amounts of water. If signs continue, consult a veterinarian immediately. 249 Take container, label or product name and Pest Control Product Registration Number 250 with you when seeking medical or veterinary attention. 251 252 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically. 253 254 STORAGE: Store container at room temperature. 255 256 DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household 257 garbage. 258

2022-0231 2022-01-31

| 259                               | <u>Advantage™ II Large Cat / Rabbit</u>                     |
|-----------------------------------|---|
| 260                               | <u>Tube (English)</u>                                       |
| 261                               | <elanco logo=""></elanco>                                   |
| 262                               | Advantage™ II Large Cat / Rabbit                            |
| 263                               | DEAD THE LADEL AND INCEDT DEFORE HOMO                       |
| 264                               | READ THE LABEL AND INSERT BEFORE USING                      |
| 265                               |   |
|                                   |   |
| 266                               | $\bigvee$   |
| 267                               | POISON  |
| 268                               |   |
| 269                               | WARNING EYE IRRITANT  |
| 270                               | DOMEOTIC  |
| 271                               | DOMESTIC  |
| <ul><li>272</li><li>273</li></ul> | EXTERNAL USE ONLY   |
| 274                               | EXTERNAL USE ONLY   |
| 275                               | ACTIVE INGREDIENT: Imidacloprid 9.1% and Pyriproxyfen 0.46% |
| 276                               |   |
| 277                               | REG. NO. 27586 P.C.P. ACT                                   |
| 278                               |   |
| 279                               | Elanco Canada Limited                                       |
| 280                               | Mississauga, Ontario L5N 0C9                                |
| 281                               |   |
| 282                               | 0.8 mL  |
| 283                               |   |