

**Fomesafen Technical Grade Manufacturing Use Product**  
Herbicide

MANUFACTURING

FOR MANUFACTURING AND FORMULATING USE ONLY

**ACTIVE INGREDIENT:**

Fomesafen (present as the sodium salt) ..... 49.7%

Contains 1,2-benzisothiazolin-3-one at 0.039% OR 5-chloro-2-methyl-4-isothiazolin-3-one at 0.001%, 2-methyl-4-isothiazolin-3-one at 0.0005% and 2-bromo-2-nitropropane-1,3-diol at 0.03% as preservatives.

**PREVENT ACCESS BY UNAUTHORIZED PERSONNEL  
READ THE LABEL BEFORE USING**

CAUTION



POISON

**WARNING: EYE AND SKIN IRRITANT  
POTENTIAL SKIN SENSITIZER**

REGISTRATION NO. **28827**  
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **1000 L - Bulk**

**Syngenta Canada Inc.**  
140 Research Lane, Research Park  
Guelph, Ontario N1G 4Z3  
Telephone: (519) 836-5665

## 1.0 NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

## 2.0 FIRST AID

**IN CASE OF POISONING**, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**If swallowed**, call a poison control centre or doctor **IMMEDIATELY** for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**If on skin or clothing**, take off contaminated clothing. Rinse skin **IMMEDIATELY** with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**If in eyes**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

## 3.0 TOXICOLOGICAL INFORMATION

Treat symptomatically.

## 4.0 PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

Avoid contact with eyes, skin and clothing. Harmful if swallowed. Potential skin sensitizer. Harmful if inhaled. Avoid inhaling/breathing sprays, mists or vapours. May be harmful if absorbed through skin. Causes eye and skin irritation. DO NOT get in eyes or on skin. Wash well after handling and before eating, drinking or smoking. Wash contaminated clothing with soap and hot water before reuse. Do not wear contaminated shoes.

## 5.0 ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms.

## **6.0 STORAGE**

Keep in original container during storage. Store in a cool, dry, well ventilated area away from seed, fertilizer, or other pesticides. Keep away from fire or open flame, or other source of heat.

## **7.0 DISPOSAL**

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and information on clean-up of spills, contact the manufacturer or the provincial regulatory agency.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING,  
CALL 1-800-327-8633 (FASTMED)***

## **8.0 DIRECTIONS FOR USE**

To be used only in the manufacture of a herbicide which is registered under the *Pest Control Products Act*.