

07-JUL-2010  
2009-0605

## **King**

BUG KILLER INSECTICIDE DUST

Kills Caterpillars, Beetles, Earwigs and many other insects on vegetables, flowers and ornamentals.

DOMESTIC

REG.NO. 29616 P.C.P. ACT

GUARANTEE: Carbaryl 5.0%

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 300 g, 2 Kg, 4 Kg, 10 Kg

King Home & Garden Inc.  
3-304 Stone Road West,  
Guelph, ON, Canada, N1G 4W4  
1-866-458-5456 [www.kinghg.on.ca](http://www.kinghg.on.ca)

**DIRECTIONS FOR USE:** Apply when insects or their damage appears. Repeat at 7-10 day intervals if necessary. Apply a thin uniform coating of dust to both the upper and lower leaf surfaces when the air is still, preferably in the early morning or evening.

\*ITH (Days Interval to Harvest)

CROP	ITH*	INSECTS
Asparagus, Beans, Beets, Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Corn, Eggplant, Horseradish, Kohlrabi, Lettuce, Parsley, Pea, Pepper, Potato, Pumpkin, Radish, Squash, Tomato	7	Armyworm, Asparagus Beetle, Cabbageworm, Cabbage Looper, Colorado Potato Beetle, Corn Borer, Corn Earworm, Corn Rootworm (adults), Cucumber Beetle, Cutworm, Flea Beetle, Hornworm, Leafhopper, Mexican Bean Beetle, Spittle Bug, Squash Bug, Stink Bug, Tarnished Plant Bug, Tomato Fruitworm.
Beet Tops, Chinese Cabbage, Dandelion, Endive, Kale, Leaf Lettuce, Mustard Greens, Parsnip, Salsify, Spinach, Swiss Chard, Turnips, Watercress	14	
Grape, Raspberry, Strawberry	7	Aphid, Fruitfly, Grape Berry Moth, Japanese Beetle, Leafhopper, Leafroller, Spittle Bug.
Flowers, Shrubs, Perennials  *Do not apply on Virginia Creeper or Boston and English Ivy.		Aphid, Bagworm, Cankerworm, Gypsy Moth, Japanese Beetle, Lace Bug, Leaf Beetle, Leafhopper, Leafminer, Leafroller, Mealybug, Plant Bug, Psyllids, Rose slug, Scale Insects, Tent caterpillar, Thrips

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Hazardous if swallowed, inhaled or absorbed through the skin. Wash thoroughly after use. Do not contaminate feed, food, ponds or streams. Do not use when fruit trees are in bloom, or directly on flower blossoms as it is very poisonous to foraging bees.

**FIRST AID:**

**IF IN EYES,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**IF ON SKIN OR CLOTHING,** take off contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**IF SWALLOWED,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED,** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL: Dispose of empty container with household garbage. Do not reuse empty container.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.