

SPECTRUM[®] PR1912

ANTIMICROBIAL AGENT
INDUSTRIAL
SUSPENSION



CAUTION POISON

READ THE LABEL BEFORE USING

GUARANTEE:

DIIODOMETHYL P-TOLYL SULFONE ___ 39.2%

REGISTRATION NO. 27475

PEST CONTROL PRODUCTS ACT

Net Contents: _____

FOR INDUSTRIAL USE ONLY: Technical advice regarding specific site problems is available from Ú[|^} à Áa} aaáÁSO.

Solenis Canada ULC
942 Brant Street
Burlington, ON L7R 2J7
Telephone: 1-905-632-7861
Emergency Telephone: 1-844-SOLENIS (1-844-765-3647)

NOTICE TO USER: This control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. MAY CAUSE EYE IRRITATION. MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN. Wear coveralls over long pants, a long-sleeved shirt, chemical-resistant gloves and footwear, and a face-shield or goggles while cleaning equipment and handling product. Wear eye protection. Wash thoroughly after handling.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL HAZARDS: Highly toxic to fish and toxic to aquatic organisms. Do not contaminate any body of water by cleaning of equipment or disposal of waste. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

DISPOSAL :

1. Triple- or pressure-rinse the emptied container. Add the rinsings to the treatment site.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

DIRECTIONS FOR USE:

SURFACE MOLD INHIBITION IN WET LAP AND SHEET PULP

Depending on the level of contamination, add 0.4 mL to 1.0 mL of Spectrum PR1912 per litre of treatment solution (400 ppm to 1000 ppm). The treatment solution must be applied on dewatered pulp surfaces at a ratio of one litre of solution per 8.33 square meters of surface to be treated. Application should be done using applicator rolls, shower or sprayer. The length of the expected protection period against growth of surface mold on wet lap and sheet pulp is 30 days.

Spectrum PR1912 is for the protection of wet lap and sheet pulp, (not to be used on wet lap or sheet pulp that will be used in the manufacture of paper or paperboard that will come in contact with food or potted plants) and is NOT for the protection of users and others against mold, bacteria, viruses, germs or other disease-causing organisms.