ÁGHEÖÒÔËGEF€ G€F€EÍFGJÁ

Raid Max[®] Flying Insect Killer

Pressurized Space and Contact Spray DOMESTIC READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

GUARANTEE: d-trans Allethrin 0.25%, Piperonyl Butoxide 1.00% REG. NO. 22809.08 P.C.P. ACT

CAUTION



EXPLOSIVE NET CONTENTS: 500 g

S.C. JOHNSON A FAMILY COMPANY (Page Turn logo)

S.C. Johnson & Son, Ltd. 1 Webster Street, Brantford, ON, N3T 5R1 1-800-558-5566

DIRECTIONS FOR USE: SHAKE WELL BEFORE USING. Hold container upright while spraying. TO KILL HOUSE PESTS: Flying Insects - Flies, mosquitoes, wasps, gnats and flying moths. Close doors and windows. Direct mist upwards, in a sweeping motion, to all parts of the room, especially windows and other light sources. Apply 6 to 10 second bursts per 30 cubic metres of space. Whenever possible keep doors and windows closed for 25 minutes after each treatment. Also direct mist into areas where insects are present. Keep spray at least 1 metre from interior walls, fabrics and furniture. Ventilate room well after treatment. Crawling Insects - Cockroaches, spiders, crickets, ants, carpet beetles, centipedes and silverfish. Spray hiding places such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door sills, window frames or in ant nests. Insects must be hit to be killed. Bed Bugs - Spray mattresses, particularly around seams and tufts. Take bed apart, spray all joints. Repeat as required. Fleas - Spray sleeping quarters of pets. Change bedding if necessary. Do not use on pets.

Á

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. Do not puncture or incinerate. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Cover fish bowls and remove pets for one hour when spraying rooms. In homes or dwellings, remove or cover all exposed cooking utensils before spraying. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash after using. Keep from freezing. Do not use on Maiden Hair Ferns. Do not use on vegetable or fruit crops.

FIRST AID: If swallowed : Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled : Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes : Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure, then dispose in household garbage. Do not puncture or incinerate.

Questions? Comments? Call 1-800-558-5566 or write Helen Johnson.

®Can. Trade Mark Reg'd to S.C. Johnson & Son, Inc. Auth'd user S.C. JOHNSON AND SON, LIMITED, 1 Webster, Brantford, ON., Canada N3T 5R1. www.BugSmart.ca FOR SALE IN CANADA ONLY

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.