

2016-5616
2017-02-27

Konk 402 Insecticide Foam for Horses

PRESSURIZED CONTACT/RESIDUAL

DOMESTIC

Controls Mosquitoes, Stable Flies, Face Flies, House Flies, Horn Flies, Horse Flies, & Gnats

GUARANTEE: Permethrin 0.50%

REG. NO. 27599 PCP ACT

NET CONTENTS: 500g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Acuity Holdings, Inc.
11627 - 178 STREET
EDMONTON AB T5S 1N6
905-669-9876

DIRECTIONS: **SHAKE CAN WELL BEFORE USING.** To protect horses from attacks of Mosquitoes, Flies and Gnats, first remove mucous secretions from face of animal and then apply foam directly to soft cloth and spread about face and other body regions where flies gather such as back, belly, ear and leg regions where the specific attacking insects feeds. Repeat treatment daily if necessary. Do not spray animal's face, eyes or genitals. Avoid putting the foam in eyes, nose or mouth. Not to be used on newborn or nursing foals. Do not soak skin. Do not cover horses immediately after treating. Do not apply to back of animal prior to saddling.

PRECAUTIONS: **KEEP OUT OF REACH OF CHILDREN.** Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat or store at temperatures over 50°C. Discontinue use if dermal or nasal irritation develops. Do not contaminate feed or water troughs. Do not use on sick animals or animals under drug or pesticide treatment. Before using on pregnant animals consult a veterinarian. Avoid inhalation of spray. Wash hands after use. This product is toxic to aquatic organisms. Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries. Do not contaminate water by cleaning of equipment or disposal of waste. Use on Show, Race, Work or Pleasure horses only. Do NOT use on horses intended for slaughter.

FIRST AID: If sprayed in your eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If accidentally swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty press valve to release pressure. Dispose of empty container in regular garbage. Do not puncture or incinerate.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.