Spike Crawling Insect Killer PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY For crack, crevice, and spot treatments

Kills spiders, sowbugs, earwigs, cockroaches, crickets, millipedes, silverfish, ants, fleas, carpet beetles, brown dog ticks.

DOMESTIC

GUARANTEE: Pyrethrins 0.050% Piperonyl butoxide 0.100% N-Octyl bicycloheptene dicarboximide 0.167% Propoxur 0.500%

REG. NO. 27549 P.C.P. ACT

DANGER





EXTREMELY FLAMMABLE EXPLOSIVE

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

NET CONTENTS ____ g

EMPACK SPRAYTECH INC., 98 Walker Drive Brampton, ON L6T 4H6 905-792-6571 DIRECTIONS FOR USE: For use as a spot and/or crack and crevice treatment only to control insects listed on front panel. Hold container approximately 30 cm. from surface being sprayed and spray until wet. Thorough applications produce a coating which will vaporise into cracks and crevices for insect control. Provide adequate ventilation during and after indoor use. Keep pets and children away from surface until dry. Do not use in areas where food is processed, handled, served or stored.

INDOOR USE: Thoroughly treat cracks, crevices, spots on baseboards, underneath furniture and equipment, around garbage containers and other places where insects are found. In dwellings, do not use in kitchen or other areas where food is present. After spraying, clean surfaces which may contact food. Remove pets from the room during spraying. Cover or remove aquarium for one hour.

OUTDOOR USE: Spot treatment. Spray outside surfaces of screens, doors, window frames, foundations, patios, light fixtures and other places where insects may alight, or congregate and enter.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not spray near open flame or spark. Harmful if swallowed, inhaled or absorbed through skin or clothing. Avoid contact with eyes, skin or clothing. Do not use on humans, plants, animals, food stuff, food utensils, fishbowls or animal feed areas. Do not use as a space spray. Contents under pressure. Do not place in hot water or near radiators, stove or other sources of heat, or store at temperatures over 50 degrees C.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. In case of contact with the skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Propoxur is a carbamate cholinesterase inhibitor. Atropine is antidotal. Contains volatile petroleum distillate. Vomiting may cause aspiration pneumonia.

DISPOSAL: When container is empty, press valve to release all remaining pressure, then wrap and discard empty container in household garbage. Do not puncture or incinerate.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.