

12-MAR-2010
2009-5350

GROUP	3	INSECTICIDE
-------	---	-------------

PRO MAXX™
THE FUMIGATOR

PRESSURIZED SPRAY
COMMERCIAL

Lock valve down for CONTINUOUS SPRAYING or
Depress valve down for MANUAL SPRAYING

KILLS: Flies, Mosquitoes, Small Flying Moths, Wasps, Gnats, Cockroaches, Ants, Fleas, Ticks, Crickets, Spiders and Silverfish.

GUARANTEE:

Pyrethrins.....0.40%
Piperonyl Butoxide.....2.00%

REGISTRATION NO. 28926

PEST CONTROL PRODUCTS ACT

NET CONTENTS 150g, 200-400 g

DANGER



EXTREMELY FLAMMABLE



EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Superior Control product inc
3715 La Fayette(E), Boisbriand, Québec, Canada,
J7H 1S4, 888-689-2171

DIRECTIONS : Remove pets, birds and fish bowls. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. **Put out all flames and pilot lights.** Do not spray near or over furniture, plastic, painted or varnished surface. Equipment or furniture should be covered. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one can for each 300 cubic meters (10,594.3 ft³) of unobstructed area.

TO OPERATE VALVE: Product can be used manually or valve can be locked in open position for total release. To lock valve in open position for automatic discharge, depress valve lever down firmly until it clicks and stays depressed. For best results, first spray distant rooms manually spraying towards ceiling. Four to six seconds is ample for average room 3mx3mx3m (10ftx10ftx10ft). Also spray into cracks and crevices. Place can on stand or table in centre of 300 cubic meters (10,594.3 ft³) of unobstructed area, then lock valve down. Leave area at once and keep closed for 2 hours before airing out. When finished, open all windows and doors and ventilate for 30 minutes. Repeat spraying in two weeks or when necessary. This product will kill exposed insects only and has no residual activity.

CAUTION: Do not use in dwelling or in food storage handling, or service establishment as a total release bomb with valve locked open.

FOR OUTDOOR AND GARDEN USE: Spray with valve in manual position. For bugs on such plants as Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Irises, Marigolds, Petunias, Roses and Snapdragons. Also for bugs on evergreens and small ornamental deciduous trees, shrubs and vines. For best results, spray in evening, or on cloudy days when air is still. Use slow, sweeping motions. Keep can 45 cm from plants. Avoid wetting foliage with spray. Spray rows at the rate of 30 cm per second. For Heavy growth, spray row on both sides, Repeat when needed. Spray with caution on young plants and new growth. Do not spray garden when temperatures exceed 32°C (90°F).

RESISTANCE MANAGEMENT

Forresistancemanagement,pleasenote that PRO-MAXXTHEFUMIGATORcontains a Group3 insecticide. Any insectpopulation may contain individualsnaturally resistantto PRO-MAXXTHEFUMIGATORand other Group3 insecticides.The resistantindividuals may dominate the insectpopulation if this group of insecticidesare usedrepeatedlyin the samefields.Other resistancemechanismsthat are not linked to site of action but are specificfor individual chemicals,suchas enhancedmetabolism,may alsoexist. Appropriate resistance-managementstrategiesshould be followed. To delayinsecticideresistance:

- Wherepossible,rotate the useof PRO-MAXXTHEFUMIGATORor other Group3 insecticideswith different groups that control the samepestsin a field.
- Usetank mixtureswith insecticidesfrom a different group when suchuseis permitted.
- Insecticideuse should be basedon an IPMprogram that includesscouting, recordkeeping, and considerscultural, biological and other chemicalcontrol practices.
- Monitor treated pest populations for resistancdevelopment.
- Contactyour local extensionspecialistor certified crop advisorsfor any additional pesticideresistance-managementand/or IPMrecommendationsfor the specificsite and pest problems in your area.
- Forfurther information or to report suspectedresistancecontact SuperiorControl ProductsInc. at 1-888-689-2171.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN Do not use in presence of open flame or spark. CONTENTS UNDER PRESSURE. Container may explode if heated. Do not expose to temperature above 50 degrees C. Do not puncture or incinerate. Harmful if swallowed. Avoid breathing of vapor. Avoid contact with skin or eyes. Do not remain in treated areas. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.,

STORAGE: Keep product in cool and dry place, away from open flames and heat sources.

DISPOSAL: When container is empty, press valve to release all remaining pressure then dispose in regular garbage. Do not puncture or incinerate. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Make the container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for information on the clean-up of spills.

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of the product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.