This label has been updated according to the re-evaluation decision for *Chondrostereum* purpureum strain PFC2139 RVD2023-12. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 07-06-2025 in accordance with the phase out period set out in the re-evaluation decision for *Chondrostereum purpureum* strain PFC2139 RVD2023-12. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

PRINCIPLE PANEL

ChontrolTM **Paste**

A biological herbicide for the inhibition of resprouting and regrowth from cut stumps of alders (red and sitka) in rights-of way and forest vegetation management

COMMERCIAL

READ THE LABEL BEFORE USING POTENTIAL SENSITIZER KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO: 27823 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: Chondrostereum purpureum Strain PFC2139 10⁵ to 10⁷ Colony Forming Units per Kg.

Net contents: 1.0 kg

Store the product under refrigeration temperatures (4°C) Lot #: Date of Manufacture:

Registration holder: Danstar Ferment AG Poststrasse 30 CH-6300 ZUG Switzerland

Canadian agent: Lallemand Inc./LALLEMAND PLANT CARE 59 Industrial Park Crescent, Unit 1 Sault Ste, Marie, ON P6B 5P3 Phone: 1-888-236-7378

SECONDARY PANEL

PRODUCT DESCRIPTION

Chontrol Paste is a biological herbicide for the inhibition of resprouting and regrowth from the cut stumps of red alder and sitka alder in rights-of way and forest vegetation management. This product will colonize the cut stump surface and will inhibit the resprouting and regrowth of red alder and sitka alder. Chontrol Paste inhibits resprouting of cut stumps by colonizing and decaying the stumps. This product will reduce the stem density of a treated site that is managed by mechanical brush cutting. The level of inhibition obtained may vary with the susceptibility of the target tree species and environmental factors which influence fungal growth and development. Chontrol is a paste formulation in one-litre squeeze bottles. One bottle of Chontrol Paste will treat approximately 200 stumps with a diameter of 2 to 6 cm on the cut surface.

DIRECTIONS

Apply Chontrol Paste to freshly cut stumps during the growing season, from late summer to early fall and when conditions are conducive for fungal growth and infection. Apply a thin layer of Paste on the entire surface of cut area within 30 minutes of cutting. Entire contents in the bottle must be used on the same day after opening. Do not mix ChontrolTM Paste with chemical pesticides including herbicides.

USE RESTRICTIONS

As this product is not registered for the control of pests in aquatic systems. DO NOT use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wash water

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May cause sensitization. Avoid contact with eyes, skin or clothing. Wear a long-sleeved shirt, long pants, shoes plus socks and water-proof gloves when handling, mixing/loading or applying the product, and during all clean-up and repair activities. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL PRECAUTIONS

.

To reduce runoff from treated areas into aquatic habitats, avoid application to areas with a moderate to steep slope, compacted soil or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative filter strip between the treated area and the edge of the water body.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN/CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of

water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-tomouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Store at 4°C. Use within 90 days of the Date of Manufacture.

DISPOSAL

DO NOT reuse this container for any purpose. This is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

- 1. Thoroughly empty the contents of the container. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
- 2. Make the empty, rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.