# PRO-SURF II A NON-IONIC LIQUID WETTING AND SPREADING AGENT

# A NON-IONIC LIQUID WETTING AND SPREADING AGENT AND HARVEST AID

## AGRICULTURAL

## READ THE LABEL BEFORE USING

GUARANTEE: Alkylarylpolyoxyethylene glycols, free fatty acids and IPA ..... 900 g/L

### CAUTION - POISON WARNING - EYE IRRITANT

## **REGISTRATION NO: 28327 PEST CONTROL PRODUCTS ACT**

NET CONTENTS: 1L-Bulk

Norac Concepts Inc. P.O. Box 31097 Guelph, Ontario N1H 8K1 1-519-821-3633 **PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Do not take internally. Avoid contact with eyes, skin and clothing. When mixing/loading the concentrate, wear chemical resistant gloves and goggles. Wash thoroughly after handling the product and before eating, drinking or smoking. Remove and wash contaminated clothes before re-use.

**FIRST AID: If on skin or clothing**: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed:** Call a poison control centre or doctor for treatment advice. **If swallowed:** Call a poison control centre or doctor for treatment advice. **If swallowed:** Call a poison control centre or doctor for treatment advice. **If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Store in a cool dry place away from food or feed. Keep out of reach of children or pets.

**DISPOSAL OF CONTAINER:** Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

- 1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
- 2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

#### DIRECTIONS FOR USE

PRO-SURF II A NON-IONIC LIQUID WETTING AND SPREADING AGENT is a non-ionic, low-foam surfactant. It acts as a spreader and an activator when used with selected herbicides.

**NOTE:** Carefully read and follow the directions contained on the label of the herbicide with which PRO-SURF II A NON-IONIC LIQUID WETTING AND SPREADING AGENT is to be used.

#### USE RATES:

Use PRO-SURF II A NON-IONIC LIQUID WETTING AND SPREADING AGENT in conjunction with the post emergence use of the herbicides and crop desiccant listed below at the recommended rates for optimum performance from the herbicide and crop desiccant.

HERBICIDE, DESSICANT	CROP	RATE OF PRO-SURF II A NON-IONIC LIQUID WETTING AND SPREADING AGENT
ASSURE®	Soybeans	2.5 L per 1000 L of spray mixture
ALLY®	Spring Wheat	2.0 L per 1000 L of spray mixture
PURSUIT®	Soybeans	2.5 L per 1000 L of spray mixture
ULTIM®	Field Corn	2.5 L per 1000 L of spray mixture
ACCENT®	Field Corn	2.0 L per 1000 L of spray mixture
SIMPLICITY™, SIMPLICTY GODRI	Spring, Durum Wheat	2.5 L per 1000 L of spray mixture
REGLONE®	Refer to Reglone Label	1.0 L per 1000 L of spray mixture

#### **MIXING INSTRUCTIONS:**

Make sure the spray tank is thoroughly cleaned before mixing. Fill the spray tank half full with water. Add the required amount of herbicide as directed by its label with the agitator running. Ensure that the herbicide is completely mixed before proceeding to the next step. SLOWLY add the PRO-SURF II A NON-IONIC LIQUID WETTING AND SPREADING AGENT, agitating during the entire process. Continue to agitate while filling the tank with water and agitate before and during each application to insure a uniform spray.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

ASSURE<sup>®</sup>, ULTIM<sup>®</sup>, ALLY<sup>®</sup> and ACCENT<sup>®</sup> are trademarks of E. I. du Pont de Nemours & Company. PURSUIT<sup>®</sup> is a trademark of BASF Corporation. SIMPICITY<sup>™</sup>Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow. REGLONE® is a trademark of a Syngenta Group Company.