

2023-06-21  
2023-1722

This label has been updated according to the re-evaluation decisions for Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until September 2, 2024 in accordance with the phase out period set out in the re-evaluation decisions for Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. This previously approved label will be provided upon request by emailing [pmra.info-arla@hc-sc.gc.ca](mailto:pmra.info-arla@hc-sc.gc.ca). In your email please include the product name and Registration number of the label you are requesting.

# Doktor Doom Sleep Tight Bed Bug Killer II

Indoor insecticide spray

For indoor use in buildings to kill listed flying and crawling insects

DOMESTIC

Pressurized space and contact spray

CAUTION EXPLOSIVE

ACTIVE INGREDIENT:

Pyrethrin ... 0.25%

Piperonyl Butoxide ... 1.25%

REG. NO. 29339 P.C.P. ACT

NET CONTENTS: 150 - 775 grams

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

753146 AB Ltd. o/a UltraSol Industries\*

10755-69 Avenue NW

Edmonton, AB

Canada T6H 2C9

[www.doktordoom.com](http://www.doktordoom.com)

(780) 432-6535

\*100% Canadian Owned and Operated

## DIRECTIONS FOR USE:

**SHAKE WELL BEFORE USING:** This product has a special valve that sprays in all directions even upside down for hard-to-reach areas. Spray at least 120 cm from all objects and aim nozzle away from person. Press button firmly to spray. Within the specified use location, to enhance effectiveness of this product, apply directly to the listed pests where possible. Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Good sanitary practices should be maintained to prevent re-infestation.

## FOR INDOOR USE IN BUILDINGS

### HOW TO APPLY

**DO NOT APPLY AS A BROADCAST TREATMENT.** Apply as a space spray, crack and crevice, perimeter, spot or furniture (mattresses, box springs and bed frames only) treatment only.

**SPACE APPLICATION** is a suspension of fine droplets in the air within an indoor space.

**CRACK AND CREVICE** is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

**PERIMETER APPLICATION** is less than 0.3 m wide along the edges of a room to baseboards, wall-floor and ceiling-wall joints, and around doorways or windows.

**SPOT APPLICATION** is localized to a surface area not more than 0.2 m<sup>2</sup>. Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room.

**FURNITURE TREATMENT:** broadcast application covers large areas of the entire surface of items; crack and crevice treatments are applications to junction points on items; spot application is up to 10% of the surface of the item; and tuft and/or seam treatment (mattresses only) is to the junction of two or more pieces of fabric and any decorative trim (e.g., buttons).

### USE LIMITATIONS

- DO NOT apply when people or pets are present.
- DO NOT allow people or pets to enter treated areas until sprays have settled or dried.
- DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. Any food/feed accidentally contaminated with spray solution must be discarded.
- Ventilate treated areas after application by opening windows and doors or using fans, where required, to aid in the circulation of air.
- When applied as a surface spray: DO NOT apply to overhead areas or in confined spaces (e.g., attics, crawlspaces, small storage rooms, closets). DO NOT allow spray to drip or allow drift onto non-target surfaces.

### INDOOR SURFACE APPLICATION

DO NOT exceed 20 g of product per m<sup>2</sup> (spray for no more than 8 seconds per m<sup>2</sup>).

To kill bed bugs: DO NOT use on items which can be laundered (e.g., pillows, bedding, toys,

clothing, etc.). Remove bedding before treating mattress. Spray mattress, particularly around tufts and seams. Take bed apart and spray the bed frame, springs and all joints. Treated mattress must be dry before replacing laundered bedding. Also apply to indoor building surfaces, including cracks and crevices in walls, floors and ceilings; along and behind baseboards and mouldings; and localized areas of walls behind and floors beneath furniture (e.g., bed and nightstand).

To kill cockroaches, ants, spiders, silverfish, crickets, centipedes and carpet beetles: Thoroughly treat indoor building surfaces, including cracks and crevices in walls, floors and ceilings; along and behind baseboards; walls behind and floors beneath appliances (e.g., refrigerators and stoves) and furniture (e.g., cabinets and storage units); around sinks, drains and pipes; localized areas around garbage cans; and other building elements where listed insects are found.

For silverfish, also spray the cracks and crevices in bookcases. Remove all objects before treatment of bookcases where books, clothing, toys, towels and other items are stored. Treated bookcases must be dry before replacing stored items.

For ants, also spray trails, nests and points of entry (e.g., around windows and doors).

For spiders and centipedes, also spray localized areas of floors and floor coverings.

To kill carpet beetles: Spray edges of carpeting and underneath carpets and rugs. Make localized applications to floors and baseboards.

#### INDOOR SPACE APPLICATION

DO NOT exceed 0.46 g of product per m<sup>3</sup> (spray for no more than 5 seconds per 30 m<sup>3</sup>).

To kill Flies, Mosquitoes, Hornets, Wasps, and Biting Midges: Close doors and windows and shut off all ventilating systems and sources of ignition before treatment. While holding can upright at arm's length, spray upward in sweeping motion to all parts of the room, especially ceiling, upper corners of the room, windows and other light sources. Keep spray at least 1 m from interior walls, fabrics and furniture. Begin application at far side of the room and work backwards toward exit. Vacate the treated area and keep windows and doors closed for 15 minutes, then ventilate for 1 hour before re-entry. Following ventilation, clean up dead insects.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Contents are under pressure. DO NOT place in hot water or near radiators, stoves or other sources of heat, or store at temperatures above 50 °C. Cover fish bowls when spraying rooms. Avoid contact with skin, eyes, clothing. Avoid inhalation of spray. Wash after using. Keep from freezing.

#### FIRST AID:

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control

centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

**STORAGE:** Store this product away from food or feed.

**DISPOSAL:**

When container is empty, press button to release all pressure then dispose in household garbage. Do not puncture or incinerate. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

*OPTIONAL LABEL STATEMENTS*

*Multi-directional valve*

*Even sprays upside down for hard-to-reach areas*

*No CFCs*

*This product has never contained CFCs*