This label has been updated according to the re-evaluation decision of (Z)-9-Tricosene RVD2023-13. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 31-07-2025 in accordance with the phase out period set out in RVD2023-13. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

AGITATM Fly Bait

With fly sex attractant, z-9-tricosene Attracts and kills houseflies

INSECTICIDE GRANULAR

COMMERCIAL

POTENTIAL SKIN SENSITIZER CAUTION: SKIN IRRITANT WARNING: CONTAINS THE ALLERGEN MILK

ACTIVE INGREDIENTS:

REGISTRATION NUMBER: 28297 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 100 g (250 g, 400 g, 1 kg, 2 kg)

Elanco Canada Limited 1919 Minnesota Court, Suite 401 Mississauga, Ontario L5N 0C9

Agita, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates. ©2023 Elanco or its affiliates.

DIRECTIONS FOR USE:

AGITA Fly Bait is a new fly bait formula containing a house fly sex attractant which encourages both male and female house flies to remain in the treated areas, thereby feeding on the bait. AGITA Fly Bait is an indoor broadcast application, which is applied to indoor structural surfaces such as walls, floors, ceilings and indoor foundation walls/crawlspaces. Bait should be scattered once per day over fly feeding areas and places where flies are known to congregate to provide initial knockdown and reduction of house fly populations. Scatter AGITA Fly Bait at a rate of 200 g per 100 m² from a container or other device to avoid handling bait. Bait may also be used in hanging or stationary tamper-resistant bait boxes in locations not accessible to children, pets, domestic animals or wildlife. AGITA Fly Bait should be used as part of an integrated pest management program for house flies.

When used in areas accessible to birds, AGITA Fly Bait must be placed in a tamper-resistant bait station that prevents birds from consuming the bait.

AREAS OF USE:

May be used in agricultural buildings (e.g. barns, poultry houses, etc.) in areas where house flies congregate such as windowsills and near animal pens, provided the bait is kept out of reach of animals. Do not use on walkways used by animals.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC ANIMALS AND WILDLIFE. Do not ingest or inhale. Avoid contact with skin, eyes and clothing. Wear coveralls over a long-sleeved shirt and long pants, chemical-resistant gloves, shoes and socks when handling the product and during application. Wear a NIOSH/MSHA-approved dust-filtering mask, long-sleeved shirt, long pants, chemical-resistant gloves, shoes and socks during the clean-up of product which is not completely consumed.

Wash exposed body parts and change clothing after handling, and before eating, drinking or smoking. Do not contaminate feed, water, food or litter through application or disposal of product. Do not apply bait where animals can pick it up or lick the product. Prevent accidental transfer of the product, by people or animals, from treated areas to areas used by livestock. Harmful to bees. Do not discharge leftover product into ponds, streams or sewage systems.

RESISTANCE MANAGEMENT:

For resistance management, thiamethoxam is a Group 4 insecticide. Any house fly population may contain individuals naturally resistant to thiamethoxam and Group 4 insecticides. To delay insecticide resistance, avoid exclusive, repeated use of AGITA Fly Bait or other Group 4 insecticides. Keep accurate records of insecticides used in your operation. Keep the house fly population as low as possible by manure management.

FIRST AID:

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting

unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth- to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

No specific antidote is known. Apply symptomatic therapy. Induce emesis or lavage stomach.

STORAGE AND DISPOSAL:

Store in original, tightly closed containers. Protect from light and humidity. Do not contaminate water, food or feed by storage or disposal. Do not discharge leftover product into ponds, streams or sewage systems. Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for the clean-up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.