

K9 Advantix™ II Extra Large Dog
Insert (English)

<Elanco Logo>

K9 Advantix™ II extra large dog

Flea Adulticide/Larvicide/Ovicide and Tick, Mosquito and Lice Adulticide
Reduces Biting from Mosquitoes and Stable Flies

Once-A-Month Topical Flea, Tick, Mosquito and Lice Treatment

Solution

FOR USE ONLY ON DOGS OVER 25 KG AND OVER 8 WEEKS OF AGE

DO NOT USE ON CATS, KITTENS OR ANY OTHER ANIMAL

DOMESTIC

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN



Cat pictogram

WARNING EYE AND SKIN IRRITANT

TOXIC TO CATS

ACTIVE INGREDIENT: Imidacloprid 8.8%
Permethrin 44%
Pyriproxyfen 0.44%

REG. NO. 29779 P.C.P. ACT

NET CONTENTS: One to six 4.0 mL Tubes

Elanco Canada Limited
1919 Minnesota Court, Suite 401
Mississauga, Ontario L5N 0C9
1-800-265-5475

41

42

43 K9 Advantix II extra large dog will control fleas, ticks and lice on dogs weighing 25 kg or
44 more within one day of treatment and will continue to protect the dog from further flea,
45 tick and lice infestations for at least four weeks. K9 Advantix II extra large dog also
46 reduces biting by mosquitoes and stable flies and kills mosquitoes. Reapply every
47 month for continual pest control in situations where there is an ongoing risk of flea and
48 tick infestation. Otherwise, treatment must only be repeated if pest problem re-occurs. A
49 veterinarian should be consulted when pest infestation continues to be a problem on the
50 pet.

51

52 The successive feeding activity of fleas on pets may elicit a hypersensitivity skin
53 disorder known as flea allergy dermatitis (FAD). Treatment of pets with K9 Advantix II
54 extra large dog rapidly kills fleas and may reduce incidence of this condition.

55

56 K9 Advantix II extra large dog provides multi-stage flea control effectively breaking all
57 flea life-cycle stages for quick and lasting control of flea populations. Fleas, flea eggs
58 and larvae are killed following contact with a K9 Advantix II extra large dog treated pet.
59 Kills adult ticks, mosquitoes and lice only. Re-infestation from the emergence of new
60 fleas and ticks in the environment may continue to occur for six weeks or longer after
61 treatment is initiated. For effective flea, tick and lice control, treatment of the pet should
62 be combined with the sanitation of any area used by the pet. Vacuum floors, carpets,
63 and furniture (discard vacuum bag after use) and wash the pet's bedding, living
64 quarters, and surrounding areas. If pest problems persist, an insecticidal premise
65 treatment may be required.

66

67 Do not shampoo or immerse the dog in water immediately after treatment. The dog can
68 be shampooed, immersed in water or exposed to rain 3 days after treatment. The
69 duration of protection may be shortened by shampooing, water immersion or exposure
70 to rain. Reapplication may be required after such activities.

71

72 Consult a veterinarian before using on sick, aged, pregnant or nursing animals or
73 animals receiving drug or other pesticide treatment. DO NOT apply to dogs less than 8
74 weeks of age.

75

76 PRECAUTIONS:

77

78 HUMANS: KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed, or
79 absorbed through the skin. Causes eye irritation. DO NOT get in eyes. May irritate the
80 skin. Avoid contact with skin and clothing. Avoid contact with pets until dry. Wear rubber
81 gloves when applying product. After handling or applying, wash hands (or any other skin
82 that came into contact with the product) with soap and water. This product is extremely
83 toxic to fish. Do not contaminate water, feed or food by storage or disposal.

84

85 PETS: Toxic to cats. Cats that actively groom or engage in close physical contact with
86 recently treated dogs may be at risk of serious harm, including death. Sensitivities may
87 occur after using any pesticide for pets. Smaller animals are more likely to experience
88 an adverse reaction. Observe carefully.
89 Consult a veterinarian before using on sick, aged, pregnant or nursing animals or
90 animals receiving drug or other pesticide treatment.
91 Do not use on dogs under 8 weeks of age.
92

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.

93
94 FIRST AID:

95
96 HUMANS: IF SWALLOWED: Call poison control center or doctor immediately for
97 treatment advice. Have person sip a glass of water if able to swallow. Do not induce
98 vomiting unless told to do so by the poison control center or doctor. Do not give
99 anything by mouth to an unconscious person.

100 IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes.
101 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
102 Call a poison control centre or doctor for treatment advice.

103 IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately
104 with plenty of water for 15–20 minutes. Call a poison control centre or doctor for
105 treatment advice. Take the container, label or product name and Pest Control Product
106 Registration Number with you when seeking medical attention.

107
108 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large
109 amounts of water. If signs continue, consult a veterinarian immediately.
110

111 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.
112

113 DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household
114 garbage.
115

116 DIRECTIONS FOR USE:

117 This product contains imidacloprid, permethrin and pyriproxyfen. Do not apply another
118 pest control product such as a shampoo, collar, or powder that contains imidacloprid,
119 permethrin or pyriproxyfen to the treated animal after applying K9 Advantix II Extra
120 Large Dog.
121

122 For the control of fleas and ticks on dogs weighing 25 kg or more and over 8 weeks of
123 age.

124
125 FOR EXTERNAL USE ONLY ON DOGS WEIGHING 25 KG OR MORE.
126 DO NOT administer by mouth. DO NOT use on dogs under 8 weeks of age. DO NOT
127 use on cats, kittens or any other animal. Cats that actively groom or engage in close
128 physical contact with recently treated dogs may be at risk of serious harm, including
129 death (See PRECAUTIONS). Consult a veterinarian before using on sick, aged,
130 pregnant or nursing animals or animals under drug or other pesticide treatment.

131
132 K9 Advantix II extra large dog is packaged in single 4.0 mL dosage tubes. This package
133 contains one to six monthly 4.0 mL dosages. Reapply every month for continual pest
134 control in situations where there is an ongoing risk of flea and tick infestation.
135 Otherwise, treatment must only be repeated if pest problem re-occurs. DO NOT apply
136 more than one 4.0 mL tube at one time. A veterinarian should be consulted when pest
137 infestation continues to be a problem on the pet.

138
139 Treat your dog as follows:
140 Remove one applicator from the package.
141 Hold applicator tube in an upright position. Pull cap off tube.
142 Turn cap around and place other end of cap back
143 on tube. Twist cap to break seal, then remove cap
144 from tube The dog should be standing for easy
145 application.
146 The entire contents of the K9 Advantix II extra large dog tube should be applied evenly
147 to six or eight spots on the top of the back from the shoulder to the base of the tail. At
148 each spot, part the hair until the skin is visible. Place the tip of the tube on the skin and
149 gently squeeze to dispense a portion of the solution on the skin. Do not apply an
150 excessive amount of solution at any one spot that could cause some of the solution to
151 run off the side of the dog. Do not get this product in your pet's eyes or mouth.
152 Discard the empty tube as described in "DISPOSAL".
153 Until K9 Advantix II extra large dog dries, keep pet off furniture.

154
155 RETAIN REMAINING PACKAGING INFORMATION FOR FUTURE REFERENCE.
156 Watch for signs of sensitivities to K9 Advantix II extra large dog. Refer to FIRST AID for
157 further information.

158
159 Elanco Canada Limited
160 1919 Minnesota Court, Suite 401
161 Mississauga, Ontario L5N 0C9

162
163 K9 Advantix, Elanco and the diagonal bar logo are trademarks of Elanco or its
164 affiliates. ©2022 Elanco or its affiliates.

165

2022-0231
2022-01-31

166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187

188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205

K9 Advantix™ II Extra Large Dog
Carton (English)

<Elanco Logo>

K9 Advantix™ II extra large dog

Flea Adulticide/Larvicide/Ovicide and Tick, Mosquito and Lice Adulticide
Reduces biting by Mosquitoes and Stable Flies

Once-A-Month Topical Flea, Tick, Mosquito and Lice Treatment

Solution

FOR USE ONLY ON DOGS OVER 25 KG AND OVER 8 WEEKS OF AGE

DO NOT USE ON CATS, KITTENS OR ANY OTHER ANIMAL

DOMESTIC

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN



Cat pictogram

WARNING EYE AND SKIN IRRITANT

TOXIC TO CATS

ACTIVE INGREDIENT: Imidacloprid 8.8%
Permethrin 44%
Pyriproxyfen 0.44%

REG. NO. 29779 P.C.P. ACT

NET CONTENTS: One to six 4.0 mL Tubes

Elanco Canada Limited
1919 Minnesota Court, Suite 401
Mississauga, Ontario L5N 0C9
1-800-265-5475

2022-0231

2022-01-31

206 K9 Advantix II extra large dog will control fleas, ticks and lice on dogs weighing 25 kg or
207 more within one day of treatment and will continue to protect the dog from further flea,
208 tick and lice infestations for at least four weeks. K9 Advantix II extra large dog also
209 reduces biting by mosquitoes and stable flies and kills mosquitoes. Reapply every
210 month for continual pest control in situations where there is an ongoing risk of flea and
211 tick infestation.

212

213 K9 Advantix II extra large dog provides multi-stage flea control effectively breaking all
214 flea life-cycle stages for quick and lasting control of flea populations. Fleas, flea eggs
215 and larvae are killed following contact with a K9 Advantix II extra large dog treated pet.
216 Kills adult ticks, mosquitoes and lice only.

217

218 Consult a veterinarian before using on sick, aged, pregnant or nursing animals or
219 animals receiving drug or other pesticide treatment. DO NOT apply to dogs less than 8
220 weeks of age.

221

222 PRECAUTIONS:

223

224 HUMANS: KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed, or
225 absorbed through the skin. Causes eye irritation. DO NOT get in eyes. May irritate the
226 skin. Avoid contact with skin and clothing. Avoid contact with pets until dry. Wear rubber
227 gloves when applying product. After handling or applying, wash hands (or any other skin
228 that came into contact with the product) with soap and water. This product is extremely
229 toxic to fish. Do not contaminate water, feed or food by storage or disposal.

230

231 PETS: Toxic to cats. Cats that actively groom or engage in close physical contact with
232 recently treated dogs may be at risk of serious harm, including death. Sensitivities may
233 occur after using any pesticide for pets. Smaller animals are more likely to experience
234 an adverse reaction. Observe carefully.

235 Consult a veterinarian before using on sick, aged, pregnant or nursing animals or
236 animals receiving drug or other pesticide treatment.

237 Do not use on dogs under 8 weeks of age.

238

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.

239

240 FIRST AID:

241

242 HUMANS: IF SWALLOWED: Call poison control center or doctor immediately for
243 treatment advice. Have person sip a glass of water if able to swallow. Do not induce

2022-0231

2022-01-31

244 vomiting unless told to do so by the poison control center or doctor. Do not give
245 anything by mouth to an unconscious person.
246 IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes.
247 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
248 Call a poison control centre or doctor for treatment advice.
249 IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately
250 with plenty of water for 15–20 minutes. Call a poison control centre or doctor for
251 treatment advice. Take the container, label or product name and Pest Control Product
252 Registration Number with you when seeking medical attention.
253
254 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large
255 amounts of water. If signs continue, consult a veterinarian immediately.
256
257 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.
258
259 DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household
260 garbage.
261

2022-0231
2022-01-31

262
263
264
265
266
267
268
269
270

271
272
273
274
275
276
277
278
279

K9 Advantix™ II Extra Large Dog
Tube (English)

<Elanco Logo>

K9 Advantix™ II extra large dog

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN



WARNING EYE AND SKIN IRRITANT

TOXIC TO CATS

REG. NO. 29779 P.C.P. ACT