PISCI-BROM SUPER

BROMINATING DISINFECTANT for Swimming Pools

TABLETS

DOMESTIC

GUARANTEE:

REG. NO. 28334 P.C.P. ACT

WARNING



Net Contents Kg

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Groupe d'Achat M.P. Inc., 12775 Breault, Mirabel, (Québec) J7J 0C4

DESCRIPTION:

PISCI-BROM SUPER is a new form of brominating disinfectant for swimming pools. It is easily adapted to many erosion feeders used to automatically treat both commercial and residential swimming pools. When used as directed, PISCI-BROM SUPER will disinfect pool water, keeping it clear and free of odour. PISCI-BROM SUPER gives the effectiveness of chlorine without the chlorine odour.

DIRECTIONS FOR USE:

NOTE: Automatic feeding devices employing these tablets must be totally free from traces of other pool sanitizers to avoid the probability of an explosion.

- 1.Before using PISCI-BROM SUPER in your swimming pool for the first time, add 40 0 g of sodium bromide per 10,000 L of water to establish a 30 ppm bromide reserve. Also add sodium bromide when opening the pool for the summer and whenever the pool is drained and refilled. The bromide reserve is needed to keep the system completely bromine based, to eliminate chlorinous odours and to assure maximum water comfort to skin and eyes in pools on the treatment system.
- 2. To start up a new pool for the sea son or convert from a chlorine based program, backflush or clean the filter, chemically balance the calcium hardness and alkalinity and adjust the pH to 7.2 7.8.
- 3. Add sodium bromide, as directed above. When the sodium bromide has dissolved in the water, superoxidize to obtain a bromide residual of 2-8 ppm. Swimming may begin when the bromine level drops below 3 ppm.
- 4. When the bromine level drops 1-3 ppm, add PISCI-BROM SUPER to a suitable feeding device. Adjust the feeder according to manufacturers directions to maintain 1-3 ppm of available bromine. Use a reliable test kit for free bromine measurements.
- 5. Water soluble, non-filterable wastes can accumulate in pool water and cause dull or cloudy water and can stimulate algal growth. Superchlorination with a suitable oxidizing shock treatment should be done weekly or biweekly, after extremely heavy bather loads or heavy rain storms to correct these conditions.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWE D. HIGHLY CORROSIVE. DO NOT TAKE INTERNALLY. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on ski n or clothing. We are rubber gloves when handling. Wash thoro ughly after handling. Immediately remove contaminated clothing and wash before reuse.

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice. If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Treat symptomatically.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters.

PHYSICAL AND CHEMICAL HAZARDS:

Strong oxidizing agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction I eading to fi re and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with fire and explosion. In case of contamination or decomposition do not rese al container. If possible, isolate container in open air or well ventilated area, if necessary flood with large volumes of water.

STORAGE:

Keep product dry in closed container when not in use. Store in a cool, dry, well ventilated area away from heat open flames and other chemicals.

DISPOSAL:

Rinse em pty contai ner th oroughly bef ore di scarding. Do not re use container. For information on the disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill or for clean-up of spills.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.