

2011-5024
2011-11-22

GROUP	M	FUNGICIDE
-------	---	-----------

PSPT 16%

Contains Mancozeb

COMMERCIAL

DUST

READ THE LABEL BEFORE USING

GUARANTEE:

Mancozeb	16%
(Manganese equivalent	3.2%)
(Zinc equivalent	0.4%)
(ethylene bis dithio carbamate equivalent.....	12.4%)

REGISTRATION NO. 24734.01
PEST CONTROL PRODUCTS ACT

LOVELAND PRODUCTS CANADA INC.
789 Donnybrook Drive
Dorchester, Ontario
N0L 1G5
1-800-265-4624

24 Hour Emergency Contact : 1-800-561-8273

Net Contents 20 kg

DIRECTIONS FOR USE

PSPT 16% should be used only in accordance with recommendations on this label.

POTATOES: Apply 500 g of PSPT 16% per 100 kg of potato seed pieces for the control of Fusarium Seed Piece Decay. Apply thoroughly to coat the surface of whole or cut seed pieces with dust. If treated whole seed is cut, make a second application to protect the cut surface. Plant as soon as possible after treatment. If cut seed is not planted immediately, store in a well ventilated location to permit cut surface to dry. Do not use surplus treated seed pieces for food or feed.

RESISTANCE MANAGEMENT RECOMMENDATIONS

For resistance management, please note that PSPT 16% contains a Group M fungicide. Any fungal population may contain individuals naturally resistant to PSPT 16% and other Group M fungicides. A gradual or total loss of pest control may occur over time if these fungicides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To Delay Fungicide Resistance:

- Where possible, rotate the use of PSPT 16% or other Group M fungicides with different groups that control the same pathogens.
- Use tank mixtures with a fungicide from a different group when such use is permitted.
- Fungicide use should be based on an IPM program that includes scouting, historical information related to pesticide use and crop rotation and considers cultural, biological and other chemical control practices.
- Monitor treated fungal populations for resistance development.
- If disease continues to progress after treatment with this product, do not increase the use rate. Discontinue use of this product and switch to another fungicide with a different target site of action, if available.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance management and/or IPM recommendations for specific crops and pathogens.
- For further information and to report suspected resistance, contact the technical service, Loveland Products Canada Inc., 1-800-265-4624 or at www.uap.ca

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin. Avoid inhalation of dust. Avoid contact with eyes, skin or clothing. Wash after handling and before eating, drinking or smoking. Do not contaminate feed or food. Do not contaminate ponds, lakes or streams. Keep container tightly closed when not in use. Do not allow product to become wet or overheated during storage. Keep away from sparks or fire.

Treated seed pieces should be labeled, "Poisonous to man and animals. This seed has been treated with mancozeb for control of fusarium decay. Do not use for food or feed."

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca

FIRST AID:

If on Skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If Swallowed: Call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL

1. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.