

Nopcocide N-40-D Manufacturing Concentrate

Manufacturing Concentrate Microbicide for Manufacturing

GUARANTEE:

Chlorothalonil (Tetrachloroisophthalonitrile) 40.4%

Contains 4,4-dimethyloxazolidine at 0.077% as a preservative.

**READ THE LABEL BEFORE USING
KEEP OUT REACH OF CHILDREN AND UNAUTHORIZED PERSONNEL**

WARNING: CAUSES EYE DAMAGE

REGISTRATION NO. **27540**
PEST CONTROL PRODUCTS ACT

NET CONTENTS **18.9 L to 113.9 L**

Syngenta Canada, Inc.
140 Research Lane, Research Park
Guelph, Ontario N1G 4Z3
(519) 836-5665

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the PEST CONTROL PRODUCTS ACT to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Contact with eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Contact with skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Ingestion: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

PRECAUTIONS

The following precautions should be observed in handling and using Nopcocide N-40-D Manufacturing Concentrate.

Do not get in eyes. Nopcocide N-40-D Manufacturing Concentrate is capable of causing eye damage. Wear goggles or eye shield when handling this product. See First Aid Procedures.

Avoid contact with skin or clothing. See First Aid Procedures.

Do not take internally. Avoid breathing spray mist.

NOTE: Nopocide N-40-D Manufacturing Concentrate may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician.

See First Aid Procedures.

PERSONAL PROTECTIVE EQUIPMENT

Wear goggles or eye shield to protect eyes when handling Nopocide N-40-D Manufacturing Concentrate. Use protective barrier cream on exposed skin areas.

Wear gloves and protective clothing when handling or using Nopocide N-40-D Manufacturing Concentrate to minimize skin contact.

Do not inhale spray mist - wear a respirator if necessary. Launder outer garments if exposed to dust or spills. Discard footwear which cannot be decontaminated.

ENVIRONMENTAL HAZARDS

Nopocide N-40-D Manufacturing Concentrate is toxic to fish. Keep out of lakes, streams or ponds.

STORAGE

Store Nopocide N-40-D Manufacturing Concentrate in a cool, dry, well ventilated place. Keep away from fire or open flame, or other sources of heat. Keep in original container during storage. This product may congeal or stratify when exposed to temperatures below its pour point. Should this occur, allow the container to warm to room temperature and mix well before suing. Do not contaminate water, food or feed by storage or disposal.

DECONTAMINATION AND DISPOSAL:

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

CONTAINER DISPOSAL:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING
CALL 1-800-327-8633 (FASTMED)***

DIRECTIONS FOR USE

To be used only in the manufacture of products which are registered under the Pest Control Products Act.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.