

**Principal Panel**

**E-Z CLOR**

**ALGAECIDE 40%**  
**LIQUID ALGAECIDE**

**Controls algae in swimming pool waters**

- **Non foaming**
- **Aids pool clarity**
- **Reduces chlorine demand**

**DOMESTIC**

**REG. NO. 20284.15 P.C.P. ACT**

**GUARANTEE:**

**Poly [(oxyethylene dimethylimino) ethylene-  
(dimethylimino) ethylene dichloride].....40%**

**NET CONTENTS**

**1 L**

**KEEP OUT OF REACH OF CHILDREN  
READ LABEL BEFORE USING**

**Alliance Trading, Inc., 109 Northpark Blvd, 4th Floor, Covington, LA 70433  
Questions? Contact : Capo Industries Ltd., 1200 Corporate Drive,  
Burlington, Ontario L7L 5R6 1-800-263-8250**

# Secondary Panel

EZ CLOR

## **ALGAECIDE 40%**

- Kills and controls stubborn algae growth • Effective on green and other algae
- Helps flocculate dead algae and sediment m for easy cleaning • Effective at any pH

### **PRECAUTIONS**

- KEEP OUT OF REACH OF CHILDREN.
- Harmful if swallowed.
- Do not mix with any other chemical.
- Avoid contact with skin and eyes.

### **DISPOSAL**

Do not re-use empty container. Wrap and dispose of empty container with household garbage.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

### **FIRST AID**

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **Take container, label or product name and PCP Registration Number with you when seeking medical attention.**

### **TOXICOLOGICAL INFORMATION**

Treat symptomatically.

**DIRECTIONS FOR USE:** For best distribution dilute EZ CLOR ALGAECIDE 40% in a pail of water and pour around pool. Vacuum to remove dead algae.

1. Initial dosage for pool water having no visible algae is 100 mL of EZ CLOR ALGAECIDE 40% per 10,000 L of pool water.
2. Weekly maintenance dosage is 35 mL of EZ CLOR ALGAECIDE 40% per 10,000 L of pool water.
3. For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait for at least 24 hours before adding weekly maintenance dosage.
4. For visible algae, when superchlorination is not employed, add 150 mL of EZ CLOR ALGAECIDE 40% per 10,000 L of pool water.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.