

Treats 400 m² (800 m²)

**Wilson®
Lawn WeedOut®
Concentrate**

CONTROLS DANDELION, CLOVER,
CHICKWEED, PLANTAIN AND MANY
OTHER HARD-TO-KILL WEEDS

Herbicide
Solution

DOMESTIC

REG. NO. 28081 P.C.P. ACT

GUARANTEE:

2,4-D (present as dimethylamine salt) 95 g a.e./L
Mecoprop-P (present as dimethylamine salt) 50 g a.e./L
Dicamba (present as dimethylamine salt) 9 g a.e./L

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

[250 mL to 4 L]

Sure-Gro IP Inc.,
P.O. Box 21001,
Brantford, ON N3R 7W9
1-800-268-2806

WEEDS CONTROLLED: Bedstraw, Black Medick, Buttercup, Chickweed, Clover, Creeping Charlie (Ground Ivy), Dandelion, Dock, English Daisy, Hawkbit (Fall Dandelion), Heal-All, Knotweed, Ox-eye Daisy, Plantain, Poison Ivy, Ragweed, Ribgrass, Sandwort, Shepherd's-Purse, Speedwells, Stonecrop.

DIRECTIONS FOR USE: For use with a hand-held or backpack sprayer. Mix 15 mL (1 tablespoonful) in two litres of water and spray evenly over 12 m². Apply in May, June or September. Repeat application may be required in 3 - 4 weeks for some species. Do not apply in very hot, very dry or rainy weather. Do not apply to newly seeded lawns until after 3rd mowing. This product is only effective when applied to the leaves of actively growing weeds. This product will not prevent new weeds - **apply only when weeds are present**. DO NOT apply more than two broadcast applications per season. This does not include spot treatments. If weed populations do not warrant a broadcast application (e.g., entire lawn), consider spot treatments that target only weedy areas. DO NOT apply to any body of water. DO NOT contaminate irrigation/drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Do not irrigate lawn within 24 hours after application. This product will harm other broadleaved plants in the vicinity of the treatment area. If applying this product using a handheld sprayer, do not directly spray or allow the spray to drift onto ornamentals or gardens. Do not spray exposed roots of trees and ornamentals. Avoid application of this product when winds are gusty. Do not apply to driveways, sidewalks or any other hard surface.

PROTECTIVE CLOTHING: Wear long-sleeved shirt, long pants, socks, shoes and chemical-resistant (e.g., rubber) gloves.

OPERATOR USE PRECAUTIONS: Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. Reuse gloves for pesticide application only.

MAXIMUM APPLICATION FREQUENCY: For good lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

RE-ENTRY INTERVAL: Do not allow people (other than the applicator) or pets on the treatment area during application. Do not enter treated areas until spray has thoroughly dried.

ENVIRONMENTAL HAZARDS: Toxic to birds, small wild mammals, aquatic organisms and non-target broadleaf terrestrial plants.

Leaching: To minimize possible contamination of groundwater, the use of spot treatment application is recommended in areas where soils are permeable (e.g. sandy soil) and/or the depth to the water table is shallow.

Surface Run-Off: To reduce runoff from treated areas into aquatic habitats, avoid application to areas with a moderate to steep slope, compacted soil or clay. Contamination of aquatic areas as a result of runoff may be reduced by including an untreated vegetative strip between the treated area and the edge of the water body. To prevent runoff avoid spraying on

driveways, sidewalks or other hard surfaces. Do not irrigate within 24 hours after application. Avoid applying this product when heavy rain is forecast.

PRECAUTIONS: Do not use on bentgrasses. Do not use weedkiller sprayer for other uses. Avoid contacting skin, eyes and clothing. **KEEP FROM FREEZING.**

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and P.C.P. Reg. No. with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse container. Discard empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

In case of emergency, spills or fire, or for additional product information, call toll-free 1-800-268-2806. www.wilsonproducts.ca

© Sure-Gro IP Inc. / Lic. Premier Tech Home & Garden Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.