

2023-2664
2024-03-07

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 03/02/2025 in accordance with the phase out period set out in RVD2023-06. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-2664
2024-03-07

SkeetSafe Wasp & Hornet Killer

**PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY
FOR OUTDOOR USE TO CONTROL WASPS, HORNETS AND YELLOW JACKETS IN
THEIR NESTS IN THEIR NESTS**

DOMESTIC

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS: Pyrethrins 0.050%
Permethrin 0.200%
N-octyl bicloheptene dicarboximide 0.25%

REG. NO. 29365 P.C.P. ACT

NET CONTENTS: 100-600g

DANGER



EXTREMELY
FLAMMABLE



EXPLOSIVE

NET CONTENTS: 100-600 g

DenTec Safety Specialists Inc.
195B Harry Walker Parkway North
Newmarket, Ontario L3Y 7B3
1 888 533-6832

2023-2664
2024-03-07

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID INSTRUCTIONS: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

2023-2664
2024-03-07

If accidentally swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION: Treat symptomatically. This product contains petroleum distillate. Vomiting may cause aspiration pneumonia.

DIRECTIONS FOR USE:

FOR OUTDOOR USE TO CONTROL WASPS, HORNETS AND YELLOW JACKETS IN THEIR NESTS.

Use Limitations

- **DO NOT** use inside buildings.
- **DO NOT** use as a space spray.
- **DO NOT** apply when people or pets are present.
- **DO NOT** allow people or pets to enter treated areas until sprays have dried.
- **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- **DO NOT** apply in areas where plants are grown for food or feed (e.g., vegetables, fruit, herbs). Avoid spraying vegetation and non-target structural surfaces. Hose off any plants or non-target structural surfaces that are contacted with **spray** with water.
- **DO NOT** apply to any body of water.
- **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Avoid application of this product when winds are gusty.
- Outdoor application is limited to stinging insect nest treatments. **DO NOT** apply to vegetation, plants, grass and/ or any area accessible to children.

The best time to spray the product to nests is in late evening or early morning, during cooler temperatures, and when most bees and wasps are at rest inside the nest. Observe for little activity around the nest opening. Spray only if the air is still. Stand at a safe distance of 2 to 2.5 m from the nest. **DO NOT** stand directly under the nest. Treated insects may fall out of the nest and die. Remove the protective cap and point the spray nozzle in direction of the bee or wasp nest. Hold container upright at arm's length and point the spray nozzle at the nest. First, spray into the opening of the nest. Then spray the rest of the nest until it is saturated. Allow sufficient time for insects to die. Any insects returning to the nest after treatment will be killed. Wait at least 48 hours or until no signs of activity before removing the nest. **DO NOT** exceed 32 g of K-G HORNET & WASP KILLER V per m² (3.6 seconds/m²). Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. **DO NOT** contaminate food, utensils, food preparation, handling or

2023-2664
2024-03-07

storage areas. DO NOT contaminate animal feeding areas. Contents under pressure. DO NOT place in hot water or near radiators, stoves or other sources of heat, or store or use above 50°C as container may burst. DO NOT puncture or incinerate container or spray near open flame or spark, or while smoking. DO NOT spray asphalt shingles, as this product may stain them.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms. Toxic to bees. This product is intended for use on yellow jackets, hornets and wasps only. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

STORAGE: Store this product away from food or feed.

DISPOSAL: When container is empty, press button to release all pressure, then dispose in household garbage. DO NOT puncture or incinerate container. **DO NOT** reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.