

21-Mar-2011
2010-6077

Top Gun

WASP and HORNET KILLER

PRESSURIZED CONTACT & RESIDUAL
INSECTICIDE SPRAY

DOMESTIC

GUARANTEE:

Pyrethrins	0.050%
Permethrin	0.200%
N-Octyl Bicycloheptene Dicarboximide	0.250%

REG. NO. 29403 P.C.P. ACT

NET CONTENTS: 100-600 g

DANGER



EXTREMELY FLAMMABLE



EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Jet-Lube of Canada Ltd.
3820 – 97 Street
Edmonton, AB T6E 5S8
1 888 771-7775

DIRECTIONS FOR USE: For the control of wasps, bees, hornets and yellow jackets, remove protective cap and point nozzle in direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2 to 2.5 metres. Allow sufficient time for insects to die. Application to wasp nests should be made in late evening or early morning when insects are at rest.

LIMITATIONS: Do not use inside homes, on humans or animals. Do not use as a space spray.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not allow children or pets to contact treated areas until surfaces are thoroughly dry. Do not contaminate food, utensils, food preparation, handling or storage areas. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store or use above 50°C as container may burst. Do not puncture or incinerate container or spray near open flame or spark, or while smoking. Do not spray asphalt shingles, as this product may stain them.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. If in eyes, hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure, then dispose in household garbage. Do not puncture or incinerate container.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.