

25-JAN-2008 2007-8754

Mosquito Shield
Insect Repellent 30
PRESSURIZED SPRAY

Repels mosquitoes for up to 6 hours

DOMESTIC

Repels Mosquitoes, Blackflies, Deer Flies, Stable Flies, Ticks, Biting Midges and Chiggers

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

GUARANTEE: DEET plus related active toluimides 30.0%

REG. NO. 28263 P.C.P. ACT

NET CONTENTS 100-600 g

DANGER



EXTREMELY
FLAMMABLE



EXPLOSIVE

KUU Sport Mfg. Ltd.
450 Tapscott Road, Unit 5 & 6A
Toronto, ON M1B 1Y4

DIRECTIONS: Repels mosquitoes for 6 hours. Also repels black flies, biting midges, deer flies, stable flies, ticks and chiggers. Apply sparingly not under clothing and only when necessary. Reapply after 6 hours if necessary. Hold container upright and spray clothing and exposed skin except face. **TO APPLY TO FACE:** Spray hands and apply avoiding eyes and mouth. Do not spray in enclosed spaces.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C. Do not spray near open flame or spark, or while smoking. Do not contaminate food, utensils or any body of water. Avoid contact with eyes and mouth. Do not use on children under 12 years of age. AVOID contact with plastic and fabrics such as acetate, rayon and dynel. May damage furniture finish, plastics and painted surfaces.

FIRST AID: **If sprayed in eyes:** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If irritation or other adverse effects develop, wash with soap and water IMMEDIATELY. Seek medical attention if symptoms persist. **If swallowed:** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **If inhaled:** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure then dispose in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.