

2014-1232  
2014-06-12

**OMNI®**

**ALGAE TERMINATOR™**

Solution

Controls algae in swimming pool water.

**GUARANTEE:**

Copper, present as copper sulphate pentahydrate . . . . . 3.3%

DOMESTIC

WARNING

POISON

CORROSIVE

REG. NO. 27791 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

Contains polyelectrolytic stabilizing agents for long lasting protection against staining

NET CONTENTS: 1 L

KIK HOLDCO COMPANY INC.

33 MacIntosh Blvd.

Concord ON L4K 4L5

1-888-797-4444

**Omni® Algae Terminator™** is effective at killing and controlling algae in swimming pools. It is especially recommended for green, blue-green and mustard coloured algae growths.

**DIRECTIONS FOR USE:**

**To Treat Visible Algae Growth:** Vacuum leaves and any other foreign debris from pool. Brush visible algae from surface with surface compatible brush. If necessary, adjust pool water pH to 7.4 - 7.6 range. Add **OMNI Breakout, Calcium Hypochlorite, or Lithium Hypochlorite**, as per label directions, to oxidize water soluble organic wastes. Allow to circulate for 1 hour. Then apply 100 mL of **Omni® Algae Terminator™** per 10,000 L of pool water. Dilute the concentrate into 4 or more litres of water and apply in areas of greatest circulation. Do not use pool until sanitizer level drops below 3 ppm. In extreme cases if algae persists, repeat **Omni® Algae Terminator™** application after 2-4 days. Optional use of **OMNI Liquid Flocc Plus** will help to remove dead algae after successful treatment.

**To Prevent Algae: If No Visible Algae Is Present:** Initially apply 50 mL of **Omni® Algae Terminator™** per 10,000 L of pool water by diluting the concentrate in 4 or more litres of water and applying to pool water in areas of greatest circulation. Every week thereafter, apply 10 mL per 10,000 L of pool water to maintain proper preventative levels.

**DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Highly corrosive. Harmful if swallowed. Causes severe eye and skin damage. May be fatal if swallowed. Do not mix with any other chemical. Avoid contact with skin and eyes. Wear protective safety glasses and rubber gloves when handling this product. Irritating to nose and throat. This product is toxic to fish. Do not dispose effluent into lakes, rivers, ponds or public waters. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID: If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**DISPOSAL:** Rinse container thoroughly before discarding. Do not reuse. Dispose of empty container in household garbage. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of spill and for clean-up of spills.

**ENVIRONMENTAL HAZARDS:** TOXIC to aquatic organisms.

**NOTE:** Staining of pool surfaces may occur due to deposits of copper salts. Excessive levels of copper will increase the probability of this occurrence. Treat these problems with an appropriate chelating agent before using this product. Copper levels in the swimming pool water should not exceed 1 ppm. Monitor the copper level and apply **Omni® Algae Terminator™**, as required, needed to maintain the copper level between 0.5 - 1.0 ppm.

U.S. Patent No. 5,541,150. Canadian  
Patent Pending

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.