

KONK 408 Flying Insect Killer II

COMMERCIAL

Metered Pressurized Insecticide Spray

TO CONTROL FLIES, MOSQUITOES, GNATS AND SMALL FLYING MOTHS.

READ THE LABEL BEFORE USING

GUARANTEE:	
Pyrethrins	0.975%
Piperonyl Butoxide	1.950%
N-octyl bicycloheptene dicarboximide.....	3.050%

See Back Panel for Use Areas and Additional Precautionary Statements.

REGISTRATION NO. 28479
PEST CONTROL PRODUCTS ACT

WARNING



EXPLOSIVE



FLAMMABLE

Acuity Holdings, Inc.
11627 - 178 STREET
EDMONTON AB T5S 1N6
905-669-9876

NET CONTENTS 177 - 200 g

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not use in nurseries or rooms where infants, ill or aged persons are confined. Do not install directly above or within 3.7 meters of any food handling or dispensing area. IN MEAT PACKING PLANTS, spray only when plant is not in operation. No exposed meat products, ingredients or packaging material to be left in room. Cover food handling equipment. Any treated surface that may contact meat should be washed and rinsed thoroughly with potable water after spraying and before re-use for meat processing. Do not spray over milk or milking equipment. Avoid contact with skin and inhalation of spray mist. Wash after using. Contents toxic to fish and birds. Do not contaminate food, feed, or water.

PHYSICAL OR CHEMICAL HAZARDS: CONTENTS UNDER PRESSURE. Container may explode if heated. Do not expose to temperatures above 50°C. Do not puncture or incinerate. Do not allow spray to contact plastic, painted or varnished surfaces.

FIRST AID: In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. In case of skin or clothing contact, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If accidentally swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. CONTAINS PETROLEUM DISTILLATES.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DIRECTIONS FOR USE

KONK 408 Flying Insect Killer contains a highly effective insecticide designed especially for use in Automatic Dispensers. The dispenser activates the 59 mg metered valve every 15 minutes. Remove protective cap from top of can and insert can in special Automatic Dispenser. Place Dispenser 2-3 metres above floor at point where air circulation will carry insecticide throughout the area. Do not install directly over food or food packaging surfaces. Usually the effectiveness of this product will be noticeable within one hour after the Dispenser is activated. If less than 24 hour control is required, the dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. One 181 g unit is designed to treat an area of 170 m³ of free flow air space for up to 30 days. One unit per 170 m³ should be considered as an average depending on specific conditions (such as airflow rate, humidity and room temperature) at place of usage. Keep in mind that such factors as airflow rate, size of space treated, humidity and room temperature affect insect activity and control. As with any method of insect control, best results are achieved when sanitation and other preventative practices are followed.

FOR USE IN

Food handling and food preparation areas of restaurants and food processing plants and in stores, farms, dairies, barns, poultry houses, hotels, motels, supermarkets, food warehouses, hospitals, and nursing homes. Also for use in meat processing and packaging plants when not in operation.