

**K9 Advantix™ 20**  
**Insert (English)**

<Elanco Logo>

K9 Advantix™ 20

Flea, Tick, Mosquito and Lice Adulticide

Once-A-Month Topical Flea, Tick, Mosquito and Lice Treatment

Liquid

FOR USE ONLY ON DOGS 4.6 - 11 kg

DO NOT USE ON CATS OR KITTENS

DOMESTIC

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN



Cat glyph in red

WARNING POISON AND EYE IRRITANT

TOXIC TO CATS

ACTIVE INGREDIENT: Imidacloprid 8.8%  
Permethrin 44%

REG. NO. 27661 P.C.P. ACT

NET CONTENTS: One to six 1.0 mL Tubes

Elanco Canada Limited  
1919 Minnesota Court, Suite 401  
Mississauga, Ontario L5N 0C9  
1-800-265-5475

44 K9 Advantix 20 Flea, Tick, Mosquito and Lice Adulticide will control fleas, ticks and lice  
45 on dogs within one day of treatment and will continue to protect the dog from further  
46 flea, tick and lice infestations for at least four weeks. K9 Advantix 20 Flea, Tick,  
47 Mosquito and Lice Adulticide also kills mosquitoes. Re-infestation from the emergence  
48 of new fleas and ticks in the environment may continue to occur for six weeks or longer  
49 after treatment is initiated. Re-treatment at monthly intervals is required if re-infestation  
50 is continuous or if flea and tick control is desired.

51  
52 For effective flea, tick and lice control, treatment of the pet should be combined with the  
53 sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard  
54 vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding  
55 areas. If pest problems persist, an insecticidal premise treatment may be required.  
56 Shampooing of the dog may shorten the duration of protection, therefore, re-application  
57 following shampooing is recommended.

58 The successive feeding activity of fleas on pets may elicit a hypersensitivity skin  
59 disorder known as flea allergy dermatitis (FAD). Treatment of pets with K9 Advantix 20  
60 Flea, Tick, Mosquito and Lice Adulticide rapidly kills fleas and may reduce incidence of  
61 this condition. For use on pregnant/lactating animals, consult your veterinarian.

62  
63 **PRECAUTIONS:**

64  
65 **HUMANS: KEEP OUT OF THE REACH OF CHILDREN.**

66 Harmful if swallowed, or absorbed through the skin. Causes eye irritation. **DO NOT** get  
67 in eyes. Avoid contact with skin and clothing. Avoid contact with pets until dry. Wear  
68 rubber gloves when applying product. After handling or applying, wash hands (or any  
69 other skin that came into contact with the product) with soap and water. This product is  
70 extremely toxic to fish. Do not contaminate water, feed or food by storage or disposal.

71  
72 **PETS: Toxic to cats.** Cats that actively groom or engage in close physical contact with  
73 recently treated dogs may be at risk of serious harm, including death. Sensitivities may  
74 occur after using any pesticide for pets. Smaller animals are more likely to experience  
75 an adverse reaction. Observe carefully.

76 Consult a veterinarian before using on sick, aged, pregnant or nursing animals or  
77 animals receiving drug or other pesticide treatment.

78 Do not use on animals under 8 weeks of age.

79

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.
---

80  
81 **FIRST AID:**

82  
83 **HUMANS:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20  
84 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue  
85 rinsing eye. Call a poison control centre or doctor for treatment advice.

86 If swallowed: Call a poison control centre or doctor immediately for treatment advice.  
87 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told  
88 to do so by a poison control centre or doctor. Do not give anything by mouth to an  
89 unconscious person.

90 If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty  
91 of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.  
92 Take container, label or product name and Pest Control Product Registration Number  
93 with you when seeking medical attention.

94  
95 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large  
96 amounts of water. If signs continue, consult a veterinarian immediately.

97  
98 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

99  
100 DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household  
101 garbage.

102  
103 DIRECTIONS FOR USE:

104 This product contains imidacloprid and permethrin. Do not apply another pest control  
105 product such as a shampoo, collar, or powder that contains imidacloprid or permethrin  
106 to the treated animal after applying K9 Advantix 20 Flea, Tick, Mosquito and Lice  
107 Adulticide.

- 108 • Do NOT administer by mouth. Do not use on dogs under 8 weeks of age. A  
109 veterinarian should be consulted when pest infestation continues to be a problem  
110 on the pet.
- 111 • Do not use on cats or kittens. Consult a veterinarian before using on sick, aged,  
112 pregnant or nursing animals or animals under drug or other pesticide treatment.
- 113 • Use only on dogs between 4.6 and 11 kg.
- 114 • This product is packaged in single dosage tubes. This package contains one to  
115 six monthly 1.0 mL dosages. Treat your dog monthly in the manner described  
116 below. Do not apply a dosage greater than one 1.0 mL tube at one time.
- 117 • Re-treatment at monthly intervals is required if re-infestation is continuous or if  
118 flea and tick control is desired.
- 119 • Remove one applicator from the package.
- 120 • Hold applicator tube in upright position. Pull cap off tube.
- 121 • Turn cap around and place other end of cap back on tube.
- 122 • Twist cap to break seal, then remove cap from tube.
- 123 • The dog should be standing for easy application. The entire contents of the K9  
124 Advantix 20 Flea, Tick, Mosquito and Lice Adulticide tube should be applied  
125 evenly to two or three spots on the top of the back from the shoulder to the base  
126 of the tail. At each spot, part the hair until the skin is visible. Place the tip of the  
127 tube on the skin and gently squeeze to dispense a portion of the solution on the  
128 skin. Do not apply an excessive amount of solution at one spot that could cause  
129 some of the solution to run off the side of the dog. Do not get this product in your  
130 pet's eyes or mouth.

2022-0231  
2022-01-31

- 131 • Discard the empty tube as described in "DISPOSAL".
- 132
- 133 Elanco Canada Limited
- 134 1919 Minnesota Court, Suite 401
- 135 Mississauga, Ontario L5N 0C9
- 136
- 137 K9 Advantix, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.
- 138 ©2022 Elanco or its affiliates.
- 139

140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178

**K9 Advantix™ 20**  
**Carton (English)**

<Elanco Logo>

K9 Advantix™ 20

Flea, Tick, Mosquito and Lice Adulticide

Once-A-Month Topical Flea, Tick, Mosquito and Lice Treatment

Liquid

FOR USE ONLY ON DOGS 4.6 - 11 kg

DO NOT USE ON CATS OR KITTENS

DOMESTIC

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN



cat glyph in red

WARNING POISON AND EYE IRRITANT

TOXIC TO CATS

ACTIVE INGREDIENT: Imidacloprid 8.8%  
Permethrin 44%

REG. NO. 27661 P.C.P. ACT

NET CONTENTS: One to six 1.0 mL Tubes

Elanco Canada Limited  
1919 Minnesota Court, Suite 401  
Mississauga, Ontario L5N 0C9  
1-800-265-5475

179 K9 Advantix 20 Flea, Tick, Mosquito and Lice Adulticide will control fleas, ticks and lice  
180 on dogs within one day of treatment and will continue to protect the dog from further  
181 flea, tick and lice infestations for at least four weeks. K9 Advantix 20 Flea, Tick,  
182 Mosquito and Lice Adulticide also kills mosquitoes. Re-infestation from the emergence  
183 of new fleas and ticks in the environment may continue to occur for six weeks or longer  
184 after treatment is initiated. Re-treatment at monthly intervals is required if re-infestation  
185 is continuous or if flea and tick control is desired.

186  
187 Shampooing of the dog may shorten the duration of protection, therefore, re-application  
188 following shampooing is recommended. For use on pregnant/lactating animals, consult  
189 your veterinarian.

190  
191 **PRECAUTIONS:**

192  
193 **HUMANS: KEEP OUT OF THE REACH OF CHILDREN.** Harmful if swallowed, or  
194 absorbed through the skin. Causes eye irritation. **DO NOT** get in eyes. Avoid contact  
195 with skin and clothing. Avoid contact with pets until dry. Wear rubber gloves when  
196 applying product. After handling or applying, wash hands (or any other skin that came  
197 into contact with the product) with soap and water. This product is extremely toxic to  
198 fish. Do not contaminate water, feed or food by storage or disposal.

199  
200 **PETS: Toxic to cats.** Cats that actively groom or engage in close physical contact with  
201 recently treated dogs may be at risk of serious harm, including death. Sensitivities may  
202 occur after using any pesticide for pets. Smaller animals are more likely to experience  
203 an adverse reaction. Observe carefully.  
204 Consult a veterinarian before using on sick, aged, pregnant or nursing animals or  
205 animals receiving drug or other pesticide treatment.  
206 Do not use on animals under 8 weeks of age.

207  

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.
---

208  
209 **FIRST AID:**

210  
211 **HUMANS:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20  
212 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue  
213 rinsing eye. Call a poison control centre or doctor for treatment advice.  
214 If swallowed: Call a poison control centre or doctor immediately for treatment advice.  
215 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told  
216 to do so by a poison control centre or doctor. Do not give anything by mouth to an  
217 unconscious person.  
218 If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty  
219 of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

2022-0231  
2022-01-31

220 Take container, label or product name and Pest Control Product Registration Number  
221 with you when seeking medical attention.

222

223 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large  
224 amounts of water. If signs continue, consult a veterinarian immediately.

225

226 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

227

228 DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household  
229 garbage.

230

2022-0231  
2022-01-31

231  
232  
233  
234  
235  
236  
237  
238  
239  
240

**K9 Advantix™ 20**  
**Tube (English)**

<Elanco Logo>

K9 Advantix™ 20

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN



241  
242  
243  
244  
245  
246  
247  
248

WARNING POISON AND EYE IRRITANT

TOXIC TO CATS

REG. NO. 27661 P.C.P. ACT