

2018-6623
2019-04-17

**FOR EMERGENCY USE ONLY
FOR CONTROL OF FLEAS IN BLACK-TAILED PRAIRIE DOG
BURROWS**

**FOR SALE AND USE ONLY IN SASKATCHEWAN
FROM 08 OCTOBER 2018 TO 07 OCTOBER 2019.
FOR USE UNDER THE SUPERVISION OF PARKS CANADA**

GROUP **3** INSECTICIDE

DeltaDust® Insecticide

DUST

RESTRICTED

REGISTRATION NUMBER 29862 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: Deltamethrin 0.05%



Eye Irritant

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

NET CONTENTS: 0.45 kg – Bulk

Product Information: 1-888-283-6847

**BAYER CROPSCIENCE INC.
SUITE 200, 160 QUARRY PARK BLVD. S.E.
CALGARY, ALBERTA T2C 3G3**

In case of spills, poisoning or fire, telephone emergency response number
1-800-334-7577 (24 hours a day).

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. **PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Fatal if inhaled. Harmful if swallowed. Severely irritating to eyes. Do not inhale dust. Do not get in eyes or on skin. Wear chemical resistant coveralls over long sleeved shirt and long pants, chemical resistant gloves, goggles, socks and chemical resistant foot wear during loading, calibration, application, clean up and repair. Loaders, calibrators, and applicators must wear either a respirator with a NIOSH/MSHA/BHSE approved organic-vapour-removing cartridge with a prefilter approved for pesticides OR a NIOSH/MSHA/BHSE approved canister approved for pesticides. **FIRST AID:** Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. **IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **IF ON SKIN OR ON CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **TOXICOLOGICAL INFORMATION:** Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Treat symptomatically. **ENVIRONMENTAL PRECAUTIONS:** TOXIC to aquatic organisms. Toxic to small wild mammals. TOXIC to bees. Minimize spray drift to reduce harmful effects on bees in habitats close to the application site. Avoid applications when bees are foraging in the treatment area in ground cover containing blooming weeds. To further minimize exposure to pollinators, refer to the complete guidance “[Protecting Pollinators during Pesticide Spraying – Best Management Practices](#)” on Canada.ca. Follow crop specific directions for application timing. Toxic to certain beneficial insects. Minimize spray drift to reduce harmful effects on beneficial insects in habitats next to the application site such as hedgerows and woodland. Deltamethrin may impact predatory and parasitic arthropod species used in IPM programs within the treatment area. Unsprayed refugia for beneficial species of at least 1 metre from treatment area will help maintain beneficial arthropod populations. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body. **STORAGE:** Store product in original container in a cool, dry, locked place out of reach of children. To prevent contamination store this product away from food or feed. **DISPOSAL:** 1. Thoroughly empty the contents of the container into the application device. 2. Make the empty container unsuitable for further use. 3. Dispose of the container in accordance with provincial requirements. 4. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

DeltaDust is a registered trademark of the Bayer Group

181005

**FOR EMERGENCY USE ONLY
FOR CONTROL OF FLEAS IN BLACK-TAILED PRAIRIE DOG
BURROWS**

**FOR SALE AND USE ONLY IN SASKATCHEWAN
FROM 08 OCTOBER 2018 TO 07 OCTOBER 2019.
FOR USE UNDER THE SUPERVISION OF PARKS CANADA**

GROUP 3 INSECTICIDE

DeltaDust® Insecticide

DUST

RESTRICTED

REGISTRATION NUMBER 29862 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: Deltamethrin 0.05%



Eye Irritant

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

NET CONTENTS: 0.45 kg – Bulk

Product Information: 1 888 283 6847

**BAYER CROPSCIENCE INC.
SUITE 200, 160 QUARRY PARK BLVD. S.E.
CALGARY, ALBERTA T2C 3G3**

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

NATURE OF RESTRICTION: For use under the supervision of Parks Canada. Only to be applied by individuals who are provincially certified and trained in the application of this product and who hold a pesticide applicator certificate or license recognized by the provincial/territorial pesticide regulatory agency where the application occurs. This product is to be used only in the manner authorized. Consult local pesticide regulatory authorities about use permits which may be required.

Do not formulate this product into other end-use products.

RESTRICTED USES: For control of fleas in black-tailed prairie dog burrows.

DIRECTIONS FOR USE:

FLEAS IN BLACK-TAILED PRAIRIE DOG BURROWS:

To control fleas in black-tailed prairie dog burrows, apply DeltaDust Insecticide with appropriate dusting equipment. Apply 6 grams of product per burrow. Be sure to treat abandoned burrows which are suspected of containing fleas. Apply as needed for control.

DO NOT apply using handheld or automated fogging, mist blower, or airblast equipment.

As this product is not registered for the control of pests in aquatic systems, **DO NOT** use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

To protect pollinators, follow the instructions regarding bees in the Environmental Precautions section.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

Fatal if inhaled. Harmful if swallowed. Severely irritating to eyes. Do not inhale dust. Do not get in eyes or on skin. Wear chemical resistant coveralls over long sleeved shirt and long pants, chemical resistant gloves, goggles, socks and chemical resistant foot wear during loading, calibration, application, clean up and repair. Loaders, calibrators, and applicators must wear either a respirator with a NIOSH/MSHA/BHSE approved organic-vapour-removing cartridge with a prefilter approved for pesticides OR a NIOSH/MSHA/BHSE approved canister approved for pesticides.

FIRST AID: Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR ON CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION: Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS

TOXIC to aquatic organisms. Toxic to small wild mammals.

TOXIC to bees. Minimize spray drift to reduce harmful effects on bees in habitats close to the application site. Avoid applications when bees are foraging in the treatment area in ground cover containing blooming weeds. To further minimize exposure to pollinators, refer to the complete guidance “[Protecting Pollinators during Pesticide Spraying – Best Management Practices](#)” on Canada.ca. Follow crop specific directions for application timing.

Toxic to certain beneficial insects. Minimize spray drift to reduce harmful effects on beneficial insects in habitats next to the application site such as hedgerows and woodland. Deltamethrin may impact predatory and parasitic arthropod species used in IPM programs within the treatment area. Unsprayed refugia for beneficial species of at least 1 metre from treatment area will help maintain beneficial arthropod populations.

To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay.

Avoid application when heavy rain is forecast.

Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

STORAGE

Store product in original container in a cool, dry, locked place out of reach of children. To prevent contamination store this product away from food or feed.

DISPOSAL

1. Thoroughly empty the contents of the container into the application device.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

DeltaDust is a registered trademark of the Bayer Group

181005