

2021-6702

2022-01-24

[PRIMARY PANEL]

Wilson[®]
Lawn WeedOut[®]
Ready-To-Use
Bio-Phoma[™] Herbicide

Eliminate The Weeds You Have – Prevent New Weeds From Growing
[Flash] With Bio-Phoma[™]

Granular

DOMESTIC

REG. NO. 30132 P.C.P. ACT

GUARANTEE: *Phoma macrostoma* (naturally occurring fungus) strain 94-44B...89.3%
Equivalent to a minimum of 1×10^3 CFU/g

CAUTION – EYE IRRITANT
POTENTIAL SENSITIZER

READ THE LABEL *[AND PEEL BACK PANEL]* BEFORE USING
KEEP OUT OF REACH OF CHILDREN

1 kg – 25 kg
Date of Manufacture:

Evologic Technologies GmbH
Lemböckgasse 49, 1230 Vienna, AUSTRIA
+43-660-9302903

2021-6702

2022-01-24

[SECONDARY PANEL]

[OPEN THE PEEL BACK PANEL
AND READ THE DIRECTIONS
FOR USE AND PRECAUTIONS
BEFORE USING.]

Wilson® Lawn WeedOut® Ready-To-Use Bio-Phoma™ Herbicide

What is Bio-Phoma™?

This product contains *Phoma macrostoma*; a Bio-herbicide which is derived from a naturally occurring fungus discovered growing on Canada thistle plants in Saskatchewan.

This product can be used to prevent broadleaf weeds and control existing broadleaf weeds on established turfgrass and during the new seeding of the following grasses: bentgrass, bermudagrass (do not use at the time of seeding with bermudagrass), fine fescue, tall fescue, Kentucky bluegrass, perennial ryegrass, annual ryegrass, and mixtures of these grasses. It will not harm lawn grasses.

| | Weeds controlled | Weeds suppressed |
|---|---|--|
| 1 application Pre-emergence | Broadleaf plantain Dandelion Scentless chamomile English daisy Wild mustard Common groundsel | White clover Canada thistle Black medic Chickweed (partial) Common ragweed (partial) |
| 2 or 3 applications Post-emergence | White clover Black medic | Dandelion Canada thistle Broadleaf plantain |

DIRECTIONS FOR USE:

- DO NOT apply to any body of water.
- DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Avoid application of this product when winds are gusty

TO PREVENT NEW WEEDS IN YOUR LAWN (PRE-EMERGENT WEED CONTROL)

- **Where to Apply:**
 - Can be applied to established lawns as well as newly seeded lawns.
- **How to Apply / What to Expect:**
 - Apply to established lawns in the early spring or fall before weeds appear in your lawn and have a chance to germinate. After application the appearance of new weeds will be significantly reduced or eliminated, while the lawn remains unaffected.
 - Can be applied in either the spring or fall, at the same time or soon after planting grass seed to prevent weed establishment. Emerging grass is unaffected.

2021-6702

2022-01-24

TO ELIMINATE WEEDS IN YOUR LAWN (POST-EMERGENT WEED CONTROL)

- **Where to Apply:**
 - Can be applied to established lawns as well as newly seeded lawns.
- **How to Apply / What to Expect:**
 - Apply directly to weeds on the lawn 2-3 times per season at monthly intervals. Product is working when the leaves turn yellow then become bleached white. The patented Bio-Phoma formula causes weeds to turn white and their roots to stop growing. The white weeds cannot produce chlorophyll and eventually starve to death.
 - Symptoms may first appear in about one week after application when temperature is between 15-30°C.

SPREADER SETTINGS:

| Spreader | Pre-Emergent Setting | Post-Emergent Setting |
|--|----------------------|-----------------------|
| Earthway® Broadcast/ Rotary Spreaders Apply header strips. Then apply product in longest direction of lawn. Shut off spreader or stop each time you reach a header strip. Each pass should be within 1.5 metres (5 feet) of each other to ensure an overlap. | 15 | 18 |
| Earthway® Drop Spreader Apply 2 header strips. Apply in longest direction of lawn, overlapping wheel marks. | 15 | 18 |

[Illustration of spreading patterns]

Coverage: If not using an Earthway® spreader, apply at the preemergent rate of 1.65 kg per 100 m² (3.4 lb / 1,000 ft²) or the post-emergent rate of 3.17 kg per 100 m² (6.5 lb per 1,000 ft²) per application.

APPLICATION TIPS:

- Mow prior to application. Then do not mow your lawn again until the product has been washed from the grass by rainfall or watering and the turf has dried.
- Avoid contact with desirable flowers, vegetables, and fruit bearing shrubs. If contacted wash away with water.
- This product will not control grassy weeds such as crabgrass.
- While this product is in use do not apply in conjunction with any other lawn disease control product.
- For best results, apply to wet or dry grass as long as the soil is moist when the temperature is between 15-30°C (60-85°F) in the day. To further enhance control, watering or rainfall should occur within 24-72 hours after application. Avoid applying in windy conditions.
- For best results, apply with an Earthway® spreader at the recommended setting listed above.

2021-6702

2022-01-24

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May cause sensitization. May irritate eyes. Avoid contact with eyes. Wash hands thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: To prevent contamination store this product away from food or feed. Store unused product in original container away from children and direct sunlight. Store at 23°C or below for up to one year from the date of manufacture.

DISPOSAL: Do not reuse empty container. Dispose of empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.pthomeandgarden.com

[Optional text]