

2021-6702
2022-01-24

[PRIMARY PANEL]

**Wilson®
Lawn WeedOut®
Spot Weeder
Bio-Phoma™ Herbicide**

[Flash] With Bio-Phoma™

HERBICIDE
Granular

DOMESTIC

REG. NO. 30134 P.C.P. ACT

GUARANTEE: *Phoma macrostoma* (naturally occurring fungus) strain 94-44B...89.3%
Equivalent to a minimum of 1×10^3 CFU/g

CAUTION – EYE IRRITANT
POTENTIAL SENSITIZER

READ THE LABEL [AND PEEL BACK PANEL] BEFORE USING
KEEP OUT OF REACH OF CHILDREN

100 g to 1 kg
Date of Manufacture: _____

Evologic Technologies GmbH
Lemböckgasse 49, 1230 Vienna, AUSTRIA
+43-660-9302903

[Peel back for instructions - Press to reseal]

2021-6702
2022-01-24

[SECONDARY PANEL]

Wilson® Lawn WeedOut® Spot Weeder Bio-Phoma™ Herbicide

What is Bio-Phoma™?

This product contains *Phoma macrostoma*; a Bio-pesticide which is derived from a naturally occurring fungus discovered growing on Canada thistle plants in Saskatchewan.

This product can be used to prevent broadleaf weeds and control existing broadleaf weeds on established turfgrass and during the new seeding of the following grasses: fine fescue, tall fescue, Kentucky bluegrass, perennial ryegrass, annual ryegrass, bentgrass, bermudagrass (do not use at the time of seeding with bermudagrass), and mixtures of these grasses without harming lawn grasses.

With 2 or 3 post-emergent applications of <i>Phoma macrostoma</i>	
Weeds controlled: Dandelion White clover Black medic Canada thistle	Weeds suppressed: Broadleaf plantain

DIRECTIONS FOR USE:

WHERE TO APPLY:

- Can be applied to established lawns as well as newly seeded lawns.
- DO NOT apply to any body of water.
- DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Avoid application of this product when winds are gusty.

HOW TO APPLY / WHAT TO EXPECT:

- Apply the product directly to weeds on the lawn 2-3 times per season at monthly intervals. The patented Bio-Phoma™ formula causes weeds to turn white and their roots to stop growing. The white weeds cannot produce chlorophyll and eventually starve to death.
- Symptoms may first appear in about one week after application when temperature is between 15-30°C.

Applicator Directions:

Option 1 (sifter can):

1. Remove cap but leave sifter in place.
2. Sprinkle product evenly over and around weeds.
3. Apply 2 grams (1 tsp) per weed to cover an area of 20 cm (8 in.) in diameter.
4. Replace cap after use.

Option 2 (squeeze bottle):

1. Open top cap.

2021-6702
2022-01-24

2. Hold bottle at 45-degree angle and gently squeeze to coat the targeted weed (area diameter of 20 cm).
3. Close top cap after use.

Option 3 (dispenser)

1. Open lid.
2. Invert container and tip forward to load dispensing chamber.
3. Sprinkle product evenly over one weed (area diameter of 20 cm).
4. Replace container upright before treating another weed.
5. Close lid after use.

Option 4 (measuring cup)

1. Remove cap.
2. Fill the measuring cup with product and sprinkle evenly over and around weeds.
3. One full cup (2 grams) treats one weed (covers an area of 20 cm (8 inches) in diameter).
4. Replace cap after use.

Option 5 (shaker jug)

1. Remove cap.
2. Sprinkle product evenly over and around weeds.
3. 2 grams treat one weed (covers an area of 20 cm (8 inches) in diameter).
4. Replace cap after use.

Coverage

- 2 grams of product will cover an area of 20 cm (8 inches) in diameter and treat 1 weed.

APPLICATION TIPS:

- Mow prior to application. Then do not mow your lawn again until the product has been washed from the grass by rainfall or watering and the turf has dried.
- Avoid contact with desirable flowers, vegetables, and fruit bearing shrubs. If contacted wash away with water.
- Will not control grassy weeds such as crabgrass.
- While this product is in use do not apply in conjunction with any other lawn disease control product.
- For best results, apply to wet or dry grass as long as the soil is moist when the temperature is between 15-30°C (60-85°F) in the day. To further enhance control, watering or rainfall should occur within 24-72 hours after application. Avoid applying in windy conditions.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May cause sensitization. May irritate eyes. Avoid contact with eyes. Wash hands thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

2021-6702
2022-01-24

STORAGE: To prevent contamination store this product away from food or feed.. Store unused product in original container away from children and direct sunlight. Store at 23°C or below for up to one year from the date of manufacture.

DISPOSAL: Do not reuse empty container. Dispose of empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

FIRST AID: **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.pthomeandgarden.com