

2019-7063  
2020-07-09

## Doktor Doom “Sleep Tight” Residual Barrier & Premise Protector Bed Bug Killer

Pressurized contact & residual spray

Continuous cockroach killing action for 60 days

For use as a spot or crack and crevice treatment

### DOMESTIC

This product is to be used to kill bed bugs and cockroaches inside buildings.

ACTIVE INGREDIENT: Permethrin...0.25%

REG. NO. 30809 P.C.P. ACT

NET CONTENTS: 75 grams to 775 grams



CAUTION

EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

\*753146 AB Ltd. o/a UltraSol Industries  
10755-69 Avenue  
Edmonton, Alberta, Canada  
T6H 2C9  
1-780-432-6535

\*100% Canadian Owned and Operated

## DIRECTIONS FOR USE:

**GENERAL INFORMATION:** Permethrin is a synthetic version of pyrethrins. Pyrethrins have long been known for rapid knockdown of insects. Although permethrin is more stable than pyrethrins, it is still degraded by the ultraviolet rays of the sun. This results in a relatively short residual life in the presence of sunlight. When protected from the sun, permethrin will provide long lasting activity.

*Doktor Doom "Sleep Tight" Residual Barrier & Premise Protector Bed Bug Killer* is a ready-to-use aerosol product. **SHAKE WELL BEFORE USING.** This product has a special valve that sprays in all directions, even upside down, for hard to reach areas during crack and crevice surface treatment. Hold container approximately 30 cm from surface being sprayed and spray until thoroughly wet but not until run-off.

Within the specified use location, to enhance effectiveness of this product, apply this product directly to the listed pest where possible. Unpainted or unsealed concrete surfaces may require repeated application after 2 week if necessary. Good sanitary practices should be maintained to prevent re-infestation.

## RESTRICTIONS:

- DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed.
- DO NOT apply when people, pets or livestock are present.
- DO NOT allow people, pets or livestock to enter treated areas until sprays have dried.
- DO NOT allow spray to drip or allow drift onto non-target surfaces.
- DO NOT apply to people, pets, livestock or sources of electricity.
- Unless otherwise stated on this label, DO NOT apply to furniture (excluding bookcases and storage furniture), mattresses, linens, toys or clothing.
- DO NOT apply to overhead areas or in confined spaces (for example, attics, crawlspaces).
- Ventilate treated areas after application by opening windows and doors or using fans, where required, to aid in the circulation of air.
- DO NOT apply as a space spray or broadcast application.
- This product may stain or damage certain plastic, rubber and asphalt materials such as tiles, floor covering and carpets. Apply with caution to surfaces and avoid excessive wetting.
- Do not apply to tapestries, wall paper or similar materials that may stain. Do not apply to draperies, wallpaper or similar materials that may be stained.
- For all other surfaces, test a small inconspicuous area of the surface to be treated for color fastness & staining before full application.

## HOW TO APPLY:

**DO NOT APPLY AS A SPACE SPRAY OR BROADCAST APPLICATION.**

Apply as a crack and crevice or spot treatment only to kill pests listed on this label. Spot treatment is localized to surface area not more than 0.2 m<sup>2</sup>. Spots are not to be adjoining

and the combined area of spots is not to exceed 10% of the total surface area of a room. Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

#### Instructions for inside buildings

##### To Kill Cockroaches:

Thoroughly treat inside building surfaces, including cracks, crevices in walls, floors and ceilings; along and behind baseboards; around water pipes and tanks; walls behind and floors beneath appliances (e.g., refrigerators and stoves) and furniture (e.g., shelves, drawers, cabinets and storage units); around sinks, drains and pipes; around garbage containers; around interior foundations; localized area around garbage cans; localized areas of floors and floor coverings and points of entry (e.g., around windows and doors). Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

To Kill Bed Bugs: DO NOT apply to the mattress, headboard, footboard or furniture. Apply to inside building surfaces including, cracks and crevices in the walls, floors and ceilings; along and behind baseboards and moldings; and localized areas of walls behind and floors beneath furniture (e.g., bed and nightstand). To enhance effectiveness of this product, apply this product directly to bed bugs where possible. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

##### PRECAUTIONS:

**KEEP OUT OF REACH OF CHILDREN.** Do not use as a space spray. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Cover fish bowls when spraying rooms. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash after using. Keep from freezing.

##### DISPOSAL:

When container is empty, press button to release all pressure then dispose in household garbage. Do not puncture or incinerate.

##### FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

2019-7063  
2020-07-09

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:**

This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

**NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.