Foil/Water-soluble bag label E

To Open

The foil bag is not water soluble. Do not put in Mixing Tank.

METASOL TK-100

FUNGICIDE

SOLUBLE POWDER

INDUSTRIAL (COMMERCIAL)

ACTIVE INGREDIENT: Thiabendazole 99.4%

REGISTRATION NO.: 29177 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION



POISON

DO NOT SELL THE SOLUBLE PACKS SEPARATELY.

NET CONTENTS: 226 g

LANXESS

METASOL® TK-100

FUNGICIDE

TO INHIBIT THE GROWTH OF FUNGI ON PAINT FILMS, POLYOLEFIN POLYMERS AND POLYURETHANE FOAMS

SOLUBLE POWDER

INDUSTRIAL (COMMERCIAL)

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION



POISON

REGISTRATION NO. 29177 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: Thiabendazole 99.4%

NET CONTENTS: 5.65-22.6 kg (25-100 x 226 g)

LANXESS Corporation 111 RIDC Park West Drive Pittsburgh, PA 15275-1112 1-800-LANXESS

DO NOT SELL THE SOLUBLE PACKS SEPARATELY. **DO NOT USE A KNIFE OR OTHER SHARP OBJECT TO OPEN THE OVERPACK.**THE FOIL BAG IS NOT WATER SOLUBLE. DO NOT PUT IN MIXING TANK.

EMERGENCY TELEPHONE NUMBERS

TRANSPORTATION EMERGENCIES ONLY:

CANUTEC (Canada): 1-613-996-6666

CHEMTREC: 1-800-424-9300 (USA)

1-703-527-3887 (International)

ALL OTHER EMERGENCIES:

LANXESS: 1-800-410-3063 (USA)

1-866-673-6350 (Canada)

DIRECTIONS FOR USE

For use as a material preservative to control fungi in non-food contact materials and products.

Trials are suggested in order to determine the most effective use level within the label rates of METASOL TK-100.

Paint Films

METASOL TK-100 can be added to paint to inhibit the growth of fungi on paint films. METASOL TK-100 can be added at any stage in the paint formulation, providing there is sufficient agitation to properly disperse it throughout the finished product. Levels will range from 0.02 to 0.2% (of product by weight), depending on the application.

Polyurethane Foam

METASOL TK-100 can be added to polyurethane to inhibit the growth of fungi on flexible and rigid foam. METASOL TK-100 can be added directly to the monomers prior to polymerization at a rate of 0.025 to 0.2% based on the final weight of the foam.

Polyolefin Polymers

Levels will range from 0.08 to 0.16% in the final product, depending on the application. This can only be determined by laboratory evaluation. For protecting polyolefins (including rubber, polypropylene, polyethylene and polyvinyl chloride or PVC) Metasol TK-100 is to be blended into the polymeric material either directly prior to manufacturing the final article or through the use of master batches. Final levels will range from 0.08 to 0.16% in the finished product, depending on the application.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Harmful if inhaled. Avoid inhaling/breathing dusts, vapours or spray mist. Workers must wear a long-sleeved shirt, long pants and chemical resistance gloves during mixing, loading, clean-up and repair activities. Wash hands with soap and water after handling.

HANDLING PRECAUTIONS: Do not handle the inner bag with wet gloves as the bag will begin to dissolve on contact with even a small amount of water. Do not open the inner bags or attempt to remove the product from them. The soluble pouch is not designed to be re-measured or subdivided. The inner bag should not be opened and partial bag not used. The entire contents of the inner (soluble) bag must be used.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control centre or doctor, for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control center or physician treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

STORAGE

Keep in original container during storage. Store product in cool, dry, well ventilated place away from seed, feed, fertilizer or other pesticides. Keep away from fire or open flame or other sources of heat.

Do not remove pouch from overwrap container except for immediate use.

Do not allow to become wet in storage. Keep container closed when not in use.

ENVIRONMENTAL PRECAUTIONS:

Toxic to aquatic organisms.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans and other waters.

DISPOSAL

- 1. Triple rinse the foil bag. Add the rinsing to the production batch.
- 2. Follow provincial instructions for any required additional cleaning of the foil bag prior to its disposal.
- 3. Make the foil bag unsuitable for further use.
- 4. Dispose of the foil bag in accordance with provincial requirements.

For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills.

For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM provincial regulatory agency.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.