

2023-2801  
2023-06-22  
Last approved 2017-3550, 2018-04-04

CHLORPYRIFOS AGROGILL  
TECHNICAL GRADE ACTIVE INGREDIENT

SOLID

FOR MANUFACTURING, FORMULATING OR REPACKAGING

INSECTICIDE

**ACTIVE INGREDIENT: CHLORPYRIFOS 98.6%**

READ THE LABEL BEFORE USING

DANGER



POISON

REGISTRATION No: 31417

PEST CONTROL PRODUCTS ACT

NET CONTENTS: 285kg

Registrant: Agrogill Chemicals Pty Ltd

Agrogill Chemicals Canada Inc  
35842 Eaglecrest Drive  
ABBOTSFORD  
BC V3G 1E8  
(604) 853-3229

## NOTICE TO USER

This pest control product is to be used only in accordance with the directions of this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use this product in a way that is inconsistent with the directions on the label.

### FIRST AID

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control centre or doctor for treatment advice.

Take the container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

### TOXICOLOGICAL INFORMATION

Chlorpyrifos is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include headache, nausea, dizziness, sweating, salivation, runny nose and eyes. This may progress to muscle twitching, weakness and tremor in coordination, vomiting, abdominal cramps and diarrhea in more serious poisonings. A life-threatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as Pralidoxime Chloride, may be therapeutic if used early; however, use only in conjunction with atropine. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician.

## PRECAUTIONS

### PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

Fatal or poisonous if swallowed. Fatal if inhaled. May be harmful if absorbed through the skin. May irritate eyes and skin. Do not inhale/breath dust. Avoid contact with eyes, skin and clothing

Handle concentrate in a ventilated area. Wear full length protective clothing, impervious gloves and safety glasses when handling this product. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing immediately and wash separately from other laundry before reuse. Keep away from food, feedstuffs and water supplies.

### STORAGE

Store in original container in a well ventilated, cool dry and secure area. Ship and store away from food, feed or seed.

### DECONTAMINATION AND DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal and provincial regulations. For additional details and clean up of spills, contact the manufacturer and the provincial regulatory agency.

### DIRECTIONS FOR USE

To be used only in manufacture of a pesticide which is registered under the PEST CONTROL PRODUCTS ACT