This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 03/02/2025 in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

KLENZE^R

Flea & tick shampoo for dogs and cats

Pressurized Product

FOR USE ONLY ON DOGS AND CATS

Controls Dog fleas, Cat fleas, Brown Dog ticks, Wood and American Dog ticks.

DO NOT USE ON PUPPIES OR KITTENS LESS THAN 8 WEEKS OLD

DO NOT USE ON ANY OTHER ANIMALS

DOMESTIC

ACTIVE INGREDIENTS:

Pyrethrins	.0.042%
Piperonyl Butoxide	.0.085%
N-Octyl Bicycloheptene Dicarboximide	.0.141%

CAUTION EXPLOSIVE

REG. NO. 31466 P.C.P. ACT

Net contents ___ g

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Business Helpers' Depot Inc. 98 Walker Drive Brampton, ON L6T 4H6 (905) 792-6571

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID

HUMANS: IF INHALED, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice. IF IN EYES: hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF ACCIDENTALLY SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

PETS: Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention or veterinary attention.

TOXICOLOGICAL INFORMATION: Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. This product contains a petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DIRECTIONS FOR USE: SHAKE WELL BEFORE USING. For control of dog and cat fleas, wood and American dog ticks and Brown Dog ticks. Ticks are difficult to control and must be sprayed directly. Pay special attention to the neck, hindquarters, areas under legs, around the tail and between toes. DO NOT apply to the Dog's / Cat's face, eyes, nose, mouth or genitals. DO NOT use this spray more than once a week. Treatment must only be repeated if pest problem persists or reoccurs.

FOR USE ONLY ON DOGS AND CATS OVER 8 WEEKS OLD.

USE LIMITATIONS

DO NOT use on puppies or kittens less than 8 weeks old. DO NOT use on dogs or puppies weighing less than 0.2268 kg. DO NOT use on cats or kittens weighing less than 1.5 kg.

DO NOT USE ON ANY OTHER ANIMAL.

Consult veterinarian before using on pregnant, sick, aged or nursing animals or animals under drug or other pesticide treatment.

Use ONLY in a well-ventilated area, preferably outdoors.

DO NOT use solely as a shampoo when there is no pest problem.

HOW TO APPLY

TO CONTROL dog and cat fleas, wood and American dog ticks and Brown Dog ticks.: Wet the dog's / cat's head with water to drive the pests onto the body. Hold the can in an upright position from a distance of about 20 - 30 cm above the back and spray the entire body of the dog / cat, beginning at the head and working towards the tail. As you spray, use hands to fluff the fur of the dog / cat so that the spray will penetrate to the skin. Only spray until the fur is damp – not wet. Wipe off excess product from the dog / cat with a dry cloth and then comb or brush. Bathing of the dog / cat may affect product efficacy. DO NOT exceed $6.0 \, \text{g} - 8.0 \, \text{g}$ / animal (3 seconds – 4 seconds / animal). For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persist, an insecticidal treatment of the premises may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

PRECAUTIONS: PHSYICAL AND CHEMICAL HAZARDS: Contents under pressure. DO NOT place in hot water or near radiators, stoves or other sources of heat. DO NOT puncture or incinerate container even when empty. DO NOT store at a room temperature over 50°C. Keep away from open flames or sparks.

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed though skin. Avoid skin contact by wearing rubber gloves. Avoid contact with mouth, eyes, skin and clothing. Avoid contact with pet until dry. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Harmful if swallowed or inhaled. May irritate eyes, nose and throat. Avoid direct spray of dog's or cat's mouth, face, eyes and genitals. Toxic to fish and other aquatic life. Cover fish aquaria in vicinity of treatment area. Toxic to birds. Discontinue use if dermal or nasal irritation develops. This product contains pyrethrins and piperonyl butoxide. Do not apply another pest control product such as a shampoo, spot-on, spray, collar, or powder that contains pyrethrins or piperonyl butoxide to the treated animal after applying KLENZE.

SIDE EFFECTS: Monitor your DOG after application. Side effects may include skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur consult your veterinarian or registrant at 905-792-6571.

Monitor your CAT after application. Side effects may include skin irritation such as scratching or hair loss at the application site; changes in behaviour such as agitation or lethargy; gastrointestinal effects such as drooling, vomiting or loss of appetite. If these or other side effects occur consult your veterinarian or registrant at 905-792-6571.

STORAGE: Store this product away from food or feed.

DISPOSAL: DO NOT reuse empty container. When container is empty, press valve to release pressure. Wrap and dispose of empty container in household garbage. Do NOT puncture or incinerate. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.