DOKTOR DOOM MAXIMUM STRENGTH FOAMING RESIDUAL OUTDOOR ANT ELIMINATOR

PRESSURIZED CONTACT AND RESIDUAL INSECTICIDE FOAM

DOMESTIC

FOR OUTDOOR USE ONLY

GUARANTEE: D-trans Allethrin 0.05 %
N-Octyl Bicycloheptene Dicarboximide 0.25 %
Permethrin 0.20 %

REG. NO. 30790 P.C.P. ACT

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN



NET CONTENTS:

Kills Ants in cracks and crevices Reaches ants where they hide

753146 AB Ltd. o/a UltraSol Industries*
10755 - 69 Avenue
Edmonton, AB T6H 2C9
(780) 432-6535
*100% Canadian Owned and Operated

The nozzle and formula of this product are designed to produce a foam that reaches ants where they hide - penetrating tight areas such as cracks and crevices that are difficult to reach. The foam expands leaving an effective residue that kills ants on contact.

DIRECTIONS: FOR OUTDOOR USE ONLY:

SHAKE CONTAINER WELL. Rotate the wand to point straight up above the cap (see picture). Turn can upside down to spray. Gently insert the wand as far as possible into cracks and crevices in driveways, sidewalks or interlocking brick where ants hide. DO NOT SPRAY WITHOUT MOVING THE WAND UP. DO NOT FORCE THE WAND. Press button and allow foam to fill the area. Stop spraying when the foam starts to come back out of the crack or crevice. For best results, treat all cracks and crevices in the area where ants are found.

KEEP PETS AND CHILDREN AWAY UNTIL RESIDUE IS DRY.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not place in hot water or near radiators, stove or other sources of heat, or store at temperatures over 50°C. Harmful if swallowed, inhaled or absorbed through skin. May cause eye or skin irritation. Avoid contact with eyes, skin, or clothing. DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOODSTUFFS, FOOD UTENSILS, FISHBOWLS OR ANIMAL FEED AREAS. DO NOT USE AS A SPACE SPRAY. DO NOT CONTAMINATE FOODSTUFFS. KEEP PETS AWAY FROM TREATED AREAS. Toxic to bees, fish and wildlife. DO NOT CONTAMINATE ANY BODY OF WATER. Thoroughly wash all surfaces that might contact food before re-use.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure, then dispose with household garbage. Do not puncture or incinerate.