LABEL FOR BOTTLE

INSECT/ARTHROPOD REPELLENT PROTECTIVE TREATMENT FOR MILITARY COMBAT CLOTHING

COMMERCIAL

OUTER CLOTHING TREATMENT ONLY

THIS PRODUCT IS ONLY TO BE SOLD TO AND USED BY MILITARY

PERSONNEL

READ THE LABEL AND ACCOMPANYING

BROCHURE BEFORE USING

DANGER



POISON

SKIN IRRITANT - POTENTIAL SKIN SENSITIZER
REGISTRATION NUMBER 28560 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: PERMETHRIN__40.00%

Net Contents: 9 mL

Coulston Products Incorporated P.O. Box 188 Safety Harbor, FL 34695 USA Phone: 727-725-1177

DIRECTIONS FOR USE: Refer to accompanying brochure.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

Human Hazard: Wear long pants, long-sleeved shirt, chemical-resistant gloves, shoes, and socks during mixing, loading, application, clean-up and repair, unless otherwise specified. Fatal or poisonous if swallowed. May irritate or cause skin reactions. Do not apply to skin. For treatment of military combat clothing only. Discontinue use if any skin reaction should occur. Adverse events (e.g. skin reactions) thought to be related to use of this product should be reported to medical personnel. Potential skin sensitizer. Individuals with asthma or a predisposition to develop allergies (such as individuals with known sensitivity to synthetic pyrethrins or naturally occurring pyrethrums) should consult a physician prior to using this product. Keep away from food, mess gear, and water supplies. Thoroughly wash mess gear if contaminated with this product.

Wash thoroughly after handling fluid, container or wet treated uniform and before eating and smoking.

Environmental Hazard: This pesticide is extremely toxic to fish and other aquatic organisms. Do not apply directly to any body of water. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment, disposal of equipment wash waters, or disposal of wastes.

FIRST AID: If on skin: Wash affected areas with soap and water. If in eyes: Flush eyes with plenty of water. Contact physician if irritation persists. If swallowed: This product contains a petroleum distillate. Contact a physician or poison control center immediately. Do not induce vomiting unless directed by a physician. If inhaled: Remove person to well ventilated area. Apply artificial respiration if indicated. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Contains a petroleum distillate. Vomiting may cause aspiration pneumonia. Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Treat symptomatically.

STORAGE AND DISPOSAL: Refer to accompanying brochure.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

BROCHURE LABEL: A COPY OF THE FOLLOWING BROCHURE MUST BE ENCLOSED IN A ZIP-LOCK BAG, ALONG WITH THE BOTTLES OF PERMETHRIN, AND PLACED IN EACH MILITARY KIT.

INSECT/ARTHROPOD REPELLENT PROTECTIVE TREATMENT FOR MILITARY COMBAT CLOTHING

COMMERCIAL

OUTER CLOTHING TREATMENT ONLY

THIS PRODUCT IS ONLY TO BE SOLD TO AND USED BY MILITARY

PERSONNEL READ THE LABEL AND ACCOMPANYING

BROCHURE BEFORE USING

DANGER



POISON

SKIN IRRITANT - POTENTIAL SKIN SENSITIZER
REGISTRATION NUMBER 28560 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: PERMETHRIN _____ 40.00%


Net Contents: 9 mL per bottle (2 bottles per package)

Coulston Products Incorporated P.O. Box 188


Safety Harbor, FL 34695 USA Phone: 727-725-1177

Procedure for Treating Military Combat Clothing with insect/Arthropod Repellent Protective Treatment

BAG A - COAT









1. Lay coat flat, fold sleeves across front, fold shoulder to shoulder (A) and roll tightly (B). Tie middle of roll tightly with string (C).


2. Place 450 mL (16 ounces) of clear water into bag.




3. Wearing chemical resistant gloves, empty contents of one Permethrin bottle into bag, drop bottle and cap into bag. Hold upright and gently shake two times to mix.



4. Place rolled coat into bag and zip lock.



5. Gently shake bag 2 times and then let rest at least 3 hours.



6. Unzip bag and remove roll.




7. Untie string and hang coat for 3 hours or until dry and coat is ready to wear. Mark "Permethrin Treated" and the date inside the collar.




8. Place used bags, string, bottles in one ziplock bag and put in designated trash receptacles.

Procedure for Treating Military Combat Clothing with insect/Arthropod Repellent Protective Treatment

BAG B - TROUSERS




1. Lay trousers flat, fold leg to leg (A) and roll tightly (B). Tie middle of roll tightly with string (C).




16


2. Place 450 mL (16 ounces) of clear water into bag.




3. Wearing chemical resistant gloves, empty contents of one Permethrin bottle into bag, drop bottle and cap into bag. Hold upright and gently shake two times to mix.



- **4.** Place rolled trousers
- into bag and zip lock.




7. Untile string and hang trousers for 3 hours or until dry and trousers are ready to wear. Mark "Permethrin Treated" and the date inside the waste band.



5. Gently shake bag 2 times and then let rest at least 3 hours.



8. Place used bags, string, bottles in one ziplock bag and put in designated trash receptacles.



6. Unzip bag and remove roll.

DIRECTIONS FOR USE: Treated uniform provides protection to covered areas of the body from mosquitoes and ticks. **Insect/Arthropod Repellent Protective Treatment for Military Combat Clothing** (i.e. permethrin pouch) is not to be used in conjunction with any other insect repellent clothing treatments. Treatment to be performed in well ventilated area.

Application Procedure: Place 450 mL (16 ounces) of clear water into bag. Wearing chemical resistant gloves, pour contents of 1 bottle of permethrin into bag. Zip lock bag and shake 2 times to mix. Unzip bag, place rolled and tied coat or trousers in bag. Zip lock, shake 2 times and let stand 3 hours or more. Unzip bag, remove garment and hang for 3 hours or until dry. When dry, garment is ready to wear. Mark with indelible ink on the label of clothing item "Permethrin Treated" and the date of the treatment. DO NOT RE-TREAT CLOTHING UNLESS DIRECTED TO DO SO BY THE APPROPRIATE MILITARY AUTHORITY; treated clothing will maintain its effectiveness against mosquitoes through about 50 washes and against ticks through about 25 washes. DO NOT TREAT UNDERWEAR OR HEAD GEAR. WHERE REQUIRED AND UNDER APPROPRIATE MILITARY DIRECTION, DRY CLEANING CAN BE USED TO REMOVE PERMETHRIN FROM TREATED UNIFORMS.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

Human Hazard: Wear long pants, long-sleeved shirt, chemical-resistant gloves, shoes, and socks during mixing, loading, application, clean-up and repair, unless otherwise specified. Fatal or poisonous if swallowed. May irritate or cause skin reactions. Do not apply to skin. For treatment of military combat clothing only. Discontinue use if any skin reaction should occur.

Adverse events (e.g. skin reactions) thought to be related to use of this product should be reported to medical personnel. Potential skin sensitizer. Individuals with asthma or a predisposition to develop allergies (such as individuals with known sensitivity to synthetic pyrethrins or naturally occurring pyrethrums) should consult a physician prior to using this product. Keep away from food, mess gear, and water supplies. Thoroughly wash mess gear if contaminated with this product. Wash thoroughly after handling fluid, container or wet treated uniform and before eating and smoking.

Environmental Hazard: This pesticide is extremely toxic to fish and other aquatic organisms. Do not apply directly to any body of water. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment, disposal of equipment wash waters, or disposal of wastes.

FIRST AID: If on skin: Wash affected areas with soap and water. If in eyes: Flush eyes with plenty of water. Contact physician if irritation persists. If swallowed: This product contains a petroleum distillate. Contact a physician or poison control center immediately. Do not induce vomiting unless directed by a physician. If inhaled: Remove person to well ventilated area. Apply artificial respiration if indicated. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Contains a petroleum distillate. Vomiting may cause aspiration pneumonia. Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Treat symptomatically.

STORAGE AND DISPOSAL: Do not contaminate water or food by storage or disposal. Do not store below 0°C. Do not reuse empty container or empty impregnation (ziplock) bags or other materials. Place all unused impregnation kit components on one treatment bag, zip bag closed, and put in garbage. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with

2019-5247 2020-02-28

the directions on the label.