

2023-5265
2024-05-06

This label has been updated according to the re-evaluation decision of Calcium Hypochlorite RVD2023-14. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 29-08-2025 in accordance with the phase out period set out in RVD2023-14. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

BioGuard Burn-Out® 3

MAINTAIN

MULTIPURPOSE GRANULAR CHLORINE

- CONTROLS BACTERIA AND ALGAE IN SWIMMING POOL WATERS
 - DESTROYS ORGANIC CONTAMINANTS
 - SANITIZES, SHOCKS, KILLS ALGAE

Step 2 BioGuard
Care System ()
Sanitizer ()
Shock (X)
Algicide ()

As Needed*

*Please refer to directions for use.

ACTIVE INGREDIENT:
Available Chlorine present as calcium hypochlorite 57.9%

DOMESTIC



WARNING POISON
DANGERCORROSIVE TO EYES AND SKIN

REG. NO. 30258 P.C.P. ACT

NET CONTENTS: 2 – 11.5 kg

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

KIK HOLDCO COMPANY INC.
33 MacIntosh Blvd.
Concord ON L4K 4L5
1-888-640-7946

BioGuard Burn-Out® 3 is a patented, multifunctional product that can be used to kill bacteria and unsightly algae, and clear up cloudy water. This product's patented blend provides the perfect solution for clear inviting pool water. Shock treatment is needed when bather loads are high, water appears hazy or dull, unpleasant odours or eye irritation occurs, or after heavy rain.

PRECAUTIONS: CORROSIVE to the eye and skin. DO NOT get in eyes and on skin. KEEP OUT OF REACH OF CHILDREN. Strong oxidizing agent. May cause fire or explosion if contaminated. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. Do not apply in windy conditions. Wear eye protection, protective clothing, and rubber gloves when handling this product. May be fatal if swallowed. Harmful if inhaled. Avoid breathing dusts and fumes. Keep container closed and store in a cool, dry location.

ENVIRONMENTAL PRECAUTIONS: Toxic to aquatic organisms. This registration is granted under the Pest Control Products Act and does not exempt the user from any other legislative requirements.

DISPOSAL: Rinse container thoroughly before discarding. Do not re-use empty container. Dispose the empty container with household garbage. Offer for recycling if available, in accordance with local and provincial regulations. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

STORAGE: Store this product away from food or feed.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control centre or doctor for treatment advice.

Take the container label or the product name and pest control product registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DIRECTIONS FOR USE:

Maintain daily levels as determined by test kits:

Free available chlorine: 1-3 ppm

pH: 7.2-7.8

Total alkalinity: 80-120 ppm

Calcium hardness: 200-300 ppm

To minimize bleaching, pre-dissolve required amount of BioGuard Burn-Out® 3 in a plastic pail with concentration not exceeding 350 g per 10 L of water. Always add chemical to water, NEVER water to chemical. Broadcast resulting slurry directly to pool water.

INITIAL START-UP: Add 165 g of BioGuard Burn-Out® 3 per 10,000 litres of pool water. For best results, superchlorinate at dusk.

ROUTINE CHLORINATION: Maintain 1-3 ppm chlorine residual by broadcasting daily over the pool's surface, 35 g of this product per 10,000 litres of pool water, or as needed. **Note:** Hot weather, heavy pool usage, and rain may require higher usage rates to maintain proper chlorine residuals.

SHOCK TREATMENT: Superchlorinate weekly and using 165 g of this product per 10,000 litres of pool water when average daily temperature is 25°-32°C. Otherwise, superchlorinate every other week.

ALGAE TREATMENT: For visible algae, superchlorinate using 400 g of this product per 10,000 litres of pool water. Heavy algae infestation may require dosages up to 575 g of this product per 10,000 litres of pool water. Vacuum pool when dead algae settles.

NOTE: For outdoor pools, chlorine residuals can be protected from destruction by sun's rays by addition of stabilizer. Keep stabilizer within the range of 30-100 ppm by dilution with freshwater.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on this label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.