

2023-2217  
2024-01-18

This label has been updated according to the re-evaluation decision for Corn Gluten Meal RVD2023-02. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 01-16-2025 in accordance with the phase out period set out in the re-evaluation decision for Corn Meal Gluten RVD2023-02. This previously approved label will be provided upon request by emailing [hc.pmra.info-arla.sc@canada.ca](mailto:hc.pmra.info-arla.sc@canada.ca). In your email please include the product name and Registration number of the label you are requesting.

2023-2217  
2024-01-18

## **AMAIZEINGLY GREEN**

CORN GLUTEN MEAL HERBICIDE<sub>1</sub>

Solid

For the inhibition of large crabgrass and dandelion seed germination in public areas such as sports fields, parks, golf areas and sod farms, where established perennial ryegrass or established Kentucky bluegrass are the predominant grass species.

COMMERCIAL

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: corn gluten meal 99.975%

REGISTRATION NO. 29304 PEST CONTROL PRODUCTS ACT

CAUTION EYE IRRITANT  
POTENTIAL SENSITIZER NET CONTENTS:  
Warning, contains the allergen sulfites

5-100 kg

AG Global Canada GP Inc.  
201 MacDonald Rd.  
Collingwood ON L9Y 4J1  
1-888-614-7336

2023-2217  
2024-01-18

AMAIZEINGLY GREEN CORN GLUTEN MEAL HERBICIDE<sub>1</sub> may inhibit dandelion and large crabgrass seed germination when used in conjunction with a sound lawn maintenance program. Established dandelion and large crabgrass at the time of application will not be inhibited. This product is formulated for use in residential lawns where established perennial ryegrass and Kentucky blue grass is the predominant grass species.

**PRECAUTIONS:**

KEEP OUT OF REACH OF CHILDREN. May cause sensitization. AMAIZEINGLY GREEN CORN GLUTEN MEAL HERBICIDE<sub>1</sub> should not be applied if a member of the household has a sensitivity or allergy to corn. Avoid contact with skin, eyes or clothing. Avoid inhaling/breathing dusts. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes, protective eyewear (goggles or faceshield), and a NIOSH-approved N95 (minimum) filtering facepiece respirator (dust mask) when handling, mixing/loading or applying the product, and during all clean-up/repair activities. Keep pets off the treated area until a thorough watering or rainfall moves the applied product into the thatch layer.

**DIRECTIONS FOR USE:**

Do not apply under windy conditions. Product application dates may vary for both the spring and late summer/early fall application from year to year according to weather conditions. The inhibitory effect of the product to weed seeds generally dissipates in five weeks following application. AMAIZEINGLY GREEN CORN GLUTEN MEAL HERBICIDE<sub>1</sub> is to be applied to a mature lawn having a well developed root mass. Do not apply the product on newly seeded grass as it may inhibit seeds from germinating, wait until after first mowing when root systems are established. If over-seeding or re-sodding in the spring, do not apply the product in the spring. If over-seeding or re-sodding in the fall, do not apply the product in the fall.

For best results: Apply to established turf twice a year; once in the early spring and once in the late summer/early fall. Not recommended for use with a fertilizer containing nitrogen.

**SPRING APPLICATION:**

***Dandelion and Large Crabgrass Inhibition:***

Large crabgrass seeds germinate when soil temperature reaches 12.8° C. Apply to established perennial ryegrass and Kentucky bluegrass turf in early spring two weeks before large crabgrass seed germination.

**LATE SUMMER/EARLY FALL APPLICATION:**

***Dandelion and Large Crabgrass Inhibition:***

Apply to established perennial ryegrass and Kentucky bluegrass turf in late summer or early fall after heat stress has passed.

**APPLICATION RATE:**

Apply at a rate of 9.8 kg/100 m<sup>2</sup>.

2023-2217  
2024-01-18

#### **METHOD OF APPLICATION:**

1. Measure the area to be applied by taking the length multiplied by the width of the total area in metres. One normal step is approximately one metre. Measure the size of any buildings or driveway in the same manner and subtract this amount from the total area. The remaining total will represent the grass area to be treated.
2. Apply AMAIZEINGLY GREEN CORN GLUTEN MEAL HERBICIDE<sub>1</sub> using a rotary spreader for large areas. For smaller areas, apply AMAIZEINGLY GREEN CORN GLUTEN MEAL HERBICIDE<sub>1</sub> using a small hand spreader.
3. Apply AMAIZEINGLY GREEN CORN GLUTEN MEAL HERBICIDE<sub>1</sub> in a criss-cross pattern. Use one half the rate in each direction. Apply when soil is moist and when rain is forecasted within 2 days of treatment. If rainfall does not occur within 2 days of treatment, irrigation is required. Excessive moisture at time of treatment may reduce the effectiveness of the product.

#### **FIRST AID:**

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### **TOXICOLOGICAL INFORMATION:**

Treat symptomatically.

**STORAGE:** Keep in cool, dry conditions, away from seed, fertilizer and other pesticides. Store this product away from food or feed.

2023-2217  
2024-01-18

**DISPOSAL:**

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.