

2010-4885
2011-07-28

King

PTV Potato, Tomato & Vegetable Dust for Bugs and Blight

Insecticide/Fungicide

Controls insects and diseases on Potatoes, Tomatoes and many other vegetables and small fruits

DOMESTIC

REG.NO.29619 P.C.P. ACT

GUARANTEE:

| | |
|--|------|
| Carbaryl..... | 5.0% |
| Copper from Tri-basic copper sulphate..... | 7.0% |

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 300 G to 10 KG

King Home & Garden Inc.
3-304 Stone Road West
Guelph, ON N1G 4W4
1-866-458-5464
www.kinghg.on.ca

DIRECTIONS FOR USE: Apply a thin uniform coating of dust to both sides of foliage, preferably in early morning or evening when air is still. Start applications when insects or damage caused by insects or disease appear, and repeat at intervals of 7 to 10 days or as necessary for control. For potato, apply when plants are 13 to 18 cm high. Repeat at intervals of 5 to 10 days as long as disease threatens. Some leaf injury may occur to carrots and cucumber if applied to tender wet foliage or in the presence of prolonged humidity. **DO NOT** apply this product in a way that will contact adults, children or pets either directly or through drift. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. **DO NOT** apply to any body of water. Avoid application of this product when winds are gusty.

*ITH (days interval to harvest)

| CROP | *ITH | DISEASES | INSECTS | Max # of applications per year | Minimum application interval (day) ¹ | Max. single application rate in grams Cu ⁺² per 10 m ² |
|--------------------------------|------|--|--|--------------------------------|---|--|
| Grapes | 3 | Black rot, dead arm, downy mildew | Grapeberry moth, leafhopper | 7 | 3 | 3 |
| Strawberry | 1 | Leaf spot | Spittlebug, leafroller | 5 | 7 | 2.01 |
| Beet | 14 | Cercospora leaf spot | | 6 | 7 | 2.12 |
| Carrot | 1 | | | 5 | 7 | 2.12 |
| Broccoli, Cabbage, Cauliflower | 3 | Black leaf spot, grey leaf spot, downy mildew, leaf spot | Flea beetles, leafhopper, armyworm, cabbage looper, diamond-back moth, imported cabbageworm, spittlebug, stink bug | 5 | 7 | 2.12 |
| Brussels Sprout | | | | 2 | 14 | 2.12 |
| Celery | 3 | Early blight, late blight | | 5 | 5 | 2.0 |
| Spinach | 14 | Downy, | | 5 | 7 | 1.33 |

| | | | | | | |
|-----------------------|---|--|---|----|---|------|
| | | mildew, white rust | | | | |
| Cucumber | | Anthracnose, leaf spot, scab | Cucumber beetle, climbing cutworm, flea beetle, leafhopper, squash bug | 5 | 7 | 2.0 |
| Melon, Squash | 3 | | | 5 | 5 | 1.59 |
| Eggplant, Pepper | 1 | Early blight, late blight | Colorado potato beetle, corn borer, fall armyworm, tomato horn worm, tomato fruitworm, leafhopper, flea beetle, stink bug, plant bug, climbing cutworm | 10 | 3 | 2.12 |
| Potato | 7 | Early blight, late blight | | 10 | 5 | 2.0 |
| Tomato | 1 | Anthracnose, early blight, late blight, septoria leaf spot | | 10 | 3 | 2.39 |
| Ornamentals (Rose) | | Black spot, powdery mildew, downy mildew | Beetle, leahopper, leafroller, plant bug, rose aphid, rose chafer, rose slug | 10 | 7 | 0.43 |

¹Minimum number of days between each application.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Hazardous if swallowed, inhaled or absorbed through the skin. Wash hands thoroughly after use and before eating, drinking, chewing gum, using tobacco or using the toilet. Do not contaminate feed, food, ponds or streams. DO NOT allow adults, children or pets to enter the treated area until the dusts have settled. Do not use when fruit trees are in bloom or directly on flower blossoms as it is very poisonous to foraging bees. Store in a cool, dry, ventilated place.

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not

breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

ENVIRONMENTAL HAZARDS: Toxic to birds, small wild mammals, aquatic organisms and non-target terrestrial plants. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the body of water.

TOXICOLOGICAL INFORMATION: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL: Dispose of empty container with household garbage. Do not reuse empty container.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.