

2020-0513
2020-11-13

BUZZ-UP!
CRAWLING INSECT KILLER

Solution

PUMP SPRAY

CONTACT & RESIDUAL INSECTICIDE SURFACE SPRAY

TO CONTROL LISTED PESTS INSIDE BUILDINGS AND LISTED GENERAL OUTDOOR
USES AROUND THE HOME.

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN.

CAUTION



POISON

DOMESTIC USE

ACTIVE INGREDIENT: Permethrin 0.25%

Contains 1,2-benzisothiazolin-3-one at 0.019% as a preservative.

REGISTRATION NUMBER 27305 PEST CONTROL PRODUCTS ACT

NET CONTENTS:

Chasse-Moustique BUZZ-UP, P.O. Box 503, St-Hyacinthe, Québec H2S 7B8, 450-778-7575

2020-0513
2020-11-13

APPLICATOR DIRECTIONS:

Adjust spray nozzle to deliver a stream for cracks and crevices or a coarse spray for other areas. Hold sprayer 30 cm (12 inches) from the insect or surface being sprayed.

STORAGE:

Rotate nozzle to closed position. Close nozzle on trigger sprayer. Store product in original container in a safe place. Keep from freezing.

DIRECTIONS FOR USE:

Restrictions:

DO NOT apply to furniture (excluding bookcases and storage furniture), mattresses, linens, toys or clothing.

When applied indoors, DO NOT apply to overhead areas or in confined spaces (for example, attics, crawlspaces, small storage rooms, closets).

When applied indoors, ventilate treated areas after application by opening windows and doors or using fans where required to aid in the circulation of air.

DO NOT apply to plants grown for food or feed (e.g., vegetables, fruit, herbs) or in areas where these plants are grown.

DO NOT apply when people or pets or livestock are present.

DO NOT allow people or pets or livestock to enter treated areas until sprays have dried.

DO NOT allow spray to drip or allow drift onto non-target surfaces.

DO NOT apply to people, pets, livestock or sources of electricity.

DO NOT apply as a space spray or broadcast application.

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Avoid application of this product when winds are gusty.

DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed.

SHAKE WELL BEFORE USING. Do not transfer to another container.

HOW TO APPLY:

DO NOT APPLY AS A SPACE SPRAY OR BROADCAST APPLICATION.

Apply as a crack and crevice or spot treatment only. Spot treatment is localized to surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room. Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

INSTRUCTIONS FOR INSIDE BUILDINGS:

TO CONTROL COCKROACHES, SOWBUGS, ANTS, SILVERFISH,
FIREBRATS, SPIDERS, CRICKETS, RICE WEEVILS AND RED FLOWER BEETLES:

Direct the spray into cracks and crevices and behind shelves and drawers. For

2020-0513

2020-11-13

silverfish, also spray the cracks and crevices in bookcases. Remove all objects before treatment of bookcases where books, clothing, toys, towels and other items are stored. Treated bookcases must be dry before replacing stored items. For ants, spray trail, nests and points of entry. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

TO CONTROL CARPET BEETLES: Spray edges of carpeting and under carpeting and rugs for approximately 10 seconds duration. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

TO CONTROL FLEAS (ADULT AND LARVAE) AND BROWN DOG TICKS (ADULT AND LARVAE):

DO NOT apply to furniture, mattresses, linens, toys or clothing. Thoroughly spray pet beds, resting quarters, nearby cracks and crevices along and behind baseboards, mouldings, window and doorframes. Apply to infested floor areas as a spot spray only.

DO NOT SPRAY PETS WITH THIS PRODUCT. Only treat pets with products specifically registered for use on that type of pet. For effective flea and tick control, treatment of the pest should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. Treatment must only be repeated after 7 days if pest problem persists or reoccurs. If pest problems persist, a premise treatment with an insecticide labelled for that use may be required.

GENERAL OUTDOOR APPLICATION:

To help control TICKS in outdoor activity areas, treat a band of vegetation and leaf litter 1.8 to 3 metres (6-10 feet) wide and adjacent to activity areas, especially where dense vegetation occurs. Treatment must only be repeated after 14 days if pest problem persists or reoccurs.

FOR USE ON ORNAMENTAL PLANTS:

For use on roses, dahlias, asters and other ornamental plants to kill WHITEFLIES and APHIDS. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African violets, asters, begonias, camelias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, eudonymus, fuchsia, geraniums, crassula, grape vines, kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stock, wandering Jews and zinnias. Effective when used as directed against APHIDS AND WHITEFLIES. Treatment must only be repeated if pest problem persists or reoccurs.

DISPOSAL:

Do not reuse empty container. Wrap in several layers of newspaper and discard in the household garbage.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Wash thoroughly after handling and before smoking or eating. Avoid contamination of cooking utensils. Cover fish aquariums before surface applications.

2020-0513

2020-11-13

ENVIRONMENTAL PRECAUTIONS:

Toxic to aquatic organisms. Toxic to birds. Toxic to bees. Toxic to beneficial insects. This product is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply this product or allow drift when bees are actively visiting the treatment area. Application should be timed to provide the maximum interval between treatment and the next period of bee activity.

FIRST AID:

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IN CASE OF MEDICAL EMERGENCIES: IN U.S, CALL 1-800-471-0660 OR IN CANADA CALL (201) 439-3161.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.