

24-DEC-2008

2008-4587

07-JAN-2009 2008-4587 Notification: Change in Registrant Address

**RAMPAGE**  
**PLACE PACS RODENTICIDE**

**COMMERCIAL**

**FOR LICENSED PEST CONTROL OPERATORS**

**KILLS RATS & MICE**

**Kills Norway Rats, Roof Rats and House Mice**

**For Indoor Use Only**

Rats and mice may consume a lethal dose in a single feeding, with first dead rodents appearing one or two days after bait consumption. Rodents cease feeding after consuming a toxic dose in a single night's feeding. The bait in these place pacs kills anticoagulant-resistant rats and mice.

**This unit is not for individual sale**

REGISTRATION NO.: **27367** PEST CONTROL PRODUCTS ACT

GUARANTEE: Bromethalin.....0.01%

Warning, contains the allergens wheat and soya lecithin.

\* Contains Denatonium Benzoate

\* Contains Calcium Propionate at 0.38% and Malathion  
at 0.01% as preservatives.

WARNING



POISON

**READ THE LABEL AND OUTER CONTAINER BEFORE USING**  
**KEEP OUT OF REACH OF CHILDREN**

NET CONTENTS: 15 g

Notification Change

Manufactured by: Motomco Ltd., ~~P.O. Box 8422, Madison, WI 53708 USA~~

3699 Kinsman Blvd., Madison WI 53704

**PRECAUTIONS: KEEP OUT OF REACH OF HUMANS, DOMESTIC ANIMALS, PETS, AND WILDLIFE.** May be harmful or fatal if swallowed. Chemical resistant gloves must be worn while applying this product. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash thoroughly with soap and water after handling. Wash contaminated clothing with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

**FIRST AID:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Rampage Place Pacs Rodenticide is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. Keep out of lakes, rivers, streams or ponds.

**DIRECTIONS FOR USE:** Refer to exterior container for complete directions.

**DISPOSAL:** Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

**Rodent Disposal:** Dispose of dead rodents in garbage or by burying.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

100703

# **RAMPAGE**

## **PLACE PACS RODENTICIDE**

**COMMERCIAL**

**FOR LICENSED PEST CONTROL OPERATORS**

**KILLS RATS & MICE**

**Kills Norway Rats, Roof Rats and House Mice**

**For Indoor Use Only**

Rats and mice may consume a lethal dose in a single feeding, with first dead rodents appearing one or two days after bait consumption. Rodents cease feeding after consuming a toxic dose in a single night's feeding. The bait in these place pacs kills anticoagulant-resistant rats and mice.

REGISTRATION NO.: **27367** PEST CONTROL PRODUCTS ACT

GUARANTEE: Bromethalin.....0.01%

Warning, contains the allergens wheat and soya lecithin.

\* Contains Denatonium Benzoate\*

Contains Calcium Propionate at 0.38% and Malathion  
at 0.01% as preservatives.

WARNING



POISON

**READ THE LABEL BEFORE USING**  
**KEEP OUT OF REACH OF CHILDREN**

Notification Change

NET CONTENTS: 100 x 15 g

Manufactured by: Motomco Ltd., ~~P.O. Box 8422, Madison, WI 53708 USA~~

3699 Kinsman Blvd., Madison WI 53704 USA

**PRECAUTIONS: KEEP OUT OF REACH OF HUMANS, DOMESTIC ANIMALS, PETS, AND WILDLIFE.** May be harmful or fatal if swallowed. Chemical resistant gloves must be worn while applying this product. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash thoroughly with soap and water after handling. Wash contaminated clothing with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

**FIRST AID:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Rampage Place Pacs Rodenticide is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. Keep out of lakes, rivers, streams or ponds.

**DIRECTIONS FOR USE:** Use bait to control the Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*) and House mouse (*Mus musculus*) inside of buildings only. This product is not to be used outdoors or in areas near farm wells or water reservoirs or in areas where there is a possibility of contaminating sources of drinking water.

**USE LIMITATIONS:** Treated baits must be placed in locations not accessible to children, pets, domestic animals or wildlife or in tamper-resistant bait stations. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Bait MUST either be placed in tamper-resistant bait stations or in locations not accessible to children, pets, wildlife, or domestic animals. To ensure safe use of this product, tamper-resistant bait stations should have the following characteristics:

- \* constructed of high-strength material (e.g., metal or injection molded plastic) and resistant to destruction by children and nontarget animals;
- \* entrance designed so that children and nontarget animals cannot reach the bait;
- \* internal structure which prevents bait from being shaken loose;
- \* access panel which fastens securely and locks (e.g. metal screw or padlock);
- \* capable of being securely fastened to a surface (e.g. nailed down);
- \* clearly labeled: "WARNING POISON".

**SELECTION OF TREATMENT AREAS:** Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

**APPLICATION DIRECTIONS:**

**NORWAY AND ROOF RATS:** Apply 2 to 12 place pacs per placement (usually at intervals of 6 to 10 metres). Adjust the amount of bait applied to the level of rat feeding expected at each bait placement.

**HOUSE MICE:** Apply 1 place pac per placement. Space placements at intervals of 2 to 4 metres in infested areas. Two place pacs may be used at points of extremely high mouse activity.

**BAITING STRATEGY:** Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

**DISPOSAL:** Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

**Rodent Disposal:** Dispose of dead rodents in garbage or by burying.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

100703

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.