

SD Alcohol

For Manufacturing Use Only

LIQUID

READ THE LABEL BEFORE USING

REGISTRATION NO. 30586 PEST CONTROL PRODUCTS ACT

GUARANTEE: Ethanol 92.7%

CAUTION EYE IRRITANT

Available information notes that long-term repeated exposure to ethanol may result in the development of progressive liver injury with fibrosis or exacerbate liver injury produced from other causes. Repeated ingestion of ethanol by pregnant mothers has been shown to adversely affect the central nervous system of the fetus, producing a collection of effects which together constitute the fetal alcohol syndrome. These effects include mental and physical retardation, disturbances of learning, motor and language deficiencies, behavioural disorders, and small head size.

**Reckitt Benckiser (Canada) Inc.
1680 TECH AVENUE, UNIT #2
Mississauga, Ontario
L4W 5S9
1-800-888-0192**

NET CONTENTS: 30-2000 L

DIRECTIONS FOR USE:

To be used only in the manufacture of a pesticide which is registered under the *PEST CONTROL PRODUCTS ACT*.

PRECAUTIONS:

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. Inhalation of vapours may cause respiratory tract irritation. Harmful if swallowed or inhaled. Avoid contact with skin, eyes and clothing, as well as inhalation of spray mist. Wear chemical-resistant gloves to handle and apply the product. Wash thoroughly with soap and water after use. Remove contaminated clothing and wash before wearing again. Avoid any contact of the product with food or feed. Pregnant women and women planning a pregnancy should not be exposed to this product.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN/CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Ingestion of SD Alcohol may cause central nervous system effects. Publically available information notes that long-term repeated exposure to ethanol may result in the development of progressive liver injury with fibrosis or exacerbate liver injury produced from other causes. Repeated ingestion of ethanol by pregnant mothers has been shown to adversely affect the central nervous system of the fetus, producing a collection of effects which together constitute the fetal alcohol syndrome. These include mental and physical retardation, disturbances of learning, motor and language deficiencies, behavioural disorders, and small head size.

DISPOSAL:

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean-up of spills, contact the manufacturer or the provincial regulatory agency.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.