AEF 11-04

Biological Fungicide for Suppression of scab in apple, crab apple and pear trees and powdery mildew in grapevines

COMMERCIAL SOLUTION

GUARANTEE: Garlic powder......30%

REGISTRATION NUMBER 30602.....PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

POTENTIAL SENSITIZER CAUTION EYE IRRITANT CAUTION SKIN IRRITANT

Net Contents: 10 litres

Manufactured by: AEF GLOBAL Inc. 201, Mgr-Bourget Lévis, QC G6V 9V6 (418) 838-4441

Toll free help-line: 1-866-622-3222 www.aefglobal.com

DIRECTIONS FOR USE:

AEF 11-04 is a liquid formulation containing garlic as the active ingredient. AEF 11-04 suppresses causal agents of powdery mildew in grapevines and scab in apple, crab apple and pear trees. Repeat applications and thorough coverage of target foliage are required to maintain disease protection.

Field sprayer application: DO NOT apply during periods of dead calm. Avoid application of this product when winds are gusty. DO NOT apply with s pray droplets smaller than the American Soci ety of Agri cultural Engineers (ASAE) fine/medium/coarse classification. Boom height must be 60 cm or less above the crop or ground.

Air blast application: DO NOT apply during peri ods of dead calm. Avoid application of this product when winds are gusty. DO NOT apply with s pray above plants to be treated. Turn off outw ard pointing nozzles at row ends and outer rows. DO NOT apply when wind s peed is greater than 16 km/h at the application site as measured outside of the treatment area on the upwind side.

DO NOT apply by air.

The pre-harvest interval (PHI) is 0 (zero) day.

MIXING, TIMING AND APPLICATION

Foliar application: Dilute AEF 11-04 with clean wa ter. Add the recommended amount of AEF 11-04 to the required amount of water in the spr ay tank. Agitate as necessary to maintain suspension. Av oid application when significant rainfall is imminent. For early morning application, foliage should not be wet with dew to the point of runoff.

Apply at a rate of 9 L/ha in a spray volume sufficient to ensure thorough coverage of target foliage. A spra y volume between 250 - 1000 L/ha is recommended.

Subsequent applications may be made every 7-14 days if symptoms persist.

APPLICATION RATES

Crop	Pest		Rate (L/ha)
Grapevines	Powdery mildew	Erysiphe necator	9 L/ha
Apple trees/ Crab apple	Apple scab	Venturia inaequalis	9 L/ha
Pear trees	Pear scab	Venturia pirina	9 L/ha

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

May cause eye irritation. May cause skin irritation. May cause skin sensitization.

Avoid contact with skin, eyes or clothing. Avoid breathing spray mists. May cause respiratory irritation.

Wear a long-sleeved shirt, long pants, water-proof gloves, shoes plus socks, and eye goggles when handling, mixing/load ing or applying the product, and during all cleanup/ repair activities. Applicator s using a power sprayer must w ear a bayonet-style cartridge respirator (for par ticulates) equipped with at least an N-95, R-95, P-95 or HE filter.

Apply only when the potential for drift to areas of human habitation or areas of human activity such as houses , cottages, schools and recreational areas is minimal. Take into consideration wi nd speed, wind direct ion, temperature inversion, application equipment and sprayer settings.

Individuals who are sensitive or alle rgic to garlic s hould avoid handling the product. Individuals who are sensitive or allergic to garlic should avoid treated areas until dry or after a heavy rain.

DO NOT re-enter or allow entry into treated areas until the spray is dried.

The handling and loading of AEF 11-04, as well as the clean-up and maintenance activities should be performed in a well ventilated area. Keep unprotected persons out of the treatment period.

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of wate r if able to swallow. Do not in duce vomiting unless told by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if pres ent, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or produc t name and Pest Control Product Registration Number when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE:

Store containers tightly closed, out of direct sunlight, at temperatures between 4° and 20 °C. Cooler storage temperatures are preferred.

To prevent contamination store this product away from food and feed.

DISPOSAL

- 1.Triple- or pressure-rinse the empty c ontainer. Add the rinsings to the spray mixture in the tank.
- 2. Follow provincial instruction for any required addition all cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on dispos al of unused, unwanted product, contact the manufacturer or the provincial regulator y agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product incons istent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.