PACE® 15% ALGAECIDE

Controls Algae in Swimming Pool Waters

SOLUTION

ACTIVE INGREDIENT:

N-alkyl (40% C₁₂, 50% C₁₄, 10% C₁₆) Dimethyl Benzyl Ammonium Chloride ...15%

DOMESTIC

Reg. No. 27696 P.C.P. Act KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

NET CONTENTS: 1 - 8 LITRES [or other sizes]

Innovative Water Care, LLC 2475 Pinnacle Dr Wilmington, DE 19803 1-800-654-6911

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not mix with any other chemical. Avoid contact with skin and eyes. Wear rubber gloves when handling this concentrate.

FIRST AID: If splashed in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If splashed on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IN CASE OF EMERGENCY CALL: 1-800-654-6911

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DIRECTIONS FOR USE:

- ➤ Initial dosage for pool water having no visible algae is 135 mL of PACE 15% Algaecide per 10,000 litres of pool water.
- ➤ Weekly maintenance dosage is 70 mL of PACE 15% Algaecide per 10,000 litres of pool water.
- For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait at least 24 hours before adding weekly maintenance dosage.

- For visible algae growth, when superchlorination product is not employed, add 340 mL of PACE 15% Algaecide per 10,000 litres of pool water.
- > DO NOT apply when swimmers are in the immediate vicinity (a 15-minute restricted-entry interval is recommended).

DISPOSAL:

Rinse container thoroughly before discarding. Do not re-use empty container. Wrap container and dispose of the empty container with the household garbage. For information on the disposal of unused, unwanted product, contact the manufacturer or provincial regulatory agency. Contact the manufacturer or provincial regulatory agency in case of a spill, and for clean-up of spills.