

2023-5630

2024-01-09

WEEDERASE

HERBICIDE SOLUTION - COMMERCIAL

ACTIVE INGREDIENT: ACETIC ACID 20.0%

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION: SKIN IRRITANT
DANGER: CORROSIVE TO EYES

REGISTRATION NO: 30531 PEST CONTROL PRODUCTS ACT

NET CONTENTS
20 L, 205 L or 1000L

UBA INC.
2192 Wycroft Road
Oakville, Ontario, Canada, L6L 6R1
Telephone: 905-823-6460

Weederase is most commonly used for spot weed control in lawns and gardens as well as for control of vegetation in sidewalk and driveway cracks.

This product has been shown to be effective for the treatment of annual weeds such as Black Medic, Chickweed, Lamb's-quarters and Ragweed, as well as perennial weeds such as clover, dandelion, plantain, and wild carrot.

ENVIRONMENTAL PRECAUTIONS

TOXIC to aquatic organisms and non-target terrestrial plants. Observe buffer zones specified under DIRECTIONS OF USE.

Do not apply to or allow runoff to reach lakes, streams and ponds. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

Avoid application when heavy rain is forecast. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

Weederase is best used through spraying during warm, sunny weather onto young and newly established weeds to the point of wetness. It is most effective on young weeds. Older perennial weeds may require multiple treatments. The product is best used in dry conditions; rain or watering remove the product and reduce its effectiveness.

All of the target plant must be sprayed for complete control. Nearby plants should be protected from the spray by using a cloth or towel, which can be washed after use.

For early season annual weed control, when weeds are small (3-5 leaf) and actively growing, mix a spray solution consisting of 1 L of product for each 3 L of water. Ensure adequate mixing.

For control of larger annual weeds and top growth reduction (suppression) of perennial weed growth, mix a spray solution consisting of 1 L of product for each 2.25 L of water.

DO NOT apply this product through any type of irrigation system.

Field sprayer application: **DO NOT** apply during periods of dead clam. Avoid application of this product when winds are gusty. **DO NOT** apply with spray droplets smaller than the American Society of Agricultural Engineers (ASAE S572.1) medium classification. Boom height must be 60cm or less above the crop or ground.

DO NOT apply by air.

Buffer Zones:

Use of the following spray methods or equipment **DO NOT** require a buffer zone: handheld or backpack sprayer and spot treatment, inter-row hooded sprayer, low-clearance hooded or shielded sprayers that ensure spray drift does not come in contact with orchard crop fruit or foliage, soil

drench and soil incorporation.

For application to right-of-way, buffer zones for protection of sensitive terrestrial habitats are not required; however, the best available application strategies which minimize off-site drift, including meteorological conditions (e.g., wind direction, low wind speed) and spray equipment (e.g., coarse droplet size, minimize height above canopy), should be used. Applicators must, however, observe the specified buffer zones for protection of sensitive aquatic habitats.

The buffer zones specified in the table below are required between the point of direct application and the closest downwind edge of sensitive terrestrial habitats (such as grasslands, forested areas, shelter belts, woodlots, hedgerows, riparian areas and shrubland), sensitive freshwater habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs and wetlands) and estuarine/marine habitats.

Method of application	Crop	Buffer Zones (metres) Required for the Protection of:				
		Freshwater Habitat of:		Estuarine/Marine Habitats of Depths:		Terrestrial Habitats*
		Less than 1m	Greater than 1m	Less than 1m	Greater than 1m	
Field Sprayer	Non-crop	2	1	1	1	1

* Buffer zones for the protection of terrestrial habitats are not required for use on rights-of-way including railroad ballast, rail and hydro right-of-way and utility easements.

For tank mixes, consult the labels of the tank-mix partners and observe the largest (most restrictive) buffer zone of the products involved in the tank mixture and apply using the coarsest spray (ASAE) category indicated on the labels for those tank mix partners.

Do not contact the weeds until the product has dried. If a large area has been sprayed, do not re-enter the area until the product has dried.

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

CORROSIVE to the eye. DO NOT get in eyes. Causes irritation of the respiratory tract. Avoid contact with skin and clothing. Avoid inhaling vapours or spray mist.

A well-ventilated area is required for task-related duties.

Wear long-sleeved shirt, long pants, chemical resistant gloves, safety goggles or face shield, and shoes plus socks during handling, mixing/loading, applying, and when performing clean-up and maintenance activities.

Wash immediately after use. Wash contaminated clothing with soap and hot water before reuse.

DO NOT re-enter or allow entry into the treated areas until the residues have dried.

Apply only when the potential for drift to areas of human habitation or areas of human activity such as houses, cottages, schools, and recreational areas is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment, and sprayer settings.

For broadcast application and applications in areas with poor ventilation, the applicator must also wear a NIOSH/MSHA-approved vapour respirator.

This product may cause a mild burn or irritation to the skin.

Do not use this product near reactive metal products such as aluminum siding and lawn furniture, tin and iron products. Rinse the metals parts immediately with water to minimize the effect.

STORAGE

To prevent contamination, store this product away from food or feed. Keep from freezing. Store in original container out of reach of children.

DISPOSAL

1. Triple or pressure-rinse the empty container. Dispose of rinsings on bare ground.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.