

2024-09-06

2023-6209

[alternate text in italics]

**King Logo**

**KING RODENTEX® Mouse Bait Blocks & Re-fillable Station**

Re-usable/Lockable Bait Station

RODENTICIDE

Includes locking key

**DOMESTIC**

**ACTIVE INGREDIENT:** Chlorophacinone.....0.005 %

REG. NO. 31131 PCP ACT

**DO NOT ALLOW CHILDREN OR PETS TO HANDLE BAIT OR BAIT STATION  
READ THE LABEL BEFORE USING  
WARNING, CONTAINS THE ALLERGENS PEANUTS, WHEAT, SOY AND FISH**

**THIS BAIT STATION IS RESISTANT TO TAMPERING BY CHILDREN  
USE INDOORS ONLY**

Net Contents: 20 to 448 g  
1 re-usable bait station and 1 a 16 x 20 or 28 g bait blocks

King Home & Garden Inc.  
577 Industrial Drive  
Fort Erie, Ontario, L2A 5M4, Canada  
1-866-458-5464 [www.kinghg.on.ca](http://www.kinghg.on.ca)

**DIRECTIONS FOR USE/USE LIMITATIONS:** Bait MUST be placed in a tamper-resistant bait station. This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated on this label. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS, DOMESTIC ANIMALS, OR NONTARGET WILDLIFE.** DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Selection of Treatment Areas: [*House mice are excellent climbers and will infest all floors in a structure. Mice will range approximately 10 m from their nesting area seeking food.*] Place bait in locations where mice travel and will most likely find and consume the bait. Placement along walls, in corners by gnawed openings, in corners and concealed places, between floors or walls, or in locations where house mice or their signs have been seen. Remove as much alternative food as possible.

**Application Directions:**

Remove bait station from package and place in horizontal position with side against wall, exposing entrance.

To Load:

1. Insert key in hole on top of mouse bait station and turn key 90°.
2. Lift lid and remove key.
3. Place 1 bait block in the square compartments.
4. Close lid until it snaps making certain that station is locked.

Place 2 bait stations at intervals of 2-4 m within the treatment area. If a bait placement is not disturbed after several days, move the placement approximately 1 metre. Four (4) bait stations per placement may be necessary at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

Replace bait stations if damaged or contents are consumed or contaminated. Wearing rubber gloves, collect and dispose of all dead animals and unconsumed bait properly. To prevent re-infestation, eliminate food, water and harbourage as much as possible. If reinfestation occurs, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations as necessary.

**PRECAUTIONS:**

**KEEP AWAY FROM CHILDREN, PETS, AND LIVESTOCK.** May be harmful or fatal if swallowed or absorbed through the skin. Rubber gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. This material may reduce the clotting ability of the blood and cause bleeding. **KEEP AWAY FROM FEED AND FOODSTUFFS.** This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds.

**FIRST AID:**

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed, for all cases of human ingestion call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:**

Vitamin K1 in the form of intramuscular or subcutaneous injections, or by oral ingestion, is a suggested remedial treatment for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

**STORAGE AND DISPOSAL:** Store in a cool dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals. Wrap unwanted or damaged bait stations and discard in household garbage. DO NOT use damaged bait station. Unused or partially used products should be disposed at provincially/territorially or municipally designated hazardous waste disposal sites.

**RODENT DISPOSAL:**

Dead rodents should be securely wrapped and placed in closed containers and disposed of in the garbage. Otherwise, securely wrap carcasses and bury to a depth that will make them inaccessible to scavengers.

**NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

**OPTIONAL MARKETING STATEMENTS for the Domestic CPN Bait Station Label – Tier 3:**

Contains Bitrex™

Contains Bittering Agent

Clear lid allows bait to be seen

Clear lid for monitoring bait

Covered design

Tamper-resistant

No need to touch the bait when placing station

Helps reduce mess and crumbs

Can use in (Designed for) (Perfect for) Kitchens (Bathrooms) (Basements) (living rooms) (Laundry rooms), in inaccessible areas consistent with “USE INSTRUCTIONS” IN THE “DIRECTIONS FOR USE”

Green Dye allows consumption tracking

Made from recycled materials

Use inside cabinets, in closets, garages, attics and behind or under stoves and refrigerators, in inaccessible areas consistent with “USE INSTRUCTIONS” in the “DIRECTIONS FOR USE”

Use in (Perfect for) Tight Spaces, in inaccessible areas consistent with “USE INSTRUCTIONS” in the “DIRECTIONS FOR USE”

Kills House Mice

Kills House Mice – dead

Keeps bait out of reach of children

Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland

<label on bundled bait blocks co-packed with bait station >

**King Rodentex Mouse Bait Blocks & Re-fillable Station**

DOMESTIC

ACTIVE INGREDIENT: Chlorophacinone.....0.005%

REG.NO. 31131 P.C.P ACT

DO NOT ALLOW CHILDREN OR PETS TO HANDLE BAIT STATION  
WARNING, CONTAINS THE ALLERGENS PEANUTS, WHEAT, SOY AND FISH  
READ THE ENTIRE LABEL ON THE OUTER PACKAGING BEFORE USE

King Home & Garden Inc.  
577 Industrial Drive  
Fort Erie, Ontario, L2A 5M4, Canada  
1-866-458-5464

NET CONTENTS: (XX g)

<Bait Station Label>

**King Rodentex Mouse Bait Blocks & Re-fillable Station**

ACTIVE INGREDIENT: Chlorophacinone.....0.005%

REG.NO. 31131 P.C.P ACT

WARNING

<skull and crossbones in diamond>

POISON

DO NOT ALLOW CHILDREN OR PETS TO HANDLE BAIT STATION

WARNING, CONTAINS THE ALLERGENS PEANUTS, WHEAT, SOY AND FISH

READ THE ENTIRE LABEL ON THE OUTER PACKAGING BEFORE USE

King Home & Garden Inc.

1-866-458-5464