

DIRECTIONS FOR USE

USE ONLY AS DIRECTED ON THIS LABEL. NOT FOR USE INSIDE DWELLINGS Shake well before using. Hold can upright before spraying.

Do not use tetramethrin in food handling, storage or preparation areas while food is present.

Clean treated surfaces before being used to prepare food.

For Control of Nests of Wasps, Yellowjackets, and Hornets: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arm's length, point the actuator at the nest and spray into the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. After 48 hours wear gloves to remove the treated nest. . Foliage of desirable plants that were contacted with spray should be hosed off.

TOXIC to bees. Do not spray bees. This product is intended for use on yellow jackets, hornets and wasps only.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND PETS. Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breathe vapors or spray mist. Causes moderate eye irritation. May irritate skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs. Do not use in commercial food/feed processing, preparation, food/feed storage or serving areas. In the home, all food/feed processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food/feed should be covered or removed. Outdoors remove animals and cover fish aquariums before spraying. Avoid contact with treated surfaces until dry. This pesticide is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 50° may cause bursting.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

In on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not reuse empty container. When container is empty, press valve to release all remaining pressure. Wrap container in several layers of newspaper and discard in garbage.