

2022-0975
2022-03-04

OPTILL Bulk™

FOR MANUFACTURING, FORMULATING OR REPACKAGING

HERBICIDE

WATER DISPERSIBLE GRANULES

GUARANTEE: Saflufenacil.....17.8%
Imazethapyr.....50.2%

REGISTRATION NO. 30755

PEST CONTROL PRODUCTS ACT

Warning: Contains the allergen sulfites

CAUTION - EYE IRRITANT

READ THE LABEL BEFORE USING

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT
1-800-454-2673**

NET CONTENTS: 20 kg - Bulk

BASF Canada Inc.
5025 Creebank Road
Building A, 2nd Floor
Mississauga, Ontario L4W 0B6

(289) 360-1300

OPTILL is a trade-mark of BASF SE, used with permission by BASF Canada Inc.

DIRECTIONS FOR USE

To be used only in the manufacture of a herbicide which is registered under the *Pest Control Products Act*.

PRECAUTIONS

1. **PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.**
2. **DO NOT** take internally. Harmful if swallowed.
3. **DO NOT** get in eyes or on skin. Avoid inhalation of vapour or spray.
4. **DO NOT** contaminate food or feed products.
5. **DO NOT** eat, drink or smoke when using.
6. Wear a long-sleeved shirt, long pants, coveralls, dust and/ or splash-proof goggles or face shield, shoes plus socks and chemical resistant gloves during mixing, loading, application, clean-up and repair.
7. Wash exposed areas of skin thoroughly after handling and before eating, drinking or smoking or going to the washroom. Take a shower immediately after work.
8. If clothing becomes contaminated, remove immediately and wash. Store and wash all protective clothing separately from household laundry. Wash in detergent and hot water before reuse. Wear freshly laundered clothes daily.
9. Clean protective equipment (gloves, goggles, face shield) upon removal with soapy water.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

STORAGE

1. Store the product in original, tightly-closed container and do not allow water to be introduced into this container.
2. **DO NOT** ship or store the product near food, feed, seed or fertilizers.
3. Store the product in a cool, dry, locked, well-ventilated area without floor drain.
4. Herbicides should be shipped or stored separately from other pesticides to avoid cross-contamination.

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean-up of spills, contact the manufacturer or the provincial regulatory agency.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.