

2024-2617
2024-08-06

FRONT PANEL

SUPERIOR

MALATHION LIQUID INSECTICIDE-MITICIDE CONCENTRATE

NET CONTENT: 250 ml

KILLS MANY GARDEN INSECTS

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

FOR OUTDOOR USE ONLY

DOMESTIC

Expiry Date : yyyy-mm-dd

This product is not to be sold or applied after the expiry date above

ACTIVE INGREDIENT: Malathion 50%

REG.NO.: 31179 P.C.P. ACT

DANGER



POISON

MADE BY:

Superior Control Products
1937 rue Le Chatelier, Laval,
Qc, H7L 5B3, Canada - (855) 808-2333

2024-2617
2024-08-06

SIDE PANEL

Malathion liquid insecticide-miticide concentrate

DIRECTIONS FOR USE:

For outdoor use only.

Avoid application of this product when winds are gusty.

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE: VEGETABLES, FRUITS, FLOWERS AND ORNAMENTALS :

to control aphids, bagworm, beetles, budmoth, cabbage worm, caterpillars, codling moth, currant fruitworm, fruit moth, lace bug, leafhopper, leafminer, leafroller, mealybug, mites, pine shoot moth, pear psylla, plant bug, plum curculio, potato beetle, raspberry fruitworm, tent caterpillars, whitefly.

Mix 10 ml (2 teaspoonfuls) in 3 L of water and spray to wet all surfaces of foliage. Apply at first appearance of insects. Repeat applications as required or at 7 day intervals. Do not apply within seven days of harvest of edible crops. Leaf lettuce within fourteen days. For spruce budworm apply at 20 ml (4 teaspoonfuls) in 3 L of water as soon as larvae appear.

Injury may occur to African violet, crassula, fern, petunia, Sabina and Canaerti juniper, red maple, McIntosh and Courtland apples, Bosc and Bartlett pears, and Ribier grapes.

Clover mites Ants and Millipedes: OUTDOOR STRUCTURAL FOUNDATIONS ONLY and 1 metre path around buildings: Mix 60 mL (4 tablespoons) in 1 Litre of water and spray exterior walls and surrounding buildings.

Mosquitoes: Mix 20 mL (4 teaspoons) in 3 Litres of water and spray on 40 m² on shrubs.

Maximum Number of Applications per Year and Minimum Application Intervals

Crop	Maximum Number of Applications per Year	Minimum Interval (days)
potato, beets (table), turnips, carrots, horseradish, parsnip, sugar beets, salsify, radish, rutabaga, onions, garlic, leek, shallot, lettuce, spinach, celery, collard, kale, parsley, Swiss chard, endive, kohlrabi, watercress, dandelion, broccoli, Brussel sprouts, cabbage, cauliflower, cucumber, melon, pumpkin, squash, peach, plum, prune plum, cherry, asparagus, grapes, cranberries	1	N/A

2024-2617
2024-08-06

outdoor ornamentals	4	10
beans, peas, blackberry, boysenberry, dewberry, strawberry, loganberry	2	7
eggplant, pepper, tomato	4	7
apples, apricots, pears	2	10
blueberry	3	4

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid breathing of spray mist and contact with skin and eyes. Wash thoroughly after use.

Wear rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before use.

ENVIRONMENTAL HAZARDS

TOXIC to birds and aquatic organisms.

Highly toxic to fish and bees. Avoid contamination of ponds and streams. Spray flowers in late evening. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

FRIST AID: DANGER. This product contains petroleum distillates. **If swallowed**, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If on skin or clothing**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes**, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison centre at once. Atropine is antidotal.

STORAGE

Do not contaminate water, food, or feed by storage or disposal. Keep in original container during storage. Isomalathion, a toxic metabolite of malathion forms when malathion product is stored at elevated temperatures or for extended periods of time. Malathion product must be stored in a cool (< 23°C), dry, well ventilated place away from seed, fertilizer or other pesticides. **Do not use after the expiry date.**

2024-2617
2024-08-06

DISPOSAL: Do not reuse empty container. Wrap and dispose of empty container with household garbage.